

Sewage Sludge (Biosolids) Annual Report

EPA Regulations - 503.18, 503.28, 503.48

INSTRUCTIONS

EPA's sewage sludge regulations (40 CFR part 503) require certain POTWs and Class I sewage sludge management facilities to submit to an annual biosolids report. POTWs that must submit an annual report include POTWs with a design flow rate equal to or greater than one million gallons per day, and POTWs that serve 10,000 people or more. This is the biosolids annual report form for POTWs and Class I sewage sludge management facilities in the 42 states and all tribes and territories where EPA administers the Federal biosolids program.

For the purposes of this form, the term 'sewage sludge' also refers to the material that is commonly referred to as 'biosolids.' EPA does not have a regulatory definition for biosolids but this material is commonly referred to as sewage sludge that is placed on, or applied to the land to use the beneficial properties of the material as a soil amendment, conditioner, or fertilizer. EPA's use of the term 'biosolids' in this form is to confirm that information about beneficially used sewage sludge (a.k.a. biosolids) should be reported on this form.

Please note that questions with a (*) are required. Please also note that EPA may contact you after you submit this report for more information regarding your sewage sludge program.

Questions regarding this form should be directed to the NPDES Electronic Reporting Helpdesk at:

•	NPDESeReporting@epa.gov OR
	1_877_227_8965

1-877-227-8965

What action would you like to take? *	
New Biosolids Program Report	
Program Information	
Please select the NPDES ID number below for this Sewage Sludge (Biosolids) Annua	al Report. *
CAL102822: VICTOR VALLEY WRA WWTP	
IMPORTANT - If you do not see the NPDES ID associated with your facility (i.e., you instructions to fix this issue are in the "Important Instructions on Accessing Your NPI	only see a blue bar in the above drop down list), you MUST follow the instructions in the "Biosolids User's Guide." A shorter set of DES ID" document. Both documents are located at: https://epanet.zendesk.com/hc/en-us/sections/207108787-General-Biosolids .
Facility Name: VICTOR VALLEY WRA WWTP	
Street: 15776 Main St. Suite 3	
City: Hesperia	
State: CA	
Zip Code : 92345	
1.1 Please select at least one of the following options pertaining to your obligation t	to submit a Sewage Sludge (Biosolids) Annual Report in compliance with <u>40 CFR 503</u> . The facility is: *
a POTW with a design flow rate equal to or greater than one million gallons per	day a POTW that serves 10,000 people or more a Class I Sludge Management Facility as defined in 40 CFR 503.9
otherwise required to report (e.g., permit condition, enforcement action)	none of the above

1.2 Reporting Perio	od Start and End Dates	
Start Date of Repo	orting Period * End Date of Reporting Period *	
01-01-2017	12-31-2017	
O. Faatilika kafanna akkan		
2. Facility Information		
2.1 Biosolids or Sev	wage Sludge Treatment Processes	
Please check the b more that apply). *	9 9	nt processes that you used on the sewage sludge or biosolids generated or produced at your facility during the reporting period (check one or
Pathogen Reduct	ion Operations (see Appendix B to Part 503)	Physical Treatment Operations
Processes to Signif	ficantly Reduce Pathogens (PSRP)	Preliminary Operations (e.g., sludge grinding, degritting, blending)
Aerobic Diges	ition	Thickening (e.g., gravity and/or flotation thickening, centrifugation, belt filter press, vacuum filter)
Air Drying (or	"sludge drying beds")	
Anaerobic Dig	gestion	Other Processes to Manage Sewage Sludge
Lower Temper	rature Composting	Temporary Sludge Storage (sewage sludge stored on land 2 years or less, not in sewage sludge unit)
Lime Stabiliza	tion	Long-term Sludge Storage (sewage sludge stored on land 2 years or more, not in sewage sludge unit)
Processes to Furth	er Reduce Pathogens (PFRP)	Methane or Biogas Capture and Recovery
Higher Tempe	erature Composting	Other Treatment Process:
Heat Drying (e	e.g., flash dryer, spray dryer, rotary dryer)	
Heat Treatmer	nt (Liquid sewage sludge is heated to temp. of 356°F (or 180°	°C) or higher for 30 min.)
Thermophilic	Aerobic Digestion	
Beta Ray Irradi	iation	
Gamma Ray Iri	radiation	
Pasteurization	1	
2.2 Piosolids or So	wage Sludge Analytical Methods	
also specify the an		pplied to the land, placed on a surface disposal site, or fired in a sewage sludge incinerator must be collected and analyzed. These regulations wage sludge. For example, EPA requires facilities to monitor for the certain parameters, which are listed in Tables 1, 2, 3, and 4 at 40 CFR 503.13
Please check the b	oox next to the following analytic methods used on the sewa	ge sludge or biosolids generated or produced by you or your facility during the reporting period (check one or more that apply). *
Parameter	Method Number or Author	Description Text for Certification Section
Pathogens		
Ascaris ova.	Sludge Monitoring - Ascaris ova.	Sludge Monitoring - Ascaris ova., "Test Method for Detecting, Enumerating, and Determining the Viability Ascaris in Sludge (Appendix I)," Control of Pathogens and Vector Attraction in Sewage Sludge", EPA-625-R-92-013, July 2003

Other Ascaris ova. Analytical Method:

Parameter	Method Number or Author	Description Text for Certification Section					
Enteric viruses	ASTM Method D4994 - Enteric Viruses	ASTM Method D4994 - Enteric Viruses, "Standard Practice for Recovery of Viruses From Wastewater Sludges," ASTM International					
Efficienc viruses	Other Enteric Viruses Analytical Method:						
	Standard Method 9222 - Fecal Coliform	Standard Method 9222 - Fecal Coliform, "Standard Methods for the Examination of Water and Wastewater," American Public Health Association [Note: This method is only allowable for Class B sewage sludge]					
	Standard Method 9221 - Fecal Coliform	Standard Method 9221 - Fecal Coliform, "Standard Methods for the Examination of Water and Wastewater," American Public					
Fecal coliform	EPA Method 1680 - Fecal Coliform	Health Association EPA Method 1680 - Fecal Coliform, "Fecal Coliforms in Sewage Sludge by Multiple-Tube Fermentation using Lauryl Tryptose Broth					
	EPA Method 1681 - Fecal Coliform	and EC Medium," EPA-821-R-10-003, April 2010 EPA Method 1681 - Fecal Coliform, Fecal Coliforms in Sewage Sludge (Biosolids) by MultipleTube Fermentation using A-1					
	Other Fecal Coliform Analytical Method:	medium, EPA-821-R-04-027, June 2005					
Helminth ova.	W.A. Yanko Method - Helminth ova.	W.A. Yanko Method - Helminth Ova., "Occurrence of Pathogens in Distribution and Marketing Municipal Sludges," EPA-600-1-87-014, 1987					
Heiminth Ova.	Other Helminth ova. Analytical Method:						
	Standard Method 9260 - Salmonella	Standard Method 9260 - Salmonella, "Standard Methods for the Examination of Water and Wastewater," American Public Health Association					
Salmonella sp. Bacteria	EPA Method 1682 - Salmonella	EPA Method 1682, "Salmonella in Sewage Sludge (Biosolids) by Modified Semisolid Rappaport-Vassiliadis (MSRV) Medium,"					
Sairionella sp. bacteria	Kenner and Clark Method - Salmonella	EPA-821-R-06-014, July 2006 Kenner and Clark Method - Salmonella, "Detection and Enumeration of Salmonella and Pseudomonas aeruginosa," J. Water					
	Other Salmonella sp. Bacteria Analytical Method:	Pollution Control Federation, 46(9):2163-2171, 1974					
Total Culturable Viruses	Class A Sludge Monitoring - Total Culturable Viruses	EPA Class A Sludge Monitoring - Total Culturable Viruses, "Method for the Recovery and Assay of Total Culturable Viruses from Sludge (Appendix H)," Control of Pathogens and Vector Attraction in Sewage Sludge, EPA-625-R-92-013, July 2003					
Total Culturable Viruses	Other Total Culturable Viruses Analytical Method:						
Metals							
	EPA Method 6010 - Arsenic (ICP-OES)	EPA Method 6010 - Arsenic (Inductively Coupled Plasma - Optical Emission Spectrometry), "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Pub. SW-846					
	EPA Method 6020 - Arsenic (ICP-MS)	EPA Method 6020 - Arsenic (Inductively Coupled Plasma - Mass Spectrometry), "Test Methods for Evaluating Solid Waste, Physical/					
Arsenic	EPA Method 7010 - Arsenic (GF-AAS)	Chemical Methods," EPA Pub. SW-846 EPA Method 7010 - Arsenic (Graphite Furnace Atomic Absorption Spectrophotometry), "Test Methods for Evaluating Solid Waste,					
	EPA Method 7061 - Arsenic (AA-GH)	Physical/Chemical Methods," EPA Pub. SW-846 EPA Method 7061 - Arsenic (Atomic Absorption - Gaseous Hydride), "Test Methods for Evaluating Solid Waste, Physical/Chemical					
	Other Arsenic Analytical Method:	Methods," EPA Pub. SW-846					
	EPA Method 6010 - Beryllium (ICP-OES)	EPA Method 6010 - Beryllium (Inductively Coupled Plasma - Optical Emission Spectrometry), "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Pub. SW-846					
	EPA Method 6020 - Beryllium (ICP-MS)	EPA Method 6020 - Beryllium (Inductively Coupled Plasma - Mass Spectrometry), "Test Methods for Evaluating Solid Waste,					
Beryllium	EPA Method 7000 - Beryllium (FAAS)	Physical/Chemical Methods," EPA Pub. SW-846 EPA Method 7000 - Beryllium (Flame Atomic Absorption Spectrophotometry), "Test Methods for Evaluating Solid Waste, Physical/					
	EPA Method 7010 - Beryllium (GF-AAS)	Chemical Methods," EPA Pub. SW-846 EPA Method 7010 - Beryllium (Graphite Furnace Atomic Absorption Spectrophotometry), "Test Methods for Evaluating Solid					
	Other Beryllium Analytical Method	Waste, Physical/Chemical Methods," EPA Pub. SW-846					

Parameter	Method Number or Author	Description Text for Certification Section
	EPA Method 6010 - Cadmium (ICP-OES)	EPA Method 6010 - Cadmium (Inductively Coupled Plasma - Optical Emission Spectrometry), "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Pub. SW-846
	EPA Method 6020 - Cadmium (ICP-MS)	EPA Method 6020 - Cadmium (Inductively Coupled Plasma - Mass Spectrometry), "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Pub. SW-846
Cadmium	EPA Method 7000 - Cadmium (FAAS)	EPA Method 7000 - Cadmium (Flame Atomic Absorption Spectrophotometry), "Test Methods for Evaluating Solid Waste, Physical/
	EPA Method 7010 - Cadmium (GF-AAS)	Chemical Methods," EPA Pub. SW-846 EPA Method 7010 - Cadmium (Graphite Furnace Atomic Absorption Spectrophotometry), "Test Methods for Evaluating Solid
	EPA Method 7131 - Cadmium (GF-AAS)	Waste, Physical/Chemical Methods," EPA Pub. SW-846
	Other Cadmium Analytical Method:	EPA Method 7131 - Cadmium (Graphite Furnace Atomic Absorption Spectrophotometry), "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Pub. SW-846
	EPA Method 6010 - Chromium (ICP-OES)	EPA Method 6010 - Chromium (Inductively Coupled Plasma - Optical Emission Spectrometry), "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Pub. SW-846
	EPA Method 6020 - Chromium (ICP-MS)	EPA Method 6020 - Chromium (Inductively Coupled Plasma - Mass Spectrometry), "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Pub. SW-846
	EPA Method 7000 - Chromium (FAAS)	EPA Method 7000 - Chromium (Flame Atomic Absorption Spectrophotometry), "Test Methods for Evaluating Solid Waste,
Chromium	EPA Method 7010 - Chromium (GF-AAS)	Physical/Chemical Methods," EPA Pub. SW-846 EPA Method 7010 - Chromium (Graphite Furnace Atomic Absorption Spectrophotometry), "Test Methods for Evaluating Solid
	EPA Method 7191 - Chromium	Waste, Physical/Chemical Methods," EPA Pub. SW-846
	(AA-FT) Other Chromium Analytical Method:	EPA Method 7191 - Chromium (Atomic Absorption - Furnace Technique), "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Pub. SW-846
	EPA Method 6010 - Copper (ICP-OES)	EPA Method 6010 - Copper (Inductively Coupled Plasma - Optical Emission Spectrometry), "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Pub. SW-846
	EPA Method 6020 - Copper (ICP-MS)	EPA Method 6020 - Copper (Inductively Coupled Plasma - Mass Spectrometry), "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Pub. SW-846
Copper	EPA Method 7000 - Copper (FAAS)	EPA Method 7000 - Copper (Flame Atomic Absorption Spectrophotometry), "Test Methods for Evaluating Solid Waste, Physical/
	EPA Method 7010 - Copper (GF- AAS)	Chemical Methods," EPA Pub. SW-846 EPA Method 7010 - Copper (Graphite Furnace Atomic Absorption Spectrophotometry), "Test Methods for Evaluating Solid Waste,
	Other Copper Analytical Method:	Physical/Chemical Methods," EPA Pub. SW-846
	EPA Method 6010 - Lead (ICP-OES)	EPA Method 6010 - Lead (Inductively Coupled Plasma - Optical Emission Spectrometry), "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Pub. SW-846
	EPA Method 6020 - Lead (ICP-MS)	EPA Method 6020 - Lead (Inductively Coupled Plasma - Mass Spectrometry), "Test Methods for Evaluating Solid Waste, Physical/
Lead	EPA Method 7000 - Lead (FAAS)	Chemical Methods," EPA Pub. SW-846 EPA Method 7000 - Lead (Flame Atomic Absorption Spectrophotometry), "Test Methods for Evaluating Solid Waste, Physical/
Leau	EPA Method 7010 - Lead (GF-AAS)	Chemical Methods," EPA Pub. SW-846 EPA Method 7010 - Lead (Graphite Furnace Atomic Absorption Spectrophotometry), "Test Methods for Evaluating Solid Waste,
	EPA Method 7421 - Lead (AA-FT)	Physical/Chemical Methods," EPA Pub. SW-846
	Other Lead Analytical Method:	EPA Method 7421 - Lead (Atomic Absorption - Furnace Technique), "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Pub. SW-846
	EPA Method 7471 - Mercury (CVAA)	EPA Method 7471 - Mercury in Solid or Semi-Solid Waste (Cold Vapor Atomic Absoprtion), "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Pub. SW-846
Mercury	Other Mercury Analytical Method:	waste, rhysical/chefficaliviethous, era rub. 3W-040

Parameter	Method Number or Author	Description Text for Certification Section
	EPA Method 6010 - Molybdenum (ICP-OES)	EPA Method 6010 - Molybdenum (Inductively Coupled Plasma - Optical Emission Spectrometry), "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Pub. SW-846
	EPA Method 6020 - Molybdenum (ICP-MS)	EPA Method 6020 - Molybdenum (Inductively Coupled Plasma - Mass Spectrometry), "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Pub. SW-846
Molybdenum	EPA Method 7000 - Molybdenum (FAAS)	EPA Method 7000 - Molybdenum (Flame Atomic Absorption Spectrophotometry), "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Pub. SW-846
	EPA Method 7010 - Molybdenum (GF-AAS) EPA Method 7481 - Molybdenum	EPA Method 7010 - Molybdenum (Graphite Furnace Atomic Absorption Spectrophotometry), "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Pub. SW-846
	(AA-FT)	EPA Method 7481 - Molybdenum (Atomic Absorption - Furnace Technique), "Test Methods for Evaluating Solid Waste, Physical/ Chemical Methods," EPA Pub. SW-846
	Other Molybdenum Analytical Method:	Chemical Methods, EFA Fub. 5W-040
	EPA Method 6010 - Nickel (ICP-OES)	EPA Method 6010 - Nickel (Inductively Coupled Plasma - Optical Emission Spectrometry), "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Pub. SW-846
	EPA Method 6020 - Nickel (ICP-MS)	EPA Method 6020 - Nickel (Inductively Coupled Plasma - Mass Spectrometry), "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Pub. SW-846
Nickel	EPA Method 7000 - Nickel (FAAS) EPA Method 7010 - Nickel (GF-	EPA Method 7000 - Nickel (Flame Atomic Absorption Spectrophotometry), "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Pub. SW-846
	AAS)	EPA Method 7010 - Nickel (Graphite Furnace Atomic Absorption Spectrophotometry), "Test Methods for Evaluating Solid Waste,
	Other Nickel Analytical Method:	Physical/Chemical Methods," EPA Pub. SW-846
	EPA Method 6010 - Selenium (ICP-OES)	EPA Method 6010 - Selenium (Inductively Coupled Plasma - Optical Emission Spectrometry), "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Pub. SW-846
	EPA Method 6020 - Selenium (ICP-MS)	EPA Method 6020 - Selenium (Inductively Coupled Plasma - Mass Spectrometry), "Test Methods for Evaluating Solid Waste,
	EPA Method 7010 - Selenium (GF-AAS)	Physical/Chemical Methods," EPA Pub. SW-846 EPA Method 7010 - Selenium (Graphite Furnace Atomic Absorption Spectrophotometry), "Test Methods for Evaluating Solid
Selenium	EPA Method 7740 - Selenium (AA-FT)	Waste, Physical/Chemical Methods," EPA Pub. SW-846
	EPA Method 7741 - Selenium	EPA Method 7741A - Selenium (Atomic Absorption - Furnace Technique), "Test Methods for Evaluating Solid Waste, Physical/
	(AA-GH)	Chemical Methods," EPA Pub. SW-846 EPA Method 7741 - Selenium (Atomic Absorption - Gaseous Hydride), "Test Methods for Evaluating Solid Waste, Physical/Chemica
	Other Selenium Analytical Method:	Methods," EPA Pub. SW-846
	EPA Method 6010 - Zinc (ICP-OES)	EPA Method 6010 - Zinc (Inductively Coupled Plasma - Optical Emission Spectrometry), "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Pub. SW-846
	EPA Method 6020 - Zinc (ICP-MS)	EPA Method 6020 - Zinc (Inductively Coupled Plasma - Mass Spectrometry), "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Pub. SW-846
Zinc	EPA Method 7000 - Zinc (FAAS)	EPA Method 7000 - Zinc (Flame Atomic Absorption Spectrophotometry), "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Pub. SW-846
	EPA Method 7010 - Zinc (GF-AAS)	EPA Method 7010 - Zinc (Graphite Furnace Atomic Absorption Spectrophotometry), "Test Methods for Evaluating Solid Waste,
	Other Zinc Analytical Method:	Physical/Chemical Methods," EPA Pub. SW-846
Nitrogen Compound	s	
	EPA Method 350.1 - Ammonia Nitrogen	EPA Method 350.1 - Ammonia Nitrogen, "Determination of Ammonia Nitrogen by Semi-Automated Colorimetry," August 1993
Ammonia Nitrogen	Standard Method 4500-NH3 - Ammonia Nitrogen	Standard Method 4500-NH3 - Ammonia Nitrogen, "Standard Methods for the Examination of Water and Wastewater," American
	Other Ammonia Nitrogen Analytical Method	Public Health Association
	Other Animonia Nitrogen Analytical Method	

Parameter	Method Number or Author	Description Text for Certification Section						
	EPA Method 9056 - Nitrate Nitrogen (IC)	EPA Method 9056 - Nitrate Nitrogen (Ion Chromatography), "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Pub. SW-846						
	EPA Method 9210 - Nitrate Nitrogen (ISE)	EPA Method 9210 - Nitrate Nitrogen (Ion-Selective Electrode), "Test Methods for Evaluating Solid Waste, Physical/Chemical						
	Other Nitrate Nitrogen Analytical Method:	Methods," EPA Pub. SW-846 EPA 300.0						
Nitrate Nitrogen		EPA 300.0						
	Standard Method 4500-N - Nitrogen	Standard Method 4500-N - Nitrogen, "Standard Methods for the Examination of Water and Wastewater," American Public Health Association						
	Other Nitrogen Analytical Method:	Calculation for Total Nitrogen						
Nitrogen								
	Standard Method 4500-Norg - Organic Nitrogen	Standard Method 4500-Norg - Organic Nitrogen, "Standard Methods for the Examination of Water and Wastewater," American Public Health Association						
	Other Organic Nitrogen Analytical Method:	Calculation						
Organic Nitrogen								
	EPA Method 351.2 - Total Kjeldahl Nitrogen	EPA Method 351.2 - Total Kjeldahl Nitrogen, "Determination of Total Kjeldahl Nitrogen by Semi-Automated Colorimetry," Augus						
Total Kjeldahl Nitrogen	Other Total Kjeldahl Nitrogen Analytical Method:	1993						
Other Analytes								
Fixed Solids	Standard Method 2540 - Fixed Solids	Standard Method 2540 - Total, fixed, and volatile solids, "Standard Methods for the Examination of Water and Wastewater," American Public Health Association						
Tixed Johas	Other Fixed Solids Analytical Method:							
Paint Filter Test	EPA Method 9095 - Paint Filter Liquids Test	EPA Method 9095 - Paint Filter Liquids Test, "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Pub. SW-846						
Tunit Filter Fest	Other Paint Filter Test Analytical Method:							
	EPA Method 9040 - pH (≤ 7% solids)	$EPA\ Method\ 9040\ -\ pH\ (\le 7\%\ solids),\ "Test\ Methods\ for\ Evaluating\ Solid\ Waste,\ Physical/Chemical\ Methods,"\ EPA\ Pub.\ SW-846\ Method\ SW-846\ $						
рН	EPA Method 9045 - pH (> 7% solids)	EPA Method 9045 - pH (> 7% solids), "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Pub. SW-846						
	Other pH Analytical Method:							

Parameter	Method Number or Author	Descript	etion Text for Certification Section						
Specific Oxygen Uptake	Standard Method 2710 - SOUR		Standard Method 2710 - Specific Oxygen Uptake Rate, "Standard Methods for the Examination of Water and Wastewater," American Public Health Association						
Rate	Other Specific Oxygen Uptake Rate Analytical Meth		asia neutan association						
TCLP	EPA Method 1311 - Toxicity Characteristic Leaching Procedure Other TCLP Analytical Method:		hod 1311 - Toxicity Characteristic Leaching Procedure, "Test Methods for Evaluating Solid Waste, Physical/Chemical ," EPA Pub. SW-846						
Tamamanahuma	Standard Method 2550 - Temperature	Standard Associatio	Method 2550 - Temperature, "Standard Methods for the Examination of Water and Wastewater," American Public Health						
Temperature	Other Temperature Analytical Method:	Association							
Total Calida	Standard Method 2540 - Total Solids		l Method 2540 - Total, fixed, and volatile solids, "Standard Methods for the Examination of Water and Wastewater," n Public Health Association						
Total Solids	Other Total Solids Analytical Method:	Amendan	The ability Association						
V I III O II I	Standard Method 2540 - Volatile Solids		I Method 2540 - Total, fixed, and volatile solids, "Standard Methods for the Examination of Water and Wastewater," n Public Health Association						
Volatile Solids	Other Volatile Solids Analytical Method:	Amencan	Trubile Health Association						
No Analytical Methods	No Analytical Methods Used								
how you manage your s Please use the selections	at <u>40 CFR 503</u> only require reporting for land application, sewage sludge or biosolids. s below to identify how sewage sludge or biosolids generewage Sludge Unique Identifier (SSUID) sections as neede	ated or produced at	incineration. You have the option to select "Other Management Practice" if you wish to provide more information on t your facility was managed, used, or disposed by you or your facility for the reporting period. You can use the button you manage your sewage sludge.						
Management Practice T	ype * Handler, Preparer, or Applier Type *	,	Management Practice Detail *						
Land Application	On-Site Owner or Operator		Agricultural Land Application						
Site Third-Party Prepare	cation includes the distribution and marketing (sale or girer refers to a third party which changes the quality of the E		EQ. "Off-Site Third-Party Handler or Applier" refers to third parties which do not change the quality of the Biosolids. "Off-						
Bulk or Bag/Container *	Pathogen Class *		nt (dry metric tons) *						
Bulk	Class A EQ (sale/give away)	2938							
Pollutant Concentration	ns:								
Did the facility land appl	y bulk sewage sludge when one or more pollutant conce	entrations in the sewa	vage sludge exceeded a monthly average pollutant concentration in Table 3 of 40 CFR 503.13?*						
Yes • 1	No								
0	udge Pathogen Reduction Ontions								

Pleas	se use th	se selections below to identify the pathogen reduction options used by your facility for this sewage sludge unique identifier for the reporting period (check one or more that apply). *
Cod	e	Pathogen Reduction Option Class A (must also demonstrate that meet fecal coliform or salmonella limits)
	A1	Class A-Alternative 1: Time/Temperature
	A2	Class A-Alternative 2: pH/Temperature/Percent Solids
\boxtimes	A3	Class A-Alternative 3: Test Enteric Viruses and Helminth ova; Operating Parameters
	A4	Class A-Alternative 4: Test Enteric Viruses and Helminth ova; No New Solids
	A51	Class A-Alternative 5 PFRP 1: Composting
	A52	Class A-Alternative 5 PFRP 2: Heat Drying
	A53	Class A-Alternative 5 PFRP 3: Liquid Heat Treatment
	A54	Class A-Alternative 5 PFRP 4: Thermophilic Aerobic Digestion (ATAD)
	A 55	Class A-Alternative 5 PFPR 5: Beta Ray Irradiation
	A56	Class A-Alternative 5 PFPR 6: Gamma Ray Irradiation
	A57	Class A-Alternative 5 PFRP 7: Pasteurization
	A6	Class A-Alternative 6: PFRP Equivalency
	рН	pH Adjustment (Domestic Septage)
Bios	olids or	Sewage Sludge Vector Attraction Reduction Options
Pleas		e selections below to identify the vector attraction reduction options used by your facility or another person/facility for this sewage sludge unique identifier for the reporting period (check one or more that
Vec	tor Attr	action Reduction Options

VR1

VR2

VR3

VR4 VR5

VR6

VR7

Option 1-Volatile Solids Reduction

Option 4-Specific Oxygen Uptake Rate

Option 7-Drying (Equal to or Greater than 75 Percent)
Option 8-Drying (Equal to or Greater than 90 Percent)

Option 6-Alkaline Treatment

Percent or Less)

Option 2-Bench-Scale Volatile Solids Reduction (Anaerobic Bench Test)

Option 5-Aerobic Processing (Thermophilic Aerobic Digestion/Composting)

Option 3-Bench-Scale Volatile Solids Reduction (Aerobic Bench Test with Percent Solids of Two

Noncompliance Reporting

Please use the check boxes below to indicate any noncompliance with EPA's Federal sewage sludge program requirements (see 40 CFR 503) for this facility during the reporting period. EPA notes that any person who prepares sewage sludge (i.e., person who generates sewage sludge or a person who derives a material from sewage sludge) shall ensure that the applicable requirements in EPA's biosolids regulations (40 CFR 503) are met when the sewage sludge is applied to the land, placed on a surface disposal site, or fired in a sewage sludge incinerator (see 40 CFR 503.7).

Lar	nd Application
	Facility land applied bulk sewage sludge or sold or gave away sewage sludge in a bag or other container when one or more pollutant concentrations in the sewage sludge exceeded a land application ceiling pollutant limit (see Table 1 of 40 CFR 503.13).
	Facility failed to properly collect and analyze its sewage sludge in accordance with the required monitoring frequency and approved analytical methods in order to obtain an accurate and representative sample (including appropriate method holding times) (see permit requirements and 40 CFR 503.8).
	Facility had deficiencies with pathogen reduction (see 40 CFR 503.32).
	Facility had deficiencies with vector attraction reduction (see 40 CFR 503.33).
	Land application of bulk sewage sludge likely to adversely affected a threatened or endangered species listed under Section 4 of the Endangered Species Act or its designated critical habitat (see 40 CFR 503.14(a)).
	Bulk sewage sludge was applied to agricultural land, forest, a public contact site, or a reclamation site that was flooded, frozen, or snow-covered such that the bulk sewage sludge entered a wetland or other waters of the United States, as defined in 40 CFR 122.2, except as provided in a permit issued pursuant to Section 402 or 404 of the CWA (see 40 CFR 503.14(b)).
	Bulk sewage sludge was applied to agricultural land, forest, or a reclamation site was 10 meters or less from waters of the United States, as defined in 40 CFR 122.2, unless otherwise specified by the permitting authority (see 40 CFR 503.14(c)).
	Bulk sewage sludge was applied to agricultural land, forest, a public contact site, or a reclamation site at a whole sludge application rate that was greater than the agronomic rate for the bulk sewage sludge, unless, in the case of a reclamation site, otherwise specified by the permitting authority (see 40 CFR 503.14(d)).
	One or more label or information sheet requirements were not met for sewage sludge that was sold or given away for land application (see 40 CFR 503.14(e)).
	Bulk sewage sludge was applied to land where the cumulative pollutant loading rates in \$503.13(b)(2) have been reached.
	The required notice and information was not provided to the land application applier (see 40 CFR 503.12(f) and (g)).
	The required notice and information was not provided to the owner or lease holder of the land on which bulk sewage sludge was applied (see 40 CFR 503.12(h)).
	The required notice was not provided to the permitting authority for the State in which bulk sewage sludge was applied if the bulk sewage sludge was applied to land in a State other than the State in which the bulk sewage sludge was prepared (see 40 CFR 503.12(i) and (j)).
	The facility failed to keep the necessary records for preparers and appliers during the reporting period (see 40 CFR 503.27).
\boxtimes	Please select this checkbox to continue completing the form. If you wish to change the SSUID section(s) above, uncheck this box.*

Biosolids Monitoring Data

INSTRUCTIONS: These monitoring data should be representative of the sewage sludge that was applied to land or placed on a surface disposal site during the reporting year see 40 CFR 503.8(a). This section uses the frequency of monitoring requirements in 40 CFR 503.16 and 503.26. The following codes can be used as data qualifiers: T = Too Numerous to Count, E = Estimated, N = No Data.

Land Application Monthly Sample Table

Sample	Sample Period Start Date	Sample Period End Date
Sample 1 Time Period	01-01-2017	02-28-2017
Sample 2 Time Period	03-01-2017	03-31-2017
Sample 3 Time Period	06-01-2017	06-30-2017
Sample 4 Time Period	08-01-2017	08-31-2017
Sample 5 Time Period	11-01-2017	11-30-2017
Sample 6 Time Period	12-01-2017	12-31-2017

Maximum Pollutant Concentration Data for All Sewage Sludge Applied to Land *

This section summarizes the maximum pollutant concentrations in sewage sludge that was applied to land during the reporting year. In accordance with 40 CFR 503.13(a), EPA's sewage sludge regulations prohibit land application of bulk sewage sludge or sewage sludge sold or gave away sewage sludge in a bag or other container when one or more sewage sludge pollutant concentrations in the sewage sludge exceed a land application ceiling pollutant limit (see Table 1 of 40 CFR 503.13). In order to identify noncompliance, EPA will compare the pollutant concentrations in this section against the ceiling concentration limits in Table 1 of 40 CFR 503.13.

Biosolids or Sewage Sludge Monitored Parameter			Meas	Measurement Type		Unit	Unit of Measure (Dry Weight)			Sample Type			
Arsenic				Maximum		mg	mg/kg			COMPC	OS		
Sample 1 Sample 2			Sample 3			Sample 4				Sample 5		Sample 6	
N	=	8.1		=	6.4		=	6.7		=	7.0	=	5.7
Biosolids or Sewage Sludge Moni	tored Para	meter	Meas	Measurement Type		Unit	Unit of Measure (Dry Weight)			Sample	Туре		
Cadmium			Max	(imum		mg	mg/kg			COMPC	OS		
Sample 1		Sample 2			Sample 3			Sample 4			Sample 5		Sample 6
N = 1.7			= 2.0			=	3.1		=	3.3	=	2.1	
Biosolids or Sewage Sludge Monitored Parameter			Meas	Measurement Type Unit of Measure (Dry Wei		sure (Dry Weight)		Sample	Туре				
Copper		Max	Maximum		mg	mg/kg			COMPC	OS			
Sample 1 Sample 2				Sample 3			Sample 4				Sample 5		Sample 6
N	=	330		=	290		=	300		=	290	=	210
Biosolids or Sewage Sludge Monitored Parameter			Meas	Measurement Type		Unit	Unit of Measure (Dry Weight)			Sample	Туре		
Lead			Max	Maximum		mg	mg/kg			COMPC)S		
Sample 1 Sample 2 Sample 3			Sample 3	Sample 4				Sample 5			Sample 6		
N = 13 = 10													

Biosolids or Sewage Sludge Monitored Parameter			Me	Measurement Type		Unit	Unit of Measure (Dry Weight)			Sample Type				
Mercury			Maximum			mg/k	mg/kg			OS				
	Sample 1		Sample 2			Sample 3	Sample 4			Sample 5		Sample 6		
N		=	1.4		=	0.91		=	1.3	=	0.70	=	0.97	
Biosolids	or Sewage Sludge Moni	itore	ed Parameter	Me	Measurement Type			Unit of Measure (Dry Weight)			Туре			
Molybde	enum			Ma	Maximum			mg/kg			OS			
	Sample 1		Sample 2			Sample 3			Sample 4		Sample 5		Sample 6	
N		=	15		=	14		=	16	=	13	=	11	
Biosolids	or Sewage Sludge Moni	itore	ed Parameter	Me	asurement	Туре	Unit c	of Measur	e (Dry Weight)	Sample	Туре			
Nickel				Ma	ıximum		mg/k	kg		COMP	OS			
	Sample 1		Sample 2			Sample 3			Sample 4		Sample 5		Sample 6	
N		=	18		=	17		=	19	=	16	=	12	
Biosolids	or Sewage Sludge Moni	itore	ed Parameter	Me	asurement	Туре	Unit c	of Measur	e (Dry Weight)	Sample	Туре			
Seleniur				1 [Maximum			mg/kg			OS			
	Sample 1		Sample 2			Sample 3			Sample 4		Sample 5		Sample 6	
N		=	7.8		=	6.1		=	5.9	=	5.2	=	5.2	
Biosolids	or Sewage Sludge Moni	itore	ed Parameter	Me	asurement	Type	Unit c	of Measur	e (Dry Weight)	Sample	Type			
Zinc	<u> </u>			1	Maximum			mg/kg			OS			
									CI- 4	J [
	Sample 1		Sample 2			Sample 3			Sample 4		Sample 5		Sample 6	
N	Sample 1		· ·		=	Sample 3 740		=	770	=	740	=	520	
N			840	Me		740	Unit		770		740	=		
N Biosolids	or Sewage Sludge Moni	itore	ed Parameter	1 _	asurement	740	1	of Measur		Sample	740 Type	=		
N Biosolids Total Nit	or Sewage Sludge Moni trogen (TKN plus Nitrate	itore	840 ed Parameter	1 _		Туре	Unit o	of Measur	770 e (Dry Weight)	Sample	Type OS	=	520	
N Biosolids Total Nit	or Sewage Sludge Moni	itore	ed Parameter rite) Sample 2	1 _	asurement	740	1	of Measur	770	Sample	740 Type	=		
Biosolids Total Nit	or Sewage Sludge Moni trogen (TKN plus Nitrate Sample 1	itore -Nit	ed Parameter rite) Sample 2 55849	Av	asurement erage	Type Sample 3 42044	1	of Measur kg	e (Dry Weight) Sample 4	Sample	Type OS Sample 5		520 Sample 6	
N Biosolids Total Nit N Monthly This secti	or Sewage Sludge Moni trogen (TKN plus Nitrate Sample 1 Average Pollutant Con	itore	ed Parameter rite) Sample 2 55849 htration Data for All Se	Avwage Sutant c	erage =	Type Sample 3 42044 Diled to Land *	mg/k	of Measur kg =	e (Dry Weight) Sample 4	Sample COMP(740 Type OS Sample 5 45351		520 Sample 6	
N Biosolids Total Nit N Monthly This secti	or Sewage Sludge Monitrogen (TKN plus Nitrate Sample 1 Average Pollutant Continuous Summarizes the mor	itore	ed Parameter rite) Sample 2 55849 htration Data for All Se	wage sutant c	erage = Sludge App	Type Sample 3 42044 Diled to Land *	mg/k	of Measur kg = was app	e (Dry Weight) Sample 4 44674 lied to land during the re	Sample COMP	Type OS Sample 5 45351 ar. Type		520 Sample 6	
N Biosolids Total Nit N Monthly This secti Biosolids Arsenic	or Sewage Sludge Monitrogen (TKN plus Nitrate Sample 1 Average Pollutant Continuous Summarizes the mor	itore	ed Parameter rite) Sample 2 55849 htration Data for All Se	wage sutant c	asurement erage = Sludge App oncentration asurement	Type Sample 3 42044 Diled to Land *	dge that	of Measur kg = was app	e (Dry Weight) Sample 4 44674 lied to land during the re	Sample COMPO E porting year Sample	Type OS Sample 5 45351 ar. Type		520 Sample 6	

Biosolids or	r Sewage Sludge Monit	ored Para	meter	Meas	surement	Туре	Ur	nit of	Measure (Dry Weight)		Sample Type			
Cadmium			Ave	Average			ng/ko	J		COMPOS				
Sa	ample 1		Sample 2			Sample 3		Sample 4			Sample 5			Sample 6
N		=	1.4		=	1.8			= 2.6		= 2.5		=	2.1
Biosolids or	r Sewage Sludge Monit	ored Para	meter	Meas	surement	Туре	Ur	nit of	Measure (Dry Weight)		Sample Type			
Copper			Ave	Average			mg/kg			COMPOS				
Sa	ample 1		Sample 2		Sample 3 Sample 4			Sampl	e 5		Sample 6			
N		=	262		=	243		= 244			= 270		=	210
Biosolids or	r Sewage Sludge Monit	ored Para	meter	Meas	surement	Туре	U	nit of	Measure (Dry Weight)	:	Sample Type			
Lead				Ave	rage		n	mg/kg			COMPOS			
Sa	ample 1		Sample 2			Sample 3			Sample 4		Sampl	e 5		Sample 6
N		=	10.4		=	9.0			= 9.2		= 9.6		=	7.6
Biosolids or	r Sewage Sludge Monit	ored Para	meter	Meas	surement	Туре	Ur	nit of	Measure (Dry Weight)		Sample Type			
Mercury			Ave	Average			mg/kg			COMPOS				
Sa	ample 1		Sample 2			Sample 3			Sample 4		Sampl	e 5		Sample 6
N		=	1.17		=	0.72			= 1.03		= 0.56		=	0.97
Biosolids or	r Sewage Sludge Monit	ored Para	meter	Meas	surement	Туре	Ur	nit of	Measure (Dry Weight)		Sample Type			
Nickel				Ave	rage		n	ng/kg]		COMPOS			
Sa	ample 1		Sample 2			Sample 3			Sample 4		Sampl	e 5		Sample 6
N		=	14.8		=	16.0			= 15.8		= 15.5		=	12.0
Biosolids or	r Sewage Sludge Monit	ored Para	meter	Meas	surement	Туре	ıU	nit of	Measure (Dry Weight)		Sample Type			
Selenium				Ave	rage		n	ng/ko	J		COMPOS			
Sa	ample 1		Sample 2			Sample 3			Sample 4		Sampl	e 5		Sample 6
N		=	6.3		=	5.7			= 5.1		= 3.2		=	5.2
Biosolids or	r Sewage Sludge Monit	ored Para	meter	Meas	surement	Туре	Ur	nit of	Measure (Dry Weight)		Sample Type			
Zinc					Average			mg/kg			COMPOS			
Sa	ample 1		Sample 2			Sample 3			Sample 4		Sampl	e 5		Sample 6
N		=	782		=	617			= 638		= 695		=	520

Pathogens: Class A, Fecal Coliform *

	onitored Parameter	Measurement Type	Unit of Measure (Dry Weight)	Sample Type		
Fecal Coliform		Maximum	MPN/gram	COMPOS		
Sample 1	Sample 2	Sample 3	Sample 4	Sample 5		Sample 6
N	= 32.8	= 27.0	= 19.8	= 53.0	=	36.0
Pathogens: Class A, Salmone	lla *					
Biosolids or Sewage Sludge Mc	onitored Parameter	Measurement Type	Unit of Measure (Dry Weight)	Sample Type		
Salmonella		Maximum	MPN per 4 grams	COMPOS		
Sample 1	Sample 2	Sample 3	Sample 4	Sample 5		Sample 6
N	< 0.3	< 0.3	< 0.3	< 0.3	<	0.3
Pathogens: Class A, Helminth	Ova and Enteric Viruses *					
Biosolids or Sewage Sludge Mc	onitored Parameter	Measurement Type	Unit of Measure (Dry Weight)	Sample Type		
Enteric Viruses		Arithmetic Mean	PFU per 4 grams	COMPOS		
Sample 1	Sample 2	Sample 3	Sample 4	Sample 5		Sample 6
N	< 0.9	< 1.0	< 1.0	< 1.0	<	1.0
Biosolids or Sewage Sludge Mc	onitored Parameter	Measurement Type	Unit of Measure (Dry Weight)	Sample Type		
Helminth Ova		Arithmetic Mean	MPN per 4 grams	COMPOS		
Sample 1	Sample 2	Sample 3	Sample 4	Sample 5		Sample 6
N	< 1.0	< 1.0	< 1.0	< 1.0	<	1.0
Vector Attraction Reduction	- Volatile Solids Options (O)ptions 1-3) *				
Biosolids or Sewage Sludge Mo		Measurement Type	Unit of Measure (Dry Weight)	Sample Type		
Solids, total volatile percent re		Minimum	Percent	CALCTD		
Sample 1	Sample 2	Sample 3	Sample 4	Sample 5		Sample 6
N	= 79	= 86	= 87	= 80	=	90

Additional Attachments (maximum size 25 MB)

Certification Information

I certify,	under penal	Ity of law, that t	he information in	this report was pr	epared under m	y direction and	supervision in	accordance with	n the system designed	d to ensure that	qualified personne	l properly (gather and evaluate	٤
this info	rmation Lan	n aware that th	ere are significant	t penalties for false	certification inc	luding the poss	ibility of fine a	and imprisonmen	ıt .					

Certifier E-Mail *	_	Form Action *
lolds@vvwra.com		Approve