VICTOR VALLEY WASTEWATER RECLAMATION AUTHORITY

20111 SHAY ROAD VICTORVILLE CA 92394 (760) 246-8638



ORDINANCE NO. 001 RULES AND REGULATIONS FOR SEWERAGE SERVICE

April 2015

AN ORDINANCE PRESCRIBING THE RULES AND REGULATIONS FOR SEWERAGE SERVICE AND THE OPERATION OF THE REGIONAL SEWERAGE SYSTEM WITHIN THE BOUNDARIES OF THE VICTOR VALLEY WASTEWATER RECLAMATION AUTHORITY AND ESTABLISHING THE SERVICE AND USER FEES CHARGES IN CONNECTION WITH PROVIDING SUCH SEWERAGE SERVICE AND THE OPERATION AND MAINTENANCE OF THE REGIONAL SEWERAGE SYSTEM, ALL PURSUANT TO STATEMENT OF FINDINGS AND BOARD ACTION SET FORTH IN THIS ORDINANCE NO. 001.

STATEMENT OF FINDINGS AND BOARD ACTION REGARDING THE ADOPTION OF ORDINANCE NO. 001

WHEREAS, Ordinance No. 001 of the Victor Valley Wastewater Authority ("VVWRA") was adopted by the Board of Commissioners ("Commission") of VVWRA on October 8, 1980, (also known as Ordinance No. 80-19), and has been amended from time to time, including the adoption of the amendments set forth in Ordinance No. 001B, 001C, 001D and 001E (collectively, "Ordinance No. 001");

WHEREAS, Ordinance No. 001 was consolidated into a single amended and restated version which was adopted by the Commission on March 20, 2014;

WHEREAS, the restated version of Ordinance No. 001 which was adopted on March 20, 2014, further adopted new sewer user charges and a revised User Fee Schedule pursuant to findings set forth in the Statement of Findings and Board Action Regarding the Adoption of Ordinance No. 001 on March 20, 2014 ("2014 Statement of Findings"), which findings were supported by a study conducted on behalf of VVWRA by Black and Veatch in February, 2014, and was received, filed and approved by the Commission on February 20, 2014 ("Study"). Those findings and documentation in support thereof are incorporated herein by this reference;

WHEREAS, Ordinance No. 001 as currently adopted establishes the rules and regulations for the implementation, financing, operation and maintenance of the regional sewerage system which is used by VVWRA to provide sewerage service within its boundaries and further establishes and imposes a schedule of user fees for services provided by the collection and treatment system owned, maintained and operated by VVWRA;

WHEREAS, the Commission believes that it is necessary and desirable to update the rules and regulations in Ordinance No. 001 to better describe the terms of sewerage service and comply with the trequirements and recommendations from the Lahontan Regional Water Quality Control Board pretreatment compliance inspections and audits from 2011, 2012, 2013 and 2014, for the benefit of the member entities and the users within the boundaries of VVWRA;

WHEREAS, the Commission has reviewed the findings contained in the original Ordinance No. 80-19 with respect to the adoption of the rules and regulations contained in Ordinance No. 001, as well as the findings contained in the 2014 Statement of Findings, and believes that such findings continue to provide a valid basis for this Ordinance;

WHEREAS, the Commission believes that the 2014 Statement of Findings, as supported by the Study, continue to provide a valid basis for the current User Fee Schedule, which is being restated and adopted as part of this revised and updated Ordinance No. 001, and all findings and

documentation in support of VVWRA sewer charges (user and connection fees) are incorporated into this Ordinance and are hereto attached as Exhibit: Table III;

NOW THEREFORE, the Board of Commissioners of the Victor Valley Wastewater Reclamation Authority hereby ordains as follows:

- **Section 1.** Findings. The Board of Commissioners asserts and adopts the findings set forth above;
- Section 2. Repeal Of Existing Ordinance No. 001. Ordinance No. 001, as most recently adopted in March 20, 2014, is hereby repealed in its entirety. Upon this Ordinance taking effect as set forth in Section 4 below, the existing Ordinance No. 001 shall have no further force or effect...The user fee and connection charges set forth in Ordinance No. 001, as most recently adopted in March 20, 2014, remain in place, are not repealed and are rested and readopted in the instant Ordinance.
- **Section 3.** Adoption of This Ordinance. This new Ordinance No. 001 is hereby adopted in its entirety along with the tables and attachments thereto, including the existing sewer user charges which are set forth in the User Fee Schedule and all documentation and studies in support thereof.
- Section 4. <u>Effective Date.</u> This Ordinance shall take effect and be in full force thirty (30) days after its adoption. Prior to the expiration of the fifteen (15) days from its adoption, the Ordinance or a summary of it shall be published in The Daily Press, a newspaper of general circulation within the boundaries of the Victor Valley Wastewater Reclamation Authority, or a newspaper of substantially equivalent circulation.

BEGIN TEXT OF ORDINANCE NO. 001

LEGISLATIVE HISTORY

ORDINANCE NO. 001 (PREVIOUSLY REFERRED TO AS ORDINANCE 80-19)

ADOPTED: 10/08/80

AMENDED: 11/25/81 AMENDED: 06/03/82 AMENDED: 11/17/83 AMENDED: 06/28/84 AMENDED: 06/27/85 AMENDED: 06/26/86 AMENDED: 01/29/87 AMENDED: 06/25/87 AMENDED: 06/30/88 AMENDED: 07/01/89 AMENDED: 07/01/90 AMENDED: 07/01/91 AMENDED: 06/25/92 AMENDED: 05/27/93 AMENDED: 05/26/94 AMENDED: 03/30/95 AMENDED: 05/23/96 AMENDED: 08/27/97 AMENDED: 10/28/99 AMENDED: 07/25/01 AMENDED: 07/05/02 AMENDED: 06/22/07 AMENDED: 06/20/08 AMENDED: 06/29/09 AMENDED: 06/21/12 AMENDED: 03/20/14

REPEALED AND RESTATED:04/16/15

Table of Contents

LEGISLATIVE HISTORY	4
ARTICLE 01: GENERAL	6
ARTICLE 02: JURISDICTION	8
ARTICLE 03: DEFINITIONS AND ABBREVIATIONS	9
ARTICLE 04: AREA SERVED	28
ARTICLE 05: GENERAL REQUIREMENTS	29
ARTICLE 06: FACILITIES DESIGN AND CONSTRUCTION	31
ARTICLE 07: FACILITIES OPERATION	32
ARTICLE 08: DISCHARGE OF NONDOMESTIC WASTEWATER	33
ARTICLE 09: ADMINISTRATIVE PROCEDURES	55
ARTICLE 10: SERVICE AND USE CHARGES	58
ARTICLE 11: CONNECTION AND PRETREATMENT PROGRAM FEES	60
ARTICLE 12: EXECUTIVE PROVISIONS	63
ARTICLE 13: ENFORCEMENT	64
Approval and Adoption	71
Certification	72
Form of Certificate of Adequacy of Sewerage System	73
Table I: Specific Local Pollutant Concentration Limits	74
Table II: Fee Schedule	75
Table III: Unit Operations and Maintenance Cost Determination	77
2014 Statement of Findings	78
Black and Veatch Study	81

ARTICLE 01: GENERAL

The purpose of these Rules and Regulations is to provide for the maximum possible beneficial public use of the Victor Valley Wastewater Reclamation Authority (VVWRA) facilities through adequate regulation of sewer design and construction, sewer use, and industrial wastewater discharges; to provide equitable distribution of the costs of the regional sewerage system and to provide procedures for complying with requirements placed upon the Reclamation Authority by other regulatory agencies.

The provisions of these Rules and Regulations shall apply to the direct or indirect discharge of all liquid carried wastes to facilities of the Reclamation Authority. These Rules and Regulations, among other things, provide for the regulation of sewer service and construction in areas within the Reclamation Authority service area, the quality and quantity of discharged wastes, the degree of waste pretreatment required, the issuance of permits for wastewater discharge and of other miscellaneous permits, and the establishment of penalties for violation.

Unless otherwise provided herein, the Reclamation Authority, shall administer, implement, and enforce the provisions of this document. Each Member Entity will provide its own design and construction specifications for local systems. These specifications will be regulated and enforced individually by the Member Entities. The regulation of inflow into the sanitary sewer systems of each Member Entity is available under the following conditions:

- a) Domestic waste hook-up will be regulated by a permit procedure by each Member Entity.
- b) Industrial/commercial waste hook-up will be regulated by the individual entities; however, all discharge of nondomestic wastewater will be subject to the standards and procedures set forth in this Ordinance as adopted and as hereafter amended.

The Reclamation Authority is a Joint Powers Agency created expressly for the purpose of treatment of wastewater and the ultimate disposal of effluent and solids in compliance with waste discharge requirements set from time to time by the California Regional Water Quality Control Board (Regional Board), Lahontan Region, and any and all applicable Federal, State, and Local statues, ordinances regulations, and other requirements.

Sewerage service by the Reclamation Authority, subject to the availability of facilities, adequate capacity in facilities, funds or financing for the construction thereof, or all of the foregoing, is available to Member Entities on the terms of conditions herein established. The availability of such service is to be furnished to each Member Entity on the same basis, so that all such entities may be served in an equal and comparable manner.

The original financing for the regional sewerage system was established pursuant to Financial Policy Resolution 81-10 dated November 1981. On an ongoing basis, the Reclamation Authority Financial and Revenue Plan sets forth the means of funding capital and operational costs of the regional sewerage system. In general, the Reclamation Authority sets rates for service to the Member Entities that cover the costs of operating the regional sewerage system. The Reclamation Authority further establishes connection fees to fund capital infrastructure for the

regional sewerage system. Connection fees are collected by each Member Entity from users at the local level on behalf of the Reclamation Authority.

It is additionally the intent of the Reclamation Authority to utilize reclaimed water to the maximum beneficial advantage of the community. This use may encompass all or a combination of ground water recharge, landscape irrigation, agricultural irrigation, industrial process water, recreational impoundment, or other beneficial use thereof.

The Reclamation Authority intends to provide regional sewerage service to its Member Entities through sound fiscal planning so as to provide capacity at all times to meet the growth of the area. The Reclamation Authority, however, urges that strong control measures be adopted within each Member Entity to encourage water conservation. In this manner, the Reclamation Authority would not only provide reuse of the treated wastewater, but even more importantly, reduce the consumptive use of high quality drinking water available within its boundaries.

ARTICLE 02: JURISDICTION

Pursuant to the regional "project concept", the "contracting communities" or "Member Entities" will collect sewage through locally owned and operated municipal collector systems within their respective boundaries and transmit same to the Reclamation Authority owned and operated regional sewerage system, via the Reclamation Authority's interceptor pipelines, for treatment and ultimate disposition of the treated effluent.

All Member Entities recognize that the violation of any rule and regulation regarding the use of the regional sewerage system by a Member Entity or any of its dischargers could jeopardize the integrity and operation of the regional system and the Reclamation Authority's ability to provide regional wastewater service to the entity in question and to the other Member Entities and their dischargers. In addition, all Member Entities recognize the importance of fair, equitable, and uniform enforcement of said Rules and Regulations throughout the regional system service area. Accordingly, each Member Entity pledges to comply with, honor, and enforce all Rules and Regulations in force relating to the regional sewerage system within their respective boundaries; and agrees to delegate to the Reclamation Authority the primary power and authority to regulate the discharge of nondomestic wastewater by Industrial Users into the tributary sewerage systems.

Notwithstanding anything contained herein which may appear to be to the contrary, the Member Entities shall have and retain exclusive jurisdiction and control over their local collector systems and the Reclamation Authority shall have and retain exclusive jurisdiction and control over the regional sewerage system.

ARTICLE 03: DEFINITIONS AND ABBREVIATIONS

03-01 - Definitions

For the purposes of this Ordinance, the following words and phrases are defined and shall be construed as hereinafter set out unless it shall be apparent from the context that they have a different meaning.

ACT shall mean the Federal Water Pollution Control Act of 1972, also known as the Clean Water Act, as amended, 33 USC 1251, et. seq. This Act has been incorporated by reference into California Law in the Water Code, Chapter 5.5.

ANAEROBICALLY DIGESTIBLE MATERIALS shall mean waste that can be accepted by the Reclamation Authority for treatment and disposal directly into the anaerobic digester at the wastewater treatment plant. These wastes include inedible kitchen grease as defined in section 19216 of the California Food and Agriculture Code and food material as defined in Title 14 of the California Code of Regulations, Chapter 3.1, Article 1, section 17852(a)(20).

APPROVED ANALYTICAL METHODS shall mean the sampling referred to in 40 CFR Part 403, Appendix E and analysis of these samples performed in accordance with the techniques prescribed in 40 CFR Part 136 and amendments thereto. Where 40 CFR Part 136 does not contain sampling or analytical techniques for the pollutant in question, or where the EPA determines that the Part 136 sampling and analytical techniques are inappropriate for the pollutant in question, sampling and analysis shall be performed using other applicable sampling and analytical procedures approved by the VVWRA and the EPA.

<u>APPROVAL AUTHORITY</u> shall mean the State of California Water Resources Control Board and/or the California Regional Water Quality Control Board, Lahontan Region.

<u>AUTHORITY INTERCEPTOR</u> shall mean those interceptor sewers owned by the Reclamation Authority for the conveyance of liquid wastes from Member Entity tributary sewerage systems to the Reclamation Authority's wastewater treatment facilities.

<u>AUTHORITY SEWERAGE FACILITY</u> shall mean any property belonging to the Reclamation Authority used in the treatment, reclamation, reuse transportation, or disposal of wastewater.

AUTHORIZED OR DULY AUTHORIZED REPRESENTATIVE OF THE USER shall mean:

- 1. If the User is a corporation:
 - a. A president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy or decision-making functions for the corporation, or
 - b. The manager of one or more manufacturing, production, or operating facilities, provided, the manager is authorized to make management decisions which govern the operation of the regulated facility including having the explicit or implicit duty of making major capital investment recommendations, and initiate and direct other comprehensive measures to assure long-term environmental compliance

with environmental laws and regulations; can ensure that the necessary systems are established or actions taken to gather complete and accurate information for control mechanism requirements; and where authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures.

- 2. If the User is a partnership or sole proprietorship: a general partner or proprietor, respectively;
- 3. If the User is a Federal, State, or local government facility: a director or highest official appointed or designated to oversee the operation and performance of the activities of the government facility, or their designee; or
- 4. The individuals described paragraphs 1, 2, and 3, above, may designate a Duly Authorized Representative if the authorization is in writing, the authorization specifies the individual or position responsible for the overall operation of the facility from which the discharge originates or having overall responsibility for environmental matters for the company, and the written authorization is submitted to VVWRA.

If authorization under item 4 of this definition is no longer accurate because a different individual or position has responsibility for the overall operation of the facility, or overall responsibility for environmental matters for the company, a new authorization satisfying the requirements of item 4 of this definition must be submitted to the VVWRA prior to or together with any reports to be signed by an authorized representative.

<u>AVERAGE DAILY FLOW</u> shall mean the arithmetic average value for the number of gallons of wastewater discharged into the sewer system during a 24-hour period.

<u>BEST MANAGEMENT PRACTICES (BMPs)</u> shall mean schedules of activities, prohibitions of practices, maintenance procedures, and other management practices to implement the prohibitions listed in Article 8. BMPs include treatment requirements, operating procedures, and practices to control plant site runoff, spillage or leaks, sludge or waste disposal, or drainage from raw materials storage.

BIOCHEMICAL OXYGEN DEMAND (BOD) shall mean the quantity of dissolved oxygen required to biochemically oxidize the organic matter in a wastewater sample in five (5) days at 20°C expressed in terms of milligrams per liter (mg/l) and analyzed in accordance with Approved Analytical Methods.

<u>BUILDING SEWER</u> shall mean any sewer or sewer lateral conveying wastewater from the premises of a User to the public sewer system.

<u>BUILDING SEWER - SANITARY</u> shall mean a sewer pipe receiving flow from a single building and connecting to a sewer main or lateral, and constructed on private property, except for street crossing.

<u>CATEGORICAL INDUSTRIAL USER (CIU)</u> shall mean an Industrial User who is subject to promulgated Categorical Standards.

<u>CATEGORICAL STANDARDS</u> shall mean any regulation containing pollutant discharge limits promulgated by EPA in accordance with sections 307(b) and (c) of the Act (33 USC section

1317) that apply to a specific category of Users and that appears in 40 CFR Chapter I, Subchapter N, Parts 405-421, as it exists and as it may be amended.

<u>CHEMICAL OXYGEN DEMAND</u> shall mean the quantity of dissolved oxygen required to chemically oxidize the contents of a waste sample under specific conditions of oxidizing agent, temperature, and time, expressed in terms of milligrams per liter (mg/l) and analyzed in accordance with Approved Analytical Methods.

<u>CLASS I USER</u> shall mean a Categorical Industrial User. (CIU)

<u>CLASS II USER</u> shall mean a Non-categorical Significant Industrial User. (NCSIU)

CLASS III USER shall mean a Non-Significant Industrial User. (NSIU)

CLASS IV USER shall mean a Temporary Industrial User. (TIU)

CLASS V USER shall mean a discharger of trucked or hauled wastewater to the POTW.

<u>COLIFORM BACTERIA</u> shall mean any of a number of species of bacterial organisms common to the intestinal tracts of humans and animals whose presence in sewage is an indicator of the potential presence of pathogens.

<u>COLLECTION SEWER</u> shall mean a public sewer owned and operated by a Member Entity, whose primary purpose is to collect wastewaters from individual point source discharges.

<u>COMBINED SEWAGE</u> shall mean a combination of both wastewater and storm or surface water.

<u>COMBINED SEWER</u> shall mean a sewer intended to receive both wastewater and storm or surface water.

<u>COMMERCIAL WASTEWATER</u> shall mean wastewater from any retail store, restaurant, office building, laundry, church, lodge, or other private business or service establishment.

<u>COMMISSION</u> shall mean the Board of Commissioners of the Reclamation Authority.

<u>COMPATIBLE POLLUTANT</u> shall mean BOD, suspended solids, pH, coliform bacteria, and such additional pollutants as are now or may be in the future specified and controlled by the Reclamation Authority's permit, for its wastewater treatment works as said works have been designed and are operated to reduce or remove such pollutants.

<u>COMPLIANCE TIME SCHEDULE</u> shall mean a formal timetable for achieving compliance required of Users in violation of the provisions of this Ordinance. Each Compliance Time Schedule shall contain milestone dates as well as a final compliance date, and shall be approved by the Manager.

<u>COMPOSITE SAMPLE</u> shall mean a sample which is collected from a wastewater discharge over a time period of twenty-four (24) hours. A composite sample may be collected using automatic continuous or discrete sampling equipment, or by manually collecting and

compositing a minimum of four grab samples. Where specified by the Manager, composite samples shall be collected in a manner which is proportional to the flow rate of the discharge.

CONNECTION FEE shall mean a fee paid by a new system discharger to fund the capital costs associated with service capacity in the regional wastewater system.

CONSTITUENT shall mean any physical, chemical, or microbiological component or parameter of water or wastewater which can be quantified using Approved Analytical Methods.

CONSTRUCTION DRAINAGE shall mean water accumulated in excavations; water taken from the ground through a well-point, underdrain or other dewatering systems; water accumulated as a result of grading; and all other drainage associated with construction operations.

CONTROL AUTHORITY shall mean the General Manager of the VVWRA or his authorized representative, agent, or deputy.

CONTROL STRUCTURE shall mean a manhole, vault, or other chamber specially constructed for the purpose of sampling and measuring the flow of a nondomestic wastewater discharge to the POTW.

CONVENTIONAL POLLUTANT shall mean any pollutant or combination of pollutants listed as conventional in 40 CFR Part 401.16.

COUNTY shall mean the County of San Bernardino or the Board of Supervisors of the County of San Bernardino, California.

DAILY MAXIMUM shall mean the arithmetic average of all effluent samples for a pollutant collected during a calendar day.

DAILY MAXIMUM LIMIT shall mean the maximum allowable discharge limit of a pollutant during a calendar day. Where Daily Maximum Limits are expressed in units of mass, the daily discharge is the total mass discharged over the course of the day. Where Daily Maximum Limits are expressed in terms of concentration, the daily discharge is the arithmetic average measurement of the pollutant concentration derived from all measurements taken that day.

DEVELOPMENTS shall mean parcels of land on which dwelling units, commercial, or industrial buildings, or improvements are built.

<u>DIRECT DISCHARGE</u> shall mean the discharge of wastewater to the storm drain system or waters of the State of California or the United States.

DISCHARGE TO THE GROUND shall mean the discharge of wastewater to or into the soil and not contained in a facility approved by the Manager as being impermeable.

DISCHARGER shall mean any person who causes or contributes a discharge into the POTW.

DISSOLVED ORGANIC HALIDES (DOX) shall mean the measure of dissolved halogenated organic material in domestic or other wastewater as analyzed in accordance with Approved Analytical Methods.

DISSOLVED SOLIDS shall mean the residues of the dissolved constituents in water.

<u>DOMESTIC WASTEWATER (DOMESTIC SEWAGE)</u> shall mean water bearing wastes from residences and other premises resulting from personal use of water for ordinary living processes.

EASEMENT shall mean an acquired legal right for the specific use of land owned by others.

<u>EFFLUENT</u> shall mean the liquid outflow from any POTW facility; or the nondomestic wastewater discharged by a User to the POTW.

ELECTRICAL CONDUCTIVITY (EC) shall mean the ability of an aqueous solution to carry an electrical current, expressed in terms of micromhos per centimeter (umhos/cm) at 25°C, and analyzed in accordance with Approved Analytical Methods.

ENVIRONMENTAL PROTECTION AGENCY (EPA) shall mean the United States Environmental Protection Agency, or where appropriate, the Regional Water Management Division Director, the Regional Administrator, or other duly authorized official of said agency.

EXCHANGE-TYPE WATER CONDITIONING DEVICE shall mean a water conditioning device that is removed to and serviced at a commercial regeneration facility for regeneration from the premises at which it is normally operated.

EXISTING SOURCE shall mean any source of discharge that is not a "New Source".

<u>FLOATABLE OIL</u> shall mean oil, fat, or grease in a physical state such that it will separate by gravity from wastewater by treatment in a pretreatment facility approved by the Reclamation Authority and Member Entity.

<u>FOOD PROCESSING FACILITY</u> shall mean a wholesale or retail facility which handles, processes, or prepares foodstuffs intended for human and/or animal consumption.

<u>FORCE MAIN</u> shall mean a pipe in which wastewater is carried under pressure.

<u>GARBAGE</u> shall mean solid wastes from the domestic and commercial preparation, cooking and dispensing of food, and from the handling, storage and sale of food; and from solid waste recycling and separation facilities.

GENERAL MANAGER or MANAGER shall mean the General Manager of the VVWRA.

<u>GRAB SAMPLE</u> shall mean a sample which is collected from a wastewater discharge without regard for flow over a period of time not exceeding fifteen (15) minutes.

<u>GRAVITY SEPARATION INTERCEPTOR</u> shall mean an approved detention chamber designed to remove grease, oil, and solids from wastewater before discharge to the POTW.

<u>HAZARDOUS SUBSTANCE</u> shall mean any substance which is toxic, explosive, corrosive, flammable or an irritant, or which generates pressure through heat or decomposition including, but not limited to, any substance determined to be a toxic or hazardous substance pursuant to Section 307 and 311(b)(2) of the Clean Water Act, 33 USC, Section 1251, et. seq., or its

implementing regulations at 40 CFR Section 307 and 311; any substance classified as a hazardous substance

pursuant to California Water Code Section 13050(p) and; any imminently hazardous chemical substance subject to regulation under the Toxic Mixtures or Substances Control Act, 15 USC, Section 2601, et seq.

<u>HAZARDOUS WASTE</u> shall mean any hazardous substance which is either the resultant and/or intermediate or final by-product of any process.

<u>HOLDING TANK WASTE</u> shall mean any waste from holding tanks such as vessels, chemical toilets, campers, trailers, septic tanks, and vacuum-pump tank trucks.

<u>INCOMPATIBLE POLLUTANT</u> shall mean any non-treatable waste product including non-biodegradable dissolved solids.

<u>INDIRECT DISCHARGE</u> or <u>DISCHARGE</u> shall mean the introduction of pollutants into a POTW from any non-domestic source regulated under section 307(b), (c) or (d) of the Act.

<u>INDUSTRIAL PLANT</u> shall mean any facility which discharges industrial wastes. Each industrial plant will be considered and analyzed individually even though an owner may operate two or more industrial plants within the Reclamation Authority service area. A multi-building industrial plant located on a single site shall not be arbitrarily divided into separate units for the purpose of obtaining additional deductions and exemptions.

<u>INDUSTRIAL SEWER</u> shall mean a sewer owned and operated by an industry.

<u>INDUSTRIAL USER (IU)</u> The term Industrial User or User means a source of Indirect Discharge.

<u>INDUSTRIAL WASTE ENFORCEMENT OFFICER</u> shall mean a person authorized by the Reclamation Authority and Member Entities to inspect wastewater generation, conveyance, processing, and disposal facilities.

INDUSTRIAL WASTEWATER shall mean wastewater generated by industrial users.

<u>INFILTRATION</u> shall mean the water unintentionally entering the public sewer system, including groundwater seepage, through such means as, but not limited to, defective pipes, pipe joints, connections, or manhole walls.

<u>INFILTRATION/INFLOW</u> shall mean the total quantity of water from both infiltration and inflow without distinguishing the source.

<u>INFLOW</u> shall mean the water discharge into a sanitary sewer system, including building drains and sewers, from such sources as, but not limited to, roof leaders, cellar, yard, and area drains, foundation drains, unpolluted cooling water discharges, drains from springs and swampy areas, manhole covers, cross connections from storm sewers and/or combined sewers, catch basins, stormwaters, surface runoff, street wash waters or drainage. (Inflow does not include, and is distinguished from, infiltration.)

<u>INSTANTANEOUS LIMIT</u> shall mean the maximum concentration of a pollutant allowed to be discharged at any time, determined from the analysis of any discrete or composited sample collected, independent of the flow rate and the duration of the sampling event.

<u>INTERCEPTOR</u> shall mean a gravity separation interceptor.

<u>INTERCEPTOR SEWER</u> shall mean a sewer whose primary purpose is to convey wastewater from the collection sewers of a Member Entity to the Reclamation Authority's wastewater treatment facilities.

<u>INTERFERENCE</u> shall mean a discharge which alone or in conjunction with a discharge or discharges from other sources, both:

- a) Inhibits or disrupts the POTW, its treatment processes or operations, or its sludge processes, use or disposal; and
- b) Causes a violation of any requirement of the POTW's NPDES permit and/or WDR (including an increase in the magnitude or duration of a violation) or of the prevention of sewage sludge use or disposal in compliance with the use or disposal in compliance with the following statutory provisions and regulations or permits issued thereunder (or more stringent State or local regulations): Section 405 of the Clean Water Act, the Solid Waste Disposal Act (SWDA) (including Title II, more commonly referred to as the Resource Conservation and Recovery Act (RCRA), and including State regulations contained in any State sludge management plan prepared pursuant to Subtitle D of the SWDA), the Clean Air Act, the Toxic Substances Control Act, and the Marine Protection, Research and Sanctuaries Act.

JOINT POWERS AUTHORITY shall mean members included in the Joint Exercise of Powers Agreement comprised of the following parties: City of Victorville, Town of Apple Valley, City of Hesperia, and County Service Areas No. 42 (Oro Grande) and No. 64 (Spring Valley Lake) or the entity known as VVWRA, however constituted.

<u>LOCAL LIMIT</u> shall mean specific discharge limits developed and enforced by the Reclamation Authority upon industrial or commercial facilities to implement the general and specific discharge prohibitions listed in 40 CFR Part 403.5(a)(1) and (b).

<u>LOCAL SEWERING AGENCY</u> shall mean the Member Entity, as designated in the Joint Powers Agreement, with authority to approve building plans for a particular User.

<u>LOWER EXPLOSIVE LIMIT (LEL)</u> shall mean the minimum concentration of a combustible gas or vapor in the air which will ignite if an ignition source is present.

MAINTENANCE shall mean keeping the sewer lines, sewer systems, sewer facilities or sewage works and structures in satisfactory working condition and good state of repair (including, but not limited, to preventing any obstructions or extraneous materials or flows from entering said facilities, protecting said facilities from any damage, and keeping same free from defects or malfunctions), and making necessary provisions and taking necessary precautions to assure that said sewer facilities are at all times capable of satisfactorily performing the services, and

adequately discharging the functions and producing the final results and purposes said facilities are intended to perform, discharge, or produce.

<u>MASS EMISSION RATE</u> shall mean the mass of material discharged to the POTW during a given time interval. Unless otherwise specified, the mass emission rate shall be expressed in pounds per day of a particular constituent or combination of constituents.

MAY is permissive.

MEMBER ENTITY shall mean one of the public functional entities that are legally accepted as members of the VVWRA and so designated in the JPAG.

MILLIGRAMS PER LITER (mg/l) shall mean a unit of the concentration of water or wastewater constituent. It is 0.001 g of the constituent in 1,000 ml of water. It has replaced the unit formerly used commonly, parts per million, to which it is approximately equivalent in reporting the results of water and wastewater analysis.

MONTHLY AVERAGE shall mean the sum of all "daily discharges" measured during a calendar month divided by the number of "daily discharges" measured during that month.

MONTHLY AVERAGE LIMIT shall mean the highest allowable average of "daily discharges" over a calendar month, calculated as the sum of all "daily discharges" measured during a calendar month divided by the number of "daily discharges" measured during that month.

NATIONAL PROHIBITIVE DISCHARGE STANDARD OR PROHIBITIVE DISCHARGE STANDARD shall mean any regulation developed under the authority of Section 307(b) of the Act and 40 CFR Part 403.5.

<u>NATURAL OUTLET</u> shall mean any outlet, including storm sewers and combined sewer overflows, into a water course; pond, ditch, lake or other body of surface or ground water.

NEW SOURCE shall mean

- (1) Any building, structure, facility, or installation from which there is or may be a discharge of pollutants to the POTW, the construction of which commenced after the publication of proposed Pretreatment Standards under Section 307(c) of the Act which will be applicable to such source if such Standards are thereafter promulgated in accordance with that Section.
 - a. The building, structure, facility, or installation is constructed at a site at which no other source is located; or
 - b. The building, structure, facility, or installation totally replaces the process or production equipment that causes the discharge of pollutants at an Existing Source; or
 - c. The production or wastewater generating processes of the building, structure, facility, or installation are substantially independent of an Existing Source at the same site. In determining whether these are substantially independent, factors such as the extent to which the new facility is integrated with the existing plant,

and the extent to which the new facility is engaged in the same general type of activity as the Existing Source, should be considered

- (2) Construction on a site at which an Existing Source is located results in a modification rather than a New Source if the construction does not create a new building, structure, facility, or installation meeting the criteria of Section (1) (b) or (c) above but otherwise alters, replaces, or adds to existing process or production equipment.
- (3) Construction of a New Source as defined under this paragraph has commenced if the owner or operator has:
 - a. Begun, or caused to begin, as part of a continuous onsite construction program
 - i. any placement, assembly, or installation of facilities or equipment; or
 - ii. significant site preparation work including clearing, excavation, or removal of existing buildings, structures, or facilities which is necessary for the placement, assembly, or installation of new source facilities or equipment; or
 - b. Entered into a binding contractual obligation for the purchase of facilities or equipment which are intended to be used in its operation within a reasonable time. Options to purchase or contracts which can be terminated or modified without substantial loss, and contracts for feasibility, engineering, and design studies do not constitute a contractual obligation under this paragraph.

NON-CATEGORICAL SIGNIFICANT INDUSTRIAL USER (NCSIU) shall mean a Significant Industrial User which is not subject to promulgated Categorical Standards.

NON-CONTACT COOLING OR HEATING WATER shall mean water which is used solely for the purpose of cooling or heating, and which has no direct contact with any raw material, intermediate product, waste product, or finished product.

NONDOMESTIC WASTEWATER shall mean all wastewater except domestic wastewater and unpolluted water as defined herein. Nondomestic wastewater shall include, but not be limited to, wastewater resulting from industrial, commercial, producing, manufacturing, processing, institutional, governmental, and agricultural operations, and brine wastewater resulting from the regeneration of water conditioning devices. All liquid wastewater hauled by truck, rail, or another means shall also be considered as nondomestic wastewater, regardless of the original source of the wastes. Hauled domestic wastewater is included in the category of nondomestic wastewater.

NONDOMESTIC WASTEWATER DISCHARGE PERMIT (PERMIT) shall mean the regulatory procedure established and enforced by the Manager pursuant to Section 08-07 herein, to control the flow and quality of wastes discharged into the POTW.

NONRESIDENTIAL USER shall mean any Industrial User or Commercial Discharger.

NON-SIGNIFICANT INDUSTRIAL USER (NSIU) shall mean any Industrial User which is not a Significant Industrial User.

NORMAL WORKING DAY shall mean the period of time during one day during which production and/or operation is taking place.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMIT shall mean the permit issued to the POTW by the California Regional Water Quality Control Board, Lahontan Region pursuant to Section 402 of the Act (33 USC 1342).

NORTH AMERICAN INDUSTRY CLASSIFICATION SYSTEM (NAICS) shall mean the classification of business establishments that was adopted in 1997 to replace the Standard Industrial Classification system as outlined in the 2012 U.S. NAICS Manual; or latest edition thereof.

OIL AND GREASE shall mean any of the following in part or in combination:

- a) Petroleum derived products, e.g., oils, fuels, lubricants, solvents;
- b) Vegetable derived products, e.g., oils, shortenings, soluble cutting oils; and
- c) Animal derived products, e.g., fats, greases, oils, lard.

<u>OWNER</u> shall mean any individual, firm, company, association, society, corporation or group discharging any wastewater to the POTW.

<u>PASS-THROUGH</u> shall mean any discharge which exits the POTW into waters of the State of California or United States in quantities or concentrations which, alone or in conjunction with other discharges, causes a violation of any requirement of the POTW's NPDES permit (including an increase in the magnitude or duration of a violation).

<u>PATHOGEN</u> shall mean any bacterial, viral, protozoan or other microbial organism which has the ability to cause disease in man.

<u>PERMITTEE</u> shall mean any User who is issued a Nondomestic Wastewater Discharge Permit pursuant to Section 08-07 herein.

<u>PERSON</u> shall mean any individual, family, household, partnership, co-partnership, firm, industry, company, corporation, association, society, Joint Stock Company, trust, estate, governmental entity, or group, Member Entity, or any other legal entity or their legal representatives, agents, or assigns. The masculine gender shall include the feminine; the singular shall include the plural where indicated by the context.

<u>pH</u> shall mean the measure of the acidity or alkalinity of a solution, expressed in standard units and calculated as the logarithm (base 10) of the reciprocal of the concentration of hydrogen ions, as analyzed in accordance with Approved Analytical Methods.

<u>PLUMBING OFFICIAL</u> shall mean the Director of Building and Safety of the Local Sewering Agency or his authorized representative or deputy.

<u>POLLUTANT</u> shall mean any dredged spoil, solid waste, incinerator residue, filter backwash, sewage, garbage, sewage sludge, munitions, chemical wastes, biological materials, radioactive materials, heat, wrecked or discharged equipment, rock, sand, cellar dirt, and industrial,

municipal, and agricultural waste, and certain characteristics of wastewater (e.g., pH, temperature, TSS, turbidity, color, BOD, COD, toxicity, or odor).

<u>POLLUTION</u> shall mean the man-made or man-induced adverse alteration of the chemical, physical, biological, and radiological integrity of water.

<u>POPULATION EQUIVALENT</u> shall mean a term used to evaluate the impact of industrial or other waste on a treatment works or stream. One population equivalent of normal domestic sewage is 70 gallons of sewage per day, or 0.12 pounds of BOD or 0.15 pounds of suspended solids per day. The impact on a treatment works is evaluated as the equivalent of the highest of the three parameters. Impact on a stream is the higher of the BOD and suspended solids parameters.

<u>PUBLICLY OWNED TREATMENT WORKS (POTW)</u> shall mean treatment works as defined by Section 212 of the Act, (33 USC 1292). This definition includes any devices or systems owned and operated by VVWRA and its Member Entities, which are used in the storage, treatment, recycling and reclamation of municipal sewage within the regional sewerage system, the tributary sewerage systems, and any other sewers, pipes, lift stations, and other conveyances which convey wastewater to the wastewater treatment facilities contained therein.

<u>POTW TREATMENT PLANT</u> shall mean the portion of the POTW designed to provide treatment to wastewater.

<u>PRETREATMENT</u> shall mean the reduction of the amount of pollutants, the elimination of pollutants, or the alteration of the nature of pollutant properties in wastewater to a less harmful state prior to or in lieu of discharging or otherwise introducing such pollutants into the POTW. The reduction or alteration may be obtained by physical, chemical, or biological processes, process changes, or other means, except as prohibited by 40 CFR Part 403.6 (d).

<u>PRETREATMENT REQUIREMENT</u> shall mean any substantive or procedural requirement related to pretreatment, other than a Pretreatment Standard, imposed on a User.

<u>PRETREATMENT STANDARD</u> shall mean any regulation containing pollutant discharge limits or prohibitions promulgated by EPA or the VVWRA, applicable to Users, including promulgated Categorical Standards, National Prohibitive Discharge Standards, General Discharge Prohibitions contained in Section 08-04.2 herein, and Specific Local Discharge Limitations contained in or pursuant to Sections 08-05.1 and 08-05.2 herein.

<u>PRETREATMENT WASTES</u> shall mean all wastes, liquid or solid, removed from nondomestic wastewater by physical, chemical, or biological means.

<u>PROCESS WASTEWATER</u> shall mean nondomestic wastewater, excluding boiler blowdown and non-contact cooling water or cooling tower discharges.

<u>PROHIBITED DISCHARGE STANDARDS OR PROHIBITED DISCHARGES</u> shall mean absolute prohibitions against the discharge of certain substances; these prohibitions appear in Section 08.04 of this ordinance.

<u>PUBLIC AGENCY</u> shall mean the Federal Government, the State, or any City, County, District, JPA, or other public agency or body duly organized under the laws of the State of California or of the USA.

PUBLIC SEWER shall mean any sewer located in or maintained by the VVWRA or a Member Entity which is tributary to the wastewater treatment facilities operated by VVWRA. The term as used here does not include storm drains or channels for conveyance of natural surface waters.

RADIOACTIVE MATERIAL shall mean material containing chemical elements that spontaneously change their atomic structure by emitting any particles, rays, or energy forms.

RECLAMATION AUTHORITY shall mean the Victor Valley Wastewater Reclamation Authority.

REGIONAL BOARD shall mean the California Regional Water Quality Control Board, Lahontan Region.

REGIONAL SERVICE AREA shall mean the service area of the Reclamation Authority, the boundaries of which are determined as described in Article 04.

REGIONAL SEWERAGE SYSTEM shall mean the regional component of the sewerage system which is owned and operated by the Reclamation Authority, including the Authority Interceptor, Authority Sewerage Facility and POTW Treatment Plant, but excluding the Collection Sewers and Tributary Sewerage System.

REGULATORY AGENCIES shall mean those public agencies legally constituted to protect the public health and water quality in the United States, such as EPA, or State of California, such as the California Environmental Protection Agency; the California Department of Public Health; the State Water Resources Control Board; the California Regional Water Quality Control Board, Lahontan Region; and the San Bernardino County Department of Environmental Health Services.

RESTAURANT shall mean any retail establishment which prepares and sells foods and drinks on the premises for consumption on or off the premises.

SALT AND NUTRIENT MANAGEMENT PLAN means the plan adopted in 2015 by the California Regional Water Quality Control Board, Lahontan Region, to manage salts and nutrients in groundwaters in the Mojave River Watershed.

<u>SANITARY SEWAGE</u> shall mean domestic wastewater.

<u>SANITARY SEWER</u> shall mean a sewer which carries wastewater, and to which storm, surface, and ground water are not intentionally admitted.

SEPTAGE shall mean any wastewater or sludge removed from a cesspool, septic tank, holding tank, or chemical toilet, and which is trucked or hauled to the point of discharge.

<u>SERVICE AGREEMENT</u> shall mean the contract documents common to Member Entities, and executed during formation of JPA dated November 1976, as the same may be amended from time to time.

SEWAGE shall mean wastewater.

<u>SEWAGE LIFT STATION</u> shall mean a station positioned in a sewer system at which wastewater is pumped to a higher level.

<u>SEWER</u> shall mean a pipe or conduit that carries wastewater or drainage water.

<u>SEWERAGE SYSTEM</u> shall mean a network of wastewater collection, conveyance, treatment and disposal facilities interconnected by sewers, and owned by the Reclamation Authority or the Member Entities.

SHALL is mandatory.

<u>SHREDDED GARBAGE</u> shall mean garbage that has been shredded to such a degree that all particles will be carried freely under the flow conditions normally prevailing in public sewers, with no particle greater than 1/2" (1.25 centimeters) in any dimension.

SIGNIFICANT INDUSTRIAL USER (SIU) shall mean any Industrial User of the POTW who 1. is subject to Categorical Standards; 2. has an average daily discharge of 25,000 gallons or more of process wastewater (as defined herein); 3. has a process wastestream which makes up 5% or more of the average dry-weather hydraulic or organic capacity of the Wastewater Treatment Facilities receiving the wastewater; or 4. is designated by the Manager to have a reasonable potential for adversely affecting the POTW's operation or violating any applicable pretreatment standard or requirement.

<u>SIGNIFICANT NONCOMPLIANCE (SNC)</u> shall mean violations of pretreatment requirements, which include violations of effluent limits, sampling violations, analysis violations, reporting violations, compliance schedule and regulatory deadline violations, which satisfy one or more of the following criteria:

- a) Violations of wastewater discharge limits:
 - 1. Chronic Violations. Sixty-six percent or more of all the measurements taken during a six-month period exceed (by any magnitude) a numeric pretreatment standard or requirement, including instantaneous limits as defined by 40 CFR 403.3(1)
 - 2. Technical Review Criteria (TRC) Violations. Thirty-three percent or more of all the measurements for each pollutant or pollutant property taken during a sixmonth period equals or exceeds the product of the numeric pretreatment standard or requirement, including instantaneous limits as defined by 40 CFR 403.3(l) multiplied by the applicable criteria (1.4 for BOD, TSS, fats, oils and grease and 1.2 for all other pollutants except pH)
 - 3. Any other violation(s) of a pretreatment effluent limit (daily maximum, long-term average, instantaneous, or narrative standard) that the VVWRA determines has

- caused, alone or in combination with other discharges, interference or pass through (including endangering the health of the POTW personnel or the public).
- 4. Any discharge of a pollutant that has caused imminent endangerment to human health or welfare or to the environment or has resulted in the Reclamation Authority's exercise of its emergency authority to halt or prevent such a discharge.
- b) Failure to meet, within ninety (90) days of the scheduled date, a compliance schedule milestone contained in Nondomestic Wastewater Discharge Permit, Compliance Time Schedules or other enforcement order for starting construction, completing construction, or achieving final compliance.
- c) Failure to provide within forty-five (45) days after the due date, any required reports, including baseline monitoring reports, reports on compliance with Categorical Standard deadlines, periodic self-monitoring reports, and reports on compliance with compliance schedules.
- d) Failure to report noncompliance in an accurate and timely fashion.
- e) Any other violation or group of violations, which may include a violation of BMPs, which the Manager determines will adversely affect the operation or implementation of the pretreatment program.

<u>SINGLE PASS, NON-CONTACT COOLING OR HEATING WATER</u> shall mean non-contact cooling or heating water which is used only once and then disposed of.

<u>SLUG DISCHARGE CONTROL PLAN</u> shall mean a plan submitted to the VVWRA by a User pursuant to Section 08-09.4(b) herein, which specifies to the Manager's satisfaction the potential pollutants used and/or stored at the User's facility; potential pathways of entry of said potential pollutants into the POTW; and facilities and procedures for preventing or controlling the occurrence of slug loading.

<u>SLUG LOAD or SLUG DISCHARGE</u> shall mean any discharge at a flow rate or concentration, which could cause a violation of the prohibited discharge standards in Section 08.04 of this ordinance. A slug discharge is any discharge of non-routine, episodic nature, including but not limited to an accidental spill or a non-customary batch discharge, which has a reasonable potential to cause interference or pass through, or in any other way violates the Reclamation Authority's regulations, local limits, or nondomestic wastewater discharge permit.

<u>SOLID WASTE</u> shall mean the non-liquid carried wastes normally considered to be suitable for disposal with refuse at sanitary landfill refuse disposal sites.

SOLVENT MANAGEMENT PLAN (TOXIC ORGANIC MANAGEMENT PLAN) shall mean a plan submitted to the VVWRA by an Industrial User pursuant to Section 08-09.4(a) herein, which specifies to the Manager's satisfaction the solvents and other toxic organic compounds used; the methods of disposal used; and procedures for assuring that solvents and other toxic organics do not routinely spill or leak into the wastewater.

<u>SPECIFIC COMPLIANCE PLAN</u> shall mean a plan submitted to the VVWRA by an Industrial User pursuant to Section 08-09.4(c) herein, which specifies to the Manager's satisfaction the

cause of noncompliance; the corrective actions which will be taken to prevent recurrence of said noncompliance; and, if required by the Manager, a proposed Compliance Time Schedule.

STANDARD INDUSTRIAL CLASSIFICATION (SIC) shall mean a classification pursuant to the Standard Industrial Classification Manual issued by the Executive Office of the President, Office of Management and Budget, 1987; or latest edition thereof.

<u>"STANDARD METHODS"</u> shall mean "Standard Methods for the Examination of Water and Wastewater", latest edition, prepared and published by the American Public Health Association, American Water Works Association, and Water Environment Federation, which specifies accepted procedures used to assess the quality of water and wastewater.

STATE shall mean the State of California.

STATE WATER BOARD shall mean the State of California Water Resources Control Board.

STORMWATER shall mean any flow of water resulting from natural precipitation.

STORMWATER SYSTEM shall mean all stormwater conveyance and treatment facilities located within the VVWRA, including, but not limited to, storm drains, catch basins, storm drain manholes and manways, and stormwater pumping facilities.

<u>SURCHARGE</u> shall mean an assessment, in addition to the service charge, which may be levied on those Users whose wastes are greater in strength than surcharge threshold concentration values established by the Manager.

<u>SUSPENDED SOLIDS OR "SUSPENDED MATTER" (TSS)</u> shall mean the insoluble solid matter suspended in wastewater that is separable by laboratory filtration.

<u>TEMPORARY INDUSTRIAL USER (TIU)</u> shall mean any Industrial User who is granted temporary permission by the Manager to discharge unpolluted water or wastewater to the public sewer and controlled by a wastewater discharge permit. Such temporary permission shall not be granted to Industrial Users subject to promulgated Categorical Standards.

TOTAL DISSOLVED SOLIDS (TDS) shall mean the quantity of non-volatile substances remaining after filtration through a standard filter and drying to constant weight at 180°C, expressed in terms of milligrams per liter (mg/l) and analyzed in accordance with Approved Analytical Methods. TDS is synonymous with Total Filterable Residue (TFR).

<u>TOTAL SOLIDS</u> shall mean the sum of suspended and dissolved solids.

TOTAL TOXIC ORGANICS (TTO) shall mean the sum of the concentrations for each of the toxic organic compounds regulated by applicable Categorical Standards which are found in the User's discharge at a concentration greater than ten (10) micrograms per liter, and analyzed in accordance with Approved Analytical Methods. TTO is comprised of the following constituents:

Acrolein 4-Bromophenyl phenyl ether Acrylonitrile Bis(2-chloroispropyl) ether Phenanthrene Benzene Bis(2-chloroispropyl) ether Dibenzo(a,h) anthracene Benzidine Methylene chloride Indeno(1,2,3-cd) pyrene Carbon tetrachloride Methyl chloride Pyrene Chlorobenzene Methyl chloride Pyrene Toluene Hexachlorobenzene Methyl chloride Tetrachloroethylene 1,2,4-Trichlorobenzene Bromoform Toluene Trichloroethylene Dichlorobromomethane Trichloroethylene 1,2-Dichloroethane Chlorodibromomethane Vinyl chloride 1,1,1-Trichloroethane Hexachlorocyclopentadiene Aldrin Hexachlorocethane Hexachlorocyclopentadiene Dieldrin 1,1-Dichloroethane Hexachlorocyclopentadiene Dieldrin 1,1,2-Trichloroethane Hexachlorocyclopentadiene Aldrin Hexachlorocethane Isophorone 4,4'-DDT 1,1,2-Trichloroethane Naphthalene 4,4'-DDE 1,1,2,2-Tetrachloroethane Nitrobenzene 4,4'-DDE 1,1,2,2-Tetrachloroethane Nitrobenzene 4,4'-DDD 1,1,2,2-Tetrachloroethyl ether 4-Nitrophenol alpha-Endosulfan beta-Endosulfan Bis(2-chloroethyl) ether 4-Nitrophenol Endosulfan beta-Endosulfan Deta-Endosulfan Deta-Endosulfan Endosulfan Deta-Endosulfan Endosulfan Endosulfan Deta-Endosulfan			
Acrylonitrile Bis(2-chloroethoxy) ether Dibenzo(a,h) anthracene Benzidine Methylene chloride Indeno(1,2,3-cd) pyrene Carbon tetrachloride Methyl chloride Pyrene Chlorobenzene Methyl bromide Tetrachloroethylene 1,2,4-Trichlorobenzene Bromoform Toluene Hexachlorobenzene Dichlorobromomethane Trichloroethylene 1,2-Dichloroethane Chlorodibromomethane Vinyl chloride 1,1,1-Trichloroethane Hexachlorobutadiene Aldrin Hexachloroethane Isophorone Hexachloroethane Dieldrin 1,1-Dichloroethane Isophorone 4,4'-DDT 1,1,2-Trichloroethane Naphthalene 4,4'-DDE 1,1,2,2-Tetrachloroethane Nitrobenzene 4,4'-DDD 1,1,2,2-Tetrachloroethane Nitrobenzene 4,4'-DDD 1,1,2,2-Tetrachloroethane Naphthalene 4,4'-DDD 1,1,2,2-Tetrachloroethane Naphthalene 1,4'-DDD 1,1,2-Dichloroethyl ether 2,4-Dinitrophenol 1,4-Dichloroethyl ether 1,4-Dichloroethyl ether 1,4-Dichloroethyl ether 1,4-Dichloroethyl ether 1,4-Dichlorobenzene 1,4-Dichlorobenzene 1,2-Dichlorobenzene 1,2-Dichlorobenzene 1,2-Dichlorobenzene 1,2-Dichlorobenzene 1,2-Dichloroethylene 1,3-Dichloroethylene 1,4-Dichloroethylene 1,4-Dichloroethylene 1,4-Dichloropenol 1,4-D	Acenaphthene	4-Chlorophenyl phenyl ether	
Benzene Bis(2-chloroethoxy) ether Dibenzo(a,h) anthracene Benzidine Methylene chloride Indeno(1,2,3-cd) pyrene Carbon tetrachloride Methyl chloride Pyrene Chlorobenzene Methyl bromide Tetrachloroethylene 1,2,4-Trichlorobenzene Bromoform Toluene Hexachlorobenzene Dichlorobromomethane Trichloroethylene 1,2-Dichloroethane Chlorodibromomethane Vinyl chloride 1,1,1-Trichloroethane Hexachlorobutadiene Aldrin Hexachloroethane Hexachlorobutadiene Dieldrin 1,1-Dichloroethane Isophorone 4,4'-DDT 1,1-Dichloroethane Isophorone 4,4'-DDT 1,1-Dichloroethane Naphthalene 4,4'-DDE 1,1,2-Trichloroethane Naphthalene 4,4'-DDD 1,1,2-Trichloroethane Nitrobenzene 4,4'-DDD 1,1,2-Trichloroethane Nitrobenzene 4,4'-DDD 1,1,2-Trichloroethane Nitrobenzene 4,4'-DDD 1,1,2-Trichloroethyl ether 4-Nitrophenol alpha-Endosulfan 1,1-Dichloroethyl ether 4-Nitrophenol beta-Endosulfan 1,1,1-Dichloroethyl ether 4-Nitrophenol Endosulfan 1,1,1-Dichloroethyl ether 4-Nitrophenol Endosulfan 1,1,1-Dichloroethyl ether 2,4-Dinitrophenol Endosulfan 1,1-Dichloroethyl ether 1,1-Dichloroethyl ether 1,1-Dichloroethyl ether 1,1-Dichloroethylene Pentachlorophenol Indicate 1,1-Dichloroethylene Bis(2-ethylhexyl) phthalate gamma-BHC 1,1-Dichloroethylene Di-n-butyl phthalate Arochlor 1242 1,2-trans-Dichloroethylene Di-n-butyl phthalate Arochlor 1254 1,2-Dichlorophenol Diethyl phthalate Arochlor 1242 1,2-Dichlorophenol Diethyl phthalate Arochlor 1248 1,3-Dichloropropane Benzo(a)pyrene Arochlor 1248 1,3-Dichloropropane Dimethyl phthalate Arochlor 1248 1,3-Dichloropropane Dimethyl phthalate Arochlor 1248 1,3-Dichloropropane Dimethyl phthalate Arochlor 1260 1,4-Dinitrotoluene Benzo(b)fluoranthene Arochlor 1016 1,4-Dinitrotoluene Benzo(b)fluoranthene Arochlor 1016 1,4-Dinitrotoluene Benzo(b)fluoranthene Arochlor 1016 1,4-Dinitrotoluene Arochlor 1016 1,4-Dinitrotoluene	Acrolein	4-Bromophenyl phenyl ether	Fluorene
Benzidine Methylene chloride Indeno(1,2,3-cd) pyrene Carbon tetrachloride Methyl chloride Pyrene Chlorobenzene Methyl bromide Tetrachloroethylene 1,2,4-Trichloroebnzene Bromoform Toluene Hexachlorobenzene Dichlorobromomethane Trichloroethylene 1,2-Dichloroethane Chlorodibromomethane Vinyl chloride 1,1,1-Trichloroethane Hexachlorocyclopentadiene Aldrin Hexachloroethane Hexachlorocyclopentadiene Dieldrin 1,1-Dichloroethane Hexachlorocyclopentadiene Dieldrin 1,1,2-Trichloroethane Isophorone 4,4'-DDT 1,1,2-Trichloroethane Naphthalene 4,4'-DDE 1,1,2-Tetrachloroethane Nitrobenzene 4,4'-DDE 1,1,2-Tetrachloroethane Nitrobenzene 4,4'-DDD Chloroethyl ether 2-Nitrophenol alpha-Endosulfan Bis(2-chloroethyl) ether 2,4-Dinitrophenol beta-Endosulfan 2-Chloromaphthalene 4,6-Dinitro-o-cresol Endrin p-Chloro-m-cresol N-nitrosodimethylamine Endrin aldehyde Chloroform N-nitrosodiphenylamine Heptachlor 2-Chlorophenol N-nitrosodiphenylamine Heptachlor 2-Chlorophenol N-nitrosodiphenylamine Heptachlor Bis(2-ethylhexyl) phthalate gamma-BHC 1,3-Dichlorobenzene Phenol beta-BHC 1,4-Dichlorobenzene Bis(2-ethylhexyl) phthalate delta-BHC 1,1-Dichloroethylene Di-n-octyl phthalate Arochlor 1242 1,2-trans-Dichloroethylene Di-n-octyl phthalate Arochlor 1254 2,4-Dichloroppenol Dienthyl phthalate Arochlor 1221 1,2-Dichloroppenol Benzo(a)anthracene Arochlor 1232 1,3-Dichloroppopane Dimethyl phthalate Arochlor 1232 1,3-Dichloroppopane Benzo(a)anthracene Arochlor 1248 2,4-Dimitrotoluene Benzo(b)fluoranthene Arochlor 1260 2,4-Dimitrotoluene Benzo(b)fluoranthene Arochlor 1016 2,6-Dinitrotoluene Benzo(b)fluoranthene Fluoranthene 1,2-Diphenylhydrazine Chrysene Fluoranthene Ethylbenzene Anthracene	Acrylonitrile	Bis(2-chloroisopropyl) ether	Phenanthrene
Carbon tetrachloride Methyl chloride Pyrene Chlorobenzene Methyl bromide Tetrachloroethylene 1,2,4-Trichlorobenzene Bromoform Toluene Hexachlorobenzene Dichlorobromomethane Trichloroethylene 1,2-Dichloroethane Chlorodibromomethane Vinyl chloride 1,1,1-Trichloroethane Hexachlorobutadiene Aldrin Hexachloroethane Hexachlorocyclopentadiene Dieldrin 1,1-Dichloroethane Isophorone 4,4'-DDT 1,1,2-Trichloroethane Naphthalene 4,4'-DDE 1,1,2,2-Tetrachloroethane Nitrobenzene 4,4'-DDD Chloroethane Nitrobenzene 4,4'-DDD Chloroethane 2-Nitrophenol alpha-Endosulfan Bis(2-chloroethyl) ether 4-Nitrophenol beta-Endosulfan Bis(2-chloroethyl) ether 2,4-Dinitrophenol Endosulfan sulfate 2-Chloroethyl vinyl ether 2,4-Dinitrophenol Endosulfan sulfate 2-Chloromaphthalene 4,6-Dinitro-o-cresol Endrin p-Chloro-m-cresol N-nitrosodimethylamine Endrin aldehyde Chloroform N-nitrosodimethylamine Heptachlor 2-Chlorophenol N-nitrosodin-propylamine Heptachlor epoxide 1,2-Dichlorobenzene Pentachlorophenol alpha-BHC 1,3-Dichlorobenzene Phenol beta-BHC 1,3-Dichlorobenzene Bis(2-ethylhexyl) phthalate gamma-BHC 1,3-Dichlorobenzidine Butyl benzyl phthalate delta-BHC 1,1-Dichloroethylene Di-n-butyl phthalate Arochlor 1254 2,4-Dichlorophenol Diethyl phthalate Arochlor 1254 2,4-Dichlorophenol Diethyl phthalate Arochlor 1254 2,4-Dichlorophenol Diethyl phthalate Arochlor 1254 2,4-Dichlorophenol Benzo(a)pyrene Arochlor 1248 2,4-Dimitrotoluene Benzo(a)pyrene Arochlor 1260 2,4-Dimitrotoluene Benzo(b)fluoranthene Arochlor 1016 2,6-Dinitrotoluene Benzo(b)fluoranthene Fluoranthene Ethylbenzene Anthracene	Benzene	Bis(2-chloroethoxy) ether	Dibenzo(a,h) anthracene
Chlorobenzene Bromoform Toluene 1,2,4-Trichlorobenzene Bromoform Toluene Hexachlorobenzene Dichlorobromomethane Trichloroethylene 1,2-Dichloroethane Chlorodibromomethane Vinyl chloride 1,1,1-Trichloroethane Hexachlorobutadiene Aldrin Hexachloroethane Hexachlorocyclopentadiene Dieldrin 1,1-Dichloroethane Isophorone 4,4'-DDT 1,1,2-Trichloroethane Naphthalene 4,4'-DDE 1,1,2-Trichloroethane Nitrobenzene 4,4'-DDD 1,1,2-Tetrachloroethane Nitrobenzene 4,4'-DDD 1,1,2-Tetrachloroethane Nitrobenzene A-VI-DDD 1,1,2-Tetrachloroethyl) ether 2-Nitrophenol alpha-Endosulfan Bis(2-chloroethyl) ether 4-Nitrophenol beta-Endosulfan 2-Chloroethyl vinyl ether 2,4-Dinitrophenol Endosulfan sulfate 2-Chloroenaphthalene 4,6-Dinitro-o-cresol Endrin p-Chloro-m-cresol N-nitrosodimethylamine Endrin aldehyde Chloroform N-nitrosodimethylamine Heptachlor 2,2-Dichlorobenzene Pentachlorophenol alpha-BHC 1,3-Dichlorobenzene Phenol beta-BHC 1,3-Dichlorobenzene Bis(2-ethylhexyl) phthalate gamma-BHC 1,3-Dichlorobenzene Bis(2-ethylhexyl) phthalate delta-BHC 1,1-Dichlorobenzene Di-n-butyl phthalate Arochlor 1254 2,4-Dichlorophenol Diethyl phthalate Arochlor 1254 2,4-Dichlorophenol Diethyl phthalate Arochlor 1254 2,4-Dichlorophenol Diethyl phthalate Arochlor 1248 2,3-Dichlorophenol Benzo(a)anthracene Arochlor 1248 2,4-Dimitrotoluene Benzo(a)pryene Arochlor 1260 2,4-Dimitrotoluene Benzo(b)fluoranthene Arochlor 1016 2,6-Dinitrotoluene Benzo(b)fluoranthene Fluoranthene Ethylbenzene Arcenaphthylene Anthracene	Benzidine	Methylene chloride	Indeno(1,2,3-cd) pyrene
1,2,4-Trichlorobenzene	Carbon tetrachloride	Methyl chloride	Pyrene
Hexachlorobenzene 1,2-Dichloroethane 1,1-Trichloroethane 1,1-Trichloroethane 1,1-Dichloroethane 1,1-Dichloroethylene 1-Dichloroethylene 1-Dichloroe	Chlorobenzene	Methyl bromide	Tetrachloroethylene
1,2-Dichloroethane Chlorodibromomethane Vinyl chloride 1,1,1-Trichloroethane Hexachlorobutadiene Aldrin 1,1-Dichloroethane Hexachlorocyclopentadiene Dieldrin 1,1-Dichloroethane Isophorone 4,4'-DDT 1,1,2-Trichloroethane Naphthalene 4,4'-DDE 1,1,2,2-Tetrachloroethane Nitrobenzene 4,4'-DDD 1,1,2,2-Tetrachloroethane Nitrobenzene 1,2-Dichloroethane 1,2-Dinitrophenol 1,2-Dinitrophenol 1,2-Dinitrophenol 1,2-Dinitro-o-cresol 1,2-Dinitro-o-cresol 1,2-Dichlorobenzene 1,2-Dichlorobenzene 1,2-Dichlorobenzene 1,2-Dichlorobenzene 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1,3-Dichloroethylene 1,3-Dichloroethylene 1,3-Dichloroethylene 1,3-Dichloroethylene 1,3-Dichloroethylene 1,3-Dichloropenzene	1,2,4-Trichlorobenzene	Bromoform	Toluene
1,1,1-Trichloroethane Hexachlorobutadiene Aldrin Hexachloroethane Hexachlorocyclopentadiene Dieldrin 1,1-Dichloroethane Isophorone 4,4'-DDT 1,1,2-Trichloroethane Naphthalene 4,4'-DDE 1,1,2,2-Tetrachloroethane Nitrobenzene 4,4'-DDD Chloroethane 2-Nitrophenol alpha-Endosulfan Bis(2-chloroethyl) ether 4-Nitrophenol beta-Endosulfan Bis(2-chloroethyl) ether 2,4-Dinitrophenol Endosulfan sulfate 2-Chloroaphthalene 4,6-Dinitro-o-cresol Endrin P-Chloro-m-cresol N-nitrosodimethylamine Endrin aldehyde Chloroform N-nitrosodimethylamine Heptachlor 2-Chlorophenol N-nitrosodi-n-propylamine Heptachlor epoxide 1,2-Dichlorobenzene Pentachlorophenol alpha-BHC 1,3-Dichlorobenzene Bis(2-ethylhexyl) phthalate gamma-BHC 3,3'-Dichlorobenzidine Butyl benzyl phthalate delta-BHC 1,1-Dichloroethylene Di-n-butyl phthalate Arochlor 1242 1,2-trans-Dichloroethylene Di-n-octyl phthalate Arochlor 1254 2,4-Dichlorophenol Diethyl phthalate Arochlor 1221 1,2-Dichloropopopane Dimethyl phthalate Arochlor 1232 1,3-Dichloropropylene Benzo(a)anthracene Arochlor 1248 2,4-Dimethylphenol Benzo(a)pyrene Arochlor 1260 2,4-Dinitrotoluene Benzo(b)fluoranthene Toxaphene 1,2-Diphenylhydrazine Chrysene Fluoranthene Ethylbenzene Acenaphthylene Anothracene	Hexachlorobenzene	Dichlorobromomethane	Trichloroethylene
Hexachloroethane Hexachlorocyclopentadiene Dieldrin 1,1-Dichloroethane Isophorone 4,4'-DDT 1,1,2-Trichloroethane Naphthalene 4,4'-DDE 1,1,2,2-Tetrachloroethane Nitrobenzene 4,4'-DDE 1,1,2,2-Tetrachloroethane Nitrobenzene 4,4'-DDD Chloroethane 2-Nitrophenol alpha-Endosulfan Bis(2-chloroethyl) ether 2,4-Dinitrophenol beta-Endosulfan 2-Chloroethyl vinyl ether 2,4-Dinitrophenol Endosulfan sulfate 2-Chloronaphthalene 4,6-Dinitro-o-cresol Endrin 2-Chloro-m-cresol N-nitrosodimethylamine Endrin aldehyde Chloroform N-nitrosodiphenylamine Heptachlor 2-Chlorophenol N-nitrosodin-propylamine Heptachlor epoxide 1,2-Dichlorobenzene Pentachlorophenol alpha-BHC 1,3-Dichlorobenzene Phenol beta-BHC 1,4-Dichlorobenzene Bis(2-ethylhexyl) phthalate gamma-BHC 3,3'-Dichlorobenzidine Butyl benzyl phthalate delta-BHC 1,1-Dichloroethylene Di-n-butyl phthalate Arochlor 1242 1,2-trans-Dichloroethylene Di-n-ctyl phthalate Arochlor 1254 2,4-Dichlorophenol Diethyl phthalate Arochlor 1232 1,2-Dichloropropane Dimethyl phthalate Arochlor 1232 1,3-Dichloropropylene Benzo(a)anthracene Arochlor 1260 2,4-Dinitrotoluene Benzo(b)fluoranthene Arochlor 1016 2,6-Dinitrotoluene Benzo(k)fluoranthene Toxaphene 1,2-Diphenylhydrazine Chrysene Fluoranthene Ethylbenzene Anthracene Anthracene	1,2-Dichloroethane	Chlorodibromomethane	Vinyl chloride
1,1-Dichloroethane Isophorone 4,4'-DDT 1,1,2-Trichloroethane Naphthalene 4,4'-DDE 1,1,2,2-Tetrachloroethane Nitrobenzene 4,4'-DDD 1,1,2,2-Tetrachloroethane Nitrobenzene 4,4'-DDD 1,1,2,2-Tetrachloroethane 2-Nitrophenol alpha-Endosulfan beta-Endosulfan beta-Endosulfan beta-Endosulfan Endosulfan Bis(2-chloroethyl) ether 2,4-Dinitrophenol Endosulfan sulfate 2-Chloroethyl vinyl ether 2,4-Dinitro-o-cresol Endrin 2-Chloronaphthalene 4,6-Dinitro-o-cresol Endrin p-Chloro-m-cresol N-nitrosodimethylamine Endrin aldehyde Chloroform N-nitrosodiphenylamine Heptachlor 2-Chlorophenol N-nitrosodi-n-propylamine Heptachlor epoxide 1,2-Dichlorobenzene Pentachlorophenol alpha-BHC 1,3-Dichlorobenzene Phenol beta-BHC 1,3-Dichlorobenzene Bis(2-ethylhexyl) phthalate gamma-BHC 1,3-Dichlorobenzidine Butyl benzyl phthalate delta-BHC 1,1-Dichloroethylene Di-n-butyl phthalate Arochlor 1242 1,2-trans-Dichloroethylene Di-n-octyl phthalate Arochlor 1254 2,4-Dichlorophenol Diethyl phthalate Arochlor 1221 1,2-Dichloropopane Dimethyl phthalate Arochlor 1232 1,3-Dichloropropane Dimethyl phthalate Arochlor 1248 2,4-Dichloropropylene Benzo(a)anthracene Arochlor 1248 2,4-Dimethylphenol Benzo(a)pyrene Arochlor 1016 2,6-Dinitrotoluene Benzo(k)fluoranthene Arochlor 1016 2,6-Dinitrotoluene Benzo(k)fluoranthene Fluoranthene 1,2-Diphenylhydrazine Chrysene Fluoranthene	1,1,1-Trichloroethane	Hexachlorobutadiene	Aldrin
1,1,2-Trichloroethane Naphthalene 4,4'-DDE 1,1,2,2-Tetrachloroethane Nitrobenzene 4,4'-DDD Chloroethane 2-Nitrophenol alpha-Endosulfan Bis(2-chloroethyl) ether 4-Nitrophenol beta-Endosulfan 2-Chloroethyl vinyl ether 2,4-Dinitrophenol Endosulfan sulfate 2-Chloronaphthalene 4,6-Dinitro-o-cresol Endrin p-Chloro-m-cresol N-nitrosodimethylamine Endrin aldehyde Chloroform N-nitrosodiphenylamine Heptachlor 2-Chlorophenol N-nitrosodi-n-propylamine Heptachlor epoxide 1,2-Dichlorobenzene Pentachlorophenol alpha-BHC 1,3-Dichlorobenzene Phenol beta-BHC 1,4-Dichlorobenzene Bis(2-ethylhexyl) phthalate gamma-BHC 3,3'-Dichlorobenzidine Butyl benzyl phthalate delta-BHC 1,1-Dichloroethylene Di-n-butyl phthalate Arochlor 1242 1,2-trans-Dichloroethylene Di-n-octyl phthalate Arochlor 1254 2,4-Dichlorophenol Diethyl phthalate Arochlor 1232 1,3-Dichloropropane Dimethyl phthalate Arochlor 1248 2,4-Dimethylphenol Benzo(a)anthracene Arochlor 1248 2,4-Dinitrotoluene Benzo(b)fluoranthene Arochlor 1016 2,6-Dinitrotoluene Benzo(k)fluoranthene Fluoranthene Ethylbenzene Acenaphthylene Anthracene	Hexachloroethane	Hexachlorocyclopentadiene	Dieldrin
1,1,2,2-Tetrachloroethane	1,1-Dichloroethane	Isophorone	4,4'-DDT
Chloroethane 2-Nitrophenol alpha-Endosulfan Bis(2-chloroethyl) ether 4-Nitrophenol beta-Endosulfan 2-Chloroethyl vinyl ether 2,4-Dinitrophenol Endosulfan sulfate 2-Chloronaphthalene 4,6-Dinitro-o-cresol Endrin p-Chloro-m-cresol N-nitrosodimethylamine Endrin aldehyde Chloroform N-nitrosodiphenylamine Heptachlor 2-Chlorophenol N-nitrosodi-n-propylamine Heptachlor epoxide 1,2-Dichlorobenzene Pentachlorophenol alpha-BHC 1,3-Dichlorobenzene Phenol beta-BHC 1,4-Dichlorobenzene Bis(2-ethylhexyl) phthalate gamma-BHC 3,3'-Dichlorobenzidine Butyl benzyl phthalate delta-BHC 1,1-Dichloroethylene Di-n-butyl phthalate Arochlor 1242 1,2-trans-Dichloroethylene Di-n-octyl phthalate Arochlor 1254 2,4-Dichlorophenol Diethyl phthalate Arochlor 1221 1,2-Dichloropropane Dimethyl phthalate Arochlor 1232 1,3-Dichloropropylene Benzo(a)anthracene Arochlor 1260 2,4-Dinitrotoluene Benzo(b)fluoranthene Arochlor 1016 2,6-Dinitrotoluene Benzo(k)fluoranthene Fluoranthene Ethylbenzene Acenaphthylene Anthracene	1,1,2-Trichloroethane	Naphthalene	4,4'-DDE
Bis(2-chloroethyl) ether 2-Chloroethyl vinyl ether 2-Chloroaphthalene 4-G-Dinitro-o-cresol Endrin p-Chloro-m-cresol Chloroform N-nitrosodimethylamine Chlorophenol N-nitrosodiphenylamine Chlorophenol N-nitrosodi-n-propylamine N-nitrosodi-n-propylamine 1,2-Dichlorobenzene Pentachlorophenol Heptachlor epoxide 1,3-Dichlorobenzene Phenol Di-n-butyl phthalate 1,2-Dichloroethylene Di-n-octyl phthalate Arochlor 1254 2,4-Dichloroppenol Dimethyl phthalate Arochlor 1221 1,2-Dichloroppenol Dimethyl phthalate Arochlor 1232 1,3-Dichloroppopane Dimethyl phthalate Arochlor 1248 2,4-Dimethylphenol Benzo(a)anthracene Benzo(b)fluoranthene L-Diphenylhydrazine Chrysene Fluoranthene Ethylbenzene Arochlored Archange Anthracene	1,1,2,2-Tetrachloroethane	Nitrobenzene	4,4'-DDD
2-Chloroethyl vinyl ether 2-Chloronaphthalene 4,6-Dinitro-o-cresol Endrin p-Chloro-m-cresol N-nitrosodimethylamine Endrin aldehyde Chloroform N-nitrosodiphenylamine Heptachlor 2-Chlorophenol N-nitrosodi-n-propylamine Heptachlor epoxide 1,2-Dichlorobenzene Pentachlorophenol Alpha-BHC 1,3-Dichlorobenzene Phenol Bis(2-ethylhexyl) phthalate gamma-BHC 3,3'-Dichlorobenzidine Butyl benzyl phthalate Arochlor 1242 1,2-Dichloroethylene Di-n-butyl phthalate Arochlor 1254 2,4-Dichlorophenol Diethyl phthalate Arochlor 1221 1,2-Dichloropropane Dimethyl phthalate Arochlor 1232 1,3-Dichloropropylene Benzo(a)anthracene Arochlor 1248 2,4-Dimethylphenol Benzo(b)fluoranthene Arochlor 1016 2,6-Dinitrotoluene Benzo(k)fluoranthene Ethylbenzene Acenaphthylene Anthracene	Chloroethane	2-Nitrophenol	alpha-Endosulfan
2-Chloronaphthalene 4,6-Dinitro-o-cresol Endrin p-Chloro-m-cresol N-nitrosodimethylamine Endrin aldehyde Chloroform N-nitrosodiphenylamine Heptachlor 2-Chlorophenol N-nitrosodi-n-propylamine Heptachlor epoxide 1,2-Dichlorobenzene Pentachlorophenol alpha-BHC 1,3-Dichlorobenzene Phenol beta-BHC 1,4-Dichlorobenzene Bis(2-ethylhexyl) phthalate gamma-BHC 3,3'-Dichlorobenzidine Butyl benzyl phthalate delta-BHC 1,1-Dichloroethylene Di-n-butyl phthalate Arochlor 1242 1,2-trans-Dichloroethylene Di-n-octyl phthalate Arochlor 1254 2,4-Dichlorophenol Diethyl phthalate Arochlor 1221 1,2-Dichloropropane Dimethyl phthalate Arochlor 1232 1,3-Dichloropropylene Benzo(a)anthracene Arochlor 1248 2,4-Dimethylphenol Benzo(a)pyrene Arochlor 1016 2,6-Dinitrotoluene Benzo(k)fluoranthene Toxaphene 1,2-Diphenylhydrazine Chrysene Fluoranthene Ethylbenzene Acenaphthylene Anthracene	Bis(2-chloroethyl) ether	4-Nitrophenol	beta-Endosulfan
p-Chloro-m-cresol N-nitrosodimethylamine Endrin aldehyde Chloroform N-nitrosodiphenylamine Heptachlor 2-Chlorophenol N-nitrosodi-n-propylamine Heptachlor epoxide 1,2-Dichlorobenzene Pentachlorophenol alpha-BHC 1,3-Dichlorobenzene Phenol beta-BHC 1,4-Dichlorobenzene Bis(2-ethylhexyl) phthalate gamma-BHC 3,3'-Dichlorobenzidine Butyl benzyl phthalate delta-BHC 1,1-Dichloroethylene Di-n-butyl phthalate Arochlor 1242 1,2-trans-Dichloroethylene Di-n-octyl phthalate Arochlor 1254 2,4-Dichlorophenol Diethyl phthalate Arochlor 1221 1,2-Dichloropropylene Benzo(a)anthracene Arochlor 1248 2,4-Dimethylphenol Benzo(a)pyrene Arochlor 1260 2,4-Dinitrotoluene Benzo(b)fluoranthene Arochlor 1016 2,6-Dinitrotoluene Benzo(k)fluoranthene Fluoranthene Ethylbenzene Acenaphthylene Anthracene	2-Chloroethyl vinyl ether	2,4-Dinitrophenol	Endosulfan sulfate
Chloroform 2-Chlorophenol N-nitrosodi-n-propylamine Heptachlor Heptachlor Heptachlor epoxide 1,2-Dichlorobenzene Pentachlorophenol 1,3-Dichlorobenzene Phenol Bis(2-ethylhexyl) phthalate gamma-BHC 3,3'-Dichlorobenzidine Butyl benzyl phthalate Heptachlor Butyl beta-BHC 1,4-Dichlorobenzidine Butyl benzyl phthalate Arochlor 1242 1,2-trans-Dichloroethylene Di-n-butyl phthalate Arochlor 1254 2,4-Dichlorophenol Diethyl phthalate Arochlor 1221 1,2-Dichloropropane Dimethyl phthalate Arochlor 1232 1,3-Dichloropropylene Benzo(a)anthracene Arochlor 1248 2,4-Dimethylphenol Benzo(a)pyrene Arochlor 1016 2,6-Dinitrotoluene Benzo(k)fluoranthene Toxaphene Fluoranthene Ethylbenzene Arocha Arocha Anthracene	2-Chloronaphthalene	4,6-Dinitro-o-cresol	Endrin
2-Chlorophenol N-nitrosodi-n-propylamine Heptachlor epoxide 1,2-Dichlorobenzene Pentachlorophenol alpha-BHC 1,3-Dichlorobenzene Phenol beta-BHC 1,4-Dichlorobenzene Bis(2-ethylhexyl) phthalate gamma-BHC 3,3'-Dichlorobenzidine Butyl benzyl phthalate delta-BHC 1,1-Dichloroethylene Di-n-butyl phthalate Arochlor 1242 1,2-trans-Dichloroethylene Di-n-octyl phthalate Arochlor 1254 2,4-Dichlorophenol Diethyl phthalate Arochlor 1221 1,2-Dichloropropane Dimethyl phthalate Arochlor 1232 1,3-Dichloropropylene Benzo(a)anthracene Arochlor 1248 2,4-Dimethylphenol Benzo(a)pyrene Arochlor 1260 2,4-Dinitrotoluene Benzo(b)fluoranthene Arochlor 1016 2,6-Dinitrotoluene Benzo(k)fluoranthene Fluoranthene 1,2-Diphenylhydrazine Chrysene Fluoranthene Ethylbenzene Acenaphthylene Anthracene	p-Chloro-m-cresol	N-nitrosodimethylamine	Endrin aldehyde
1,2-DichlorobenzenePentachlorophenolalpha-BHC1,3-DichlorobenzenePhenolbeta-BHC1,4-DichlorobenzeneBis(2-ethylhexyl) phthalategamma-BHC3,3'-DichlorobenzidineButyl benzyl phthalatedelta-BHC1,1-DichloroethyleneDi-n-butyl phthalateArochlor 12421,2-trans-DichloroethyleneDi-n-octyl phthalateArochlor 12542,4-DichlorophenolDiethyl phthalateArochlor 12211,2-DichloropropaneDimethyl phthalateArochlor 12321,3-DichloropropyleneBenzo(a)anthraceneArochlor 12482,4-DimethylphenolBenzo(a)pyreneArochlor 12602,4-DinitrotolueneBenzo(b)fluorantheneArochlor 10162,6-DinitrotolueneBenzo(k)fluorantheneToxaphene1,2-DiphenylhydrazineChryseneFluorantheneEthylbenzeneAcenaphthyleneAnthracene	Chloroform	N-nitrosodiphenylamine	Heptachlor
1,3-Dichlorobenzene Bis(2-ethylhexyl) phthalate gamma-BHC 3,3'-Dichlorobenzidine Butyl benzyl phthalate delta-BHC 1,1-Dichloroethylene Di-n-butyl phthalate Arochlor 1242 1,2-trans-Dichloroethylene Di-n-octyl phthalate Arochlor 1254 2,4-Dichlorophenol Diethyl phthalate Arochlor 1221 1,2-Dichloropropane Dimethyl phthalate Arochlor 1232 1,3-Dichloropropylene Benzo(a)anthracene Arochlor 1248 2,4-Dimethylphenol Benzo(a)pyrene Arochlor 1260 2,4-Dinitrotoluene Benzo(b)fluoranthene Arochlor 1016 2,6-Dinitrotoluene Benzo(k)fluoranthene Fluoranthene 1,2-Diphenylhydrazine Chrysene Fluoranthene Ethylbenzene Acenaphthylene Anthracene	2-Chlorophenol	N-nitrosodi-n-propylamine	Heptachlor epoxide
1,4-Dichlorobenzene Bis(2-ethylhexyl) phthalate gamma-BHC 3,3'-Dichlorobenzidine Butyl benzyl phthalate delta-BHC 1,1-Dichloroethylene Di-n-butyl phthalate Arochlor 1242 1,2-trans-Dichloroethylene Di-n-octyl phthalate Arochlor 1254 2,4-Dichlorophenol Diethyl phthalate Arochlor 1221 1,2-Dichloropropane Dimethyl phthalate Arochlor 1232 1,3-Dichloropropylene Benzo(a)anthracene Arochlor 1248 2,4-Dimethylphenol Benzo(a)pyrene Arochlor 1260 2,4-Dinitrotoluene Benzo(b)fluoranthene Arochlor 1016 2,6-Dinitrotoluene Benzo(k)fluoranthene Toxaphene 1,2-Diphenylhydrazine Chrysene Fluoranthene Ethylbenzene Acenaphthylene Anthracene	1,2-Dichlorobenzene	Pentachlorophenol	alpha-BHC
3,3'-Dichlorobenzidine Butyl benzyl phthalate delta-BHC 1,1-Dichloroethylene Di-n-butyl phthalate Arochlor 1242 1,2-trans-Dichloroethylene Di-n-octyl phthalate Arochlor 1254 2,4-Dichlorophenol Diethyl phthalate Arochlor 1221 1,2-Dichloropropane Dimethyl phthalate Arochlor 1232 1,3-Dichloropropylene Benzo(a)anthracene Arochlor 1248 2,4-Dimethylphenol Benzo(a)pyrene Arochlor 1260 2,4-Dinitrotoluene Benzo(b)fluoranthene Arochlor 1016 2,6-Dinitrotoluene Benzo(k)fluoranthene Fluoranthene 1,2-Diphenylhydrazine Chrysene Fluoranthene Ethylbenzene Acenaphthylene Anthracene	1,3-Dichlorobenzene	Phenol	beta-BHC
1,1-DichloroethyleneDi-n-butyl phthalateArochlor 12421,2-trans-DichloroethyleneDi-n-octyl phthalateArochlor 12542,4-DichlorophenolDiethyl phthalateArochlor 12211,2-DichloropropaneDimethyl phthalateArochlor 12321,3-DichloropropyleneBenzo(a)anthraceneArochlor 12482,4-DimethylphenolBenzo(a)pyreneArochlor 12602,4-DinitrotolueneBenzo(b)fluorantheneArochlor 10162,6-DinitrotolueneBenzo(k)fluorantheneToxaphene1,2-DiphenylhydrazineChryseneFluorantheneEthylbenzeneAcenaphthyleneAnthracene	1,4-Dichlorobenzene	Bis(2-ethylhexyl) phthalate	gamma-BHC
1,2-trans-DichloroethyleneDi-n-octyl phthalateArochlor 12542,4-DichlorophenolDiethyl phthalateArochlor 12211,2-DichloropropaneDimethyl phthalateArochlor 12321,3-DichloropropyleneBenzo(a)anthraceneArochlor 12482,4-DimethylphenolBenzo(a)pyreneArochlor 12602,4-DinitrotolueneBenzo(b)fluorantheneArochlor 10162,6-DinitrotolueneBenzo(k)fluorantheneToxaphene1,2-DiphenylhydrazineChryseneFluorantheneEthylbenzeneAcenaphthyleneAnthracene	3,3'-Dichlorobenzidine	Butyl benzyl phthalate	delta-BHC
2,4-DichlorophenolDiethyl phthalateArochlor 12211,2-DichloropropaneDimethyl phthalateArochlor 12321,3-DichloropropyleneBenzo(a)anthraceneArochlor 12482,4-DimethylphenolBenzo(a)pyreneArochlor 12602,4-DinitrotolueneBenzo(b)fluorantheneArochlor 10162,6-DinitrotolueneBenzo(k)fluorantheneToxaphene1,2-DiphenylhydrazineChryseneFluorantheneEthylbenzeneAcenaphthyleneAnthracene	1,1-Dichloroethylene	Di-n-butyl phthalate	Arochlor 1242
1,2-DichloropropaneDimethyl phthalateArochlor 12321,3-DichloropropyleneBenzo(a)anthraceneArochlor 12482,4-DimethylphenolBenzo(a)pyreneArochlor 12602,4-DinitrotolueneBenzo(b)fluorantheneArochlor 10162,6-DinitrotolueneBenzo(k)fluorantheneToxaphene1,2-DiphenylhydrazineChryseneFluorantheneEthylbenzeneAcenaphthyleneAnthracene	1,2-trans-Dichloroethylene	Di-n-octyl phthalate	Arochlor 1254
1,3-DichloropropyleneBenzo(a)anthraceneArochlor 12482,4-DimethylphenolBenzo(a)pyreneArochlor 12602,4-DinitrotolueneBenzo(b)fluorantheneArochlor 10162,6-DinitrotolueneBenzo(k)fluorantheneToxaphene1,2-DiphenylhydrazineChryseneFluorantheneEthylbenzeneAcenaphthyleneAnthracene	2,4-Dichlorophenol	Diethyl phthalate	Arochlor 1221
2,4-Dimethylphenol Benzo(a)pyrene Arochlor 1260 2,4-Dinitrotoluene Benzo(b)fluoranthene Arochlor 1016 2,6-Dinitrotoluene Benzo(k)fluoranthene Toxaphene 1,2-Diphenylhydrazine Chrysene Fluoranthene Ethylbenzene Acenaphthylene Anthracene	1,2-Dichloropropane	Dimethyl phthalate	Arochlor 1232
2,4-Dinitrotoluene Benzo(b)fluoranthene Arochlor 1016 2,6-Dinitrotoluene Benzo(k)fluoranthene Toxaphene 1,2-Diphenylhydrazine Chrysene Fluoranthene Ethylbenzene Acenaphthylene Anthracene	1,3-Dichloropropylene	Benzo(a)anthracene	Arochlor 1248
2,4-Dinitrotoluene Benzo(b)fluoranthene Arochlor 1016 2,6-Dinitrotoluene Benzo(k)fluoranthene Toxaphene 1,2-Diphenylhydrazine Chrysene Fluoranthene Ethylbenzene Acenaphthylene Anthracene	2,4-Dimethylphenol	Benzo(a)pyrene	Arochlor 1260
1,2-DiphenylhydrazineChryseneFluorantheneEthylbenzeneAcenaphthyleneAnthracene			Arochlor 1016
Ethylbenzene Acenaphthylene Anthracene	2,6-Dinitrotoluene	Benzo(k)fluoranthene	Toxaphene
	1,2-Diphenylhydrazine	Chrysene	Fluoranthene
Chlordane (tech and metabolites)	Ethylbenzene	Acenaphthylene	Anthracene
emoratine (teen and metabolites)	Chlordane (tech and metabolites)		

<u>TOXIC POLLUTANT</u> shall mean any pollutant or combination of pollutants listed as toxic in 40 CFR Part 401.15 or 40 CFR Part 403, Appendix B.

TRADE SECRETS shall include, but not be limited to, any formula, plan pattern, process, tool, mechanism, compound, procedure, production data, or compilation of information which is not patented, which is known only to certain individuals within a commercial concern who are using it to fabricate, produce, or compound an article of trade or a service having commercial value, and which gives its User an opportunity to obtain a business advantage over competitors who do not know or use it.

TRIBUTARY SEWERAGE SYSTEM shall mean any sewerage system under the jurisdiction of a Member Entity that is tributary to the Reclamation Authority's sewerage system and is connected thereto.

UNCONTAMINATED WATER shall mean unpolluted water.

<u>UNPOLLUTED WATER</u> shall mean non-contact cooling or heating water; air conditioner, condenser or chiller condensate; ice melt; or uncontaminated ground water, surface water, or stormwater.

<u>USER</u> shall mean any person who contributes, causes, or permits the contribution of wastewater into the POTW, including Households, Private Residences, Nonresidential Users, and Member Entities.

<u>WASTE</u> shall mean sewage and any and all other waste substances, liquid, solids, gaseous, or radioactive, associated with human habitation, or of human or animal origin, or from any producing, manufacturing or processing operation of whatever nature, including such wastes placed within containers of whatever nature, prior to and for the purpose of disposal.

<u>WASTEWATER</u> shall mean the liquid and water-carried domestic or nondomestic wastes from dwellings, commercial buildings, industrial facilities, and institutions, together with any ground water, surface water, and stormwater that may be present, whether treated or untreated, which is contributed into or permitted to enter the POTW.

WASTEWATER CONSTITUENTS AND CHARACTERISTICS shall mean the individual chemical, physical, bacteriological, and radiological parameters, including volume, flow rate, concentration, and such other parameters that serve to define, classify, or measure the quality and quantity of wastewater.

<u>WASTEWATER DISCHARGE PERMIT</u> shall mean a Nondomestic Wastewater Discharge Permit.

<u>WASTEWATER TREATMENT FACILITIES</u> shall mean the structures, equipment, and processes maintained by the VVWRA which accept untreated wastewater from the public sewer and are required to treat and dispose of domestic and nondomestic wastewater.

WASTEWATER TREATMENT PLANT shall mean the POTW Treatment Plant.

WATER CONDITIONING DEVICE shall mean any device or apparatus used to soften or otherwise condition water, including zeolite or resinous anion or cation exchange softeners, demineralizers, and any other like device.

WATERS OF THE STATE OF CALIFORNIA shall be in accordance with sections 13050-13051 of the California Code of Regulations.

WATERS OF THE UNITED STATES shall be in accordance with 40 CFR Part 230.3.

WATER SUPPLY shall mean the water supply serving the area tributary to the POTW.

WASTE DISCHARGE REQUIREMENTS (WDR) shall mean those requirements imposed by the Lahontan Regional Water Quality Control Board in connection with the disposal of solid wastes by the Reclamation Authority pursuant to Title 27 of the California Code of Regulations and Article 4 of Chapter 4 of Division 7 of the California Water Code (also known as the Porter-Cologne Water Quality Control Act).

WILL SERVE LETTER shall mean written authorization from the Reclamation Authority or its representative authorizing contributions of sewerage from an Industrial User into the tributary sewerage system.

ZERO DISCHARGER shall mean a User that does not discharge wastewater, pollutants, or other substances into the POTW.

03-02 - Abbreviations

For the purposes of this Ordinance, the following abbreviations shall have the designated meanings:

Abbreviation	Designated Meaning	Abbreviation	Designated Meaning
ADM	Anaerobically Digestible Material	NIOSH	National Institute of Occupational Safety and Health
AO	Administrative Order	NOV	Notice of Violation
APE	Alkyl Phenol Ethoxylates	NPDES	National Pollutant Discharge Elimination System
ВМР	Best Management Practices	NSIU	Nonsignificant Industrial User
BMR	Baseline Monitoring Report	NWDP	Nondomestic Wastewater Discharge Permit
BOD	Biochemical Oxygen Demand	PCB	Polychlorinated biphenyls
CAA	Clean Air Act	POTW	Publicly Owned Treatment Works
CDO	Cease and Desist Order	PPD	Pounds per Day
CFR	Code of Federal Regulations	RCRA	Resource Conservation and Recovery Act
CIU	Categorical Industrial User	SIC	Standard Industrial Classification
со	Compliance Order	SIU	Significant Industrial User
COD	Chemical Oxygen Demand	SNC	Significant Noncompliance
CTS	Compliance Time Schedule	SNMP	Salt and Nutrient Management Plan
DOX	Dissolved Organic Halides	SWDA	Solid Waste Disposal Act, 42 USC 6901 et. seq.
EAP	Ethylated Alkyl Phenols	TDS	Total Dissolved Solids
EC	Electrical Conductivity	TFR	Total Filterable Residue
EPA	Environmental Protection Agency	TIU	Temporary Industrial User
FOG	Fats, oils & grease	тос	Total Organic Carbon
gpd	gallons per day	тох	Total Organic Halides
IU	Industrial User	TRC	Technical Review Criteria
JPA	Joint Powers Authority	TSCA	Toxic Substances Control Act
JPAG	Joint Powers Agreement	TSS	Total Suspended Solids
1	liter	тто	Total Toxic Organics
lb	pound	μg	micrograms
LEL	Lower Explosive Limit	μg/I	micrograms per liter
MBAS	Methylene Blue Activated Substances	μmhos/cm	micromhos per centimeter
mg	milligrams	UBC	Uniform Building Code
mg/i	milligrams per liter	UFC	Uniform Fire Code
MOU	Memorandum of Understanding	UPC	Uniform Plumbing Code
MPRSA	Marine Protection Research and Sanctuaries Act	USC	United States Code
NAISC	North American Industry Classification System	VVWRA	Victor Valley Wastewater Reclamation Authority
NCSIU	Non-Categorical Significant Industrial User	WDR	Waste Discharge Requirements

ARTICLE 04: AREA SERVED

The Rules and Regulations set forth herein pertain to sewer service to land or improvements, or both, lying within the boundaries of the Reclamation Authority, unless otherwise stated.

Per JPA Agreement, Section A, Paragraph 3, "The territorial boundaries may be changed from time to time upon the approval of two-third (2/3) of the members of this Agency." Section A, Paragraph 5 of the JPA further states in regard to eligibility for membership (other than those specified) that "(h) other such public agencies as may hereafter be declared eligible by unanimous vote of existing members," and Paragraph 6 states, "in connection with the admission of any additional eligible public agency after formation of the Agency, each of the existing members and

The prospective member for contributions toward past and present agency and project expenditures." Policy Resolution 81-10 of the Reclamation Authority further provides:

"Before any territory outside the boundaries of the Reclamation Authority may be added or service may be provided to it, such area must first be annexed to the boundaries of a contracting community and must also be annexed to the boundaries of the VVWRA. Annexation to the VVWRA may only be accomplished through satisfaction of all applicable legal prerequisites and payment of applicable fees and charges".

Therefore, in accordance with the JPA and the policy resolution a <u>public entity or applicant</u> owner of property outside the boundaries of the Reclamation Authority must petition for inclusion of <u>eligibility for membership or apply for service</u> through a JPA member and request the service area to be expanded. Conditions of service must be reviewed first by the Member Entity, or entities involved, and then by the JPA since "annexation to the VVWRA may only be accomplished through satisfaction of all applicable legal prerequisites and payment of applicable fees and charges." Such costs will be reviewed by a consultant selected by the Reclamation Authority and approved at a regular Commission meeting.

ARTICLE 05: GENERAL REQUIREMENTS

05-01 - Sewer Service Conditions

Sewer service shall be provided by the Reclamation Authority only if the service area is included within or added to the Member Entity's and the Reclamation Authority's boundaries and the applicant meets the requirements of the Reclamation Authority and the interested Member Entity. Properties may from time to time petition the Member Entity and the Reclamation Authority for annexation in compliance with Service Agreements, the JPA, and the Authority's Rules and Regulations. Sewer Conveyance, treatment, and disposal shall be available only in accordance with the Reclamation Authority's and the Member Entity's Rules and Regulations, as well as applicable Federal, State, and local statutes, ordinances, regulations, and contracts, and other requirements. This includes, but is not limited to the California Water Code, the California Code of Regulations, and regulations imposed by the Regional Board, and State and local health departments, as well as the terms of any service agreement and permit issued by the Authority and/or the Member Entity. Any such permit may be revoked by the party granting same and thereupon all such sewer service shall cease in the manner provided in such granting Entity's Rules and Regulations.

05-02- Application Procedure

An Industrial User will have completed the following steps prior to direct or indirect sewerage discharges into the Reclamation Authority's facilities:

- a) Letter of intent to the Member Entity outlining project plans of development followed by;
- b) Written response from the Member Entity.

Pre-Initiation

- c) Application for service.
- d) Receipt of approved Certificate of Adequacy and permit from the Member Entity and a "Will Serve Letter" from the Reclamation Authority.
- e) Five-day notification to the Member Entity prior to commencement of construction.

Construction

- f) Request for final acceptance of completed works.
- g) Receipt of written authorization, from the Member Entity, to connect to facilities that will contribute to the Reclamation Authority's system.
- h) The Member Entity shall be responsible for informing the Reclamation Authority of planned developments that may significantly affect the operational or capacity limits of the Reclamation Authority's facilities. Additionally, the Member Entity must have obtained a "Will Serve Letter" from the Authority prior to issuing a "Certificate of Adequacy" to an Industrial User.

05-03 - Design and Construction Criteria

Design criteria as submitted in the letter of intent and service application shall conform to the following:

- a) The average flow rate is to be determined based on good engineering practice. The ranges shown in Plate I (Average Flow Rate Chart) may be used as a guide; however, flows outside of these ranges may occur. If flows are used which are less than those listed, the Reclamation Authority's approval must be obtained in advance of design.
- b) The peak sewage flow rate shall be obtained by entering the chart with average daily flow rates.
- c) For hydraulic design, use Manning's "n" = 0.013 or Hazen-Williams "C" = 100. For pipe sizes 10" or less in diameter, design pipe so peak flow rate will be carried when pipe is flowing at one-half depth. Discharge at one-half depth equals one-half discharge when full and velocity equals velocity when full. Tables and formulas to find slope may be used by entering with two times the peak flow rate.
- d) For pipes 12 inches and larger in diameter, design pipe so peak flow will be carried when pipe is flowing at two-thirds depth. Discharge at two-thirds depth equals three-quarters 4 discharge when full and velocity equals 1.16 times velocity when full. Tables and formulas to find slope may be used by entering with 1.33 times the peak flow rate.

All applications shall be accompanied by a "Certificate of Adequacy of Sewerage System" (Form of Certificate of Adequacy of Sewerage System).

05-04 - Illegal Connections

Only Member Entities or others under contract with the Reclamation Authority may make connection to interceptor sewers of the Reclamation Authority. Specifically, but not by way of limitation, as to any connection to the Member Entity's sewerage facilities, no roof downspouts, exterior foundation drains, areaway drains, or other sources of surface runoff or ground water shall be connected to a building sewer or building drain that may contribute to the tributary sewerage system.

ARTICLE 06: FACILITIES DESIGN AND CONSTRUCTION

06-01 - General

All sewers shall be constructed according to the requirements, conditions, and standards set forth in a separate supplement hereto, as adopted and revised by the Reclamation Authority from time to time, entitled "Standard Specifications for Public Works Construction" with extension and revisions, which document is on file at the office of the Reclamation Authority, and by this reference is incorporated herein.

06-02 - Member Entity Sewer

Any sewer collection and trunk system facilities, to the extent determined by the Member Entity, required to serve within developments of property within the Member Entity jurisdiction shall be provided as determined by the Member Entity. The Reclamation Authority will assume responsibility for providing interceptor sewers, regional wastewater treatment, and disposal of liquid and solid wastes.

ARTICLE 07: FACILITIES OPERATION

07-01 - Interceptor Sewer and Sewage Treatment and Disposal

Operation, maintenance, and surveillance of all of the Reclamation Authority's interceptor sewers and sewage treatment and disposal facilities and effluent disposal facilities including all interceptors, reservoirs, pumping stations, force mains, flow meters/monitoring stations and other appurtenances and property shall be under the management and control of the Reclamation Authority. No other persons except authorized representatives of the Reclamation Authority shall have the right to enter upon, inspect, operate, adjust, change, alter, move, or relocate any portion of the foregoing or any of the Reclamation Authority's property. In the event that such trespass should occur, it shall be a misdemeanor and all charges and penalties provided for in this Ordinance shall be applicable and may be imposed and collected. Also such action shall be in violation of any and all applicable Federal, State and local statutes, ordinances, regulations, and other requirements.

07-02 - Member Entity Facilities

The operation, maintenance, and surveillance of onsite sewage collection and the Member Entity's collection system is the responsibility of the Member Entity.

ARTICLE 08: DISCHARGE OF NONDOMESTIC WASTEWATER

08-01 - Introduction

The Reclamation Authority's Wastewater Treatment Facilities are regional facilities designed and constructed to collect and process liquid wastes from Member Entities per approved service agreements and contracts. These facilities, constructed to meet Federal and State discharge requirements, have specific limitations on biological loadings, inert loadings, volumes of flow, and toxic pollutant concentrations that will permit operation of the facilities without serious violation of the discharge requirements. In order to provide for the maximum public benefit from the use of the Reclamation Authority's facilities, this Article defines these limitations and establishes policies and procedures to ensure compliance with same.

Additionally, the Reclamation Authority recently participated in an effort to develop the Mojave Salt and Nutrient Management Plan (SNMP) for the Mojave River Watershed to manage salts and nutrients. The SNMP documents several constituents that may impact groundwaters within the Mojave River Watershed. Any regulatory action(s) arising from the SNMP will be evaluated by the Reclamation Authority and may lead to a revision of this Ordinance.

08-02- Purpose and Policy

This Article sets forth uniform requirements for all Users of the Reclamation Authority's wastewater collection and treatment system who reside in the cities of Apple Valley, Hesperia, and Victorville, and unincorporated areas of San Bernardino County within the service area of the Reclamation Authority. This Ordinance enables the Reclamation Authority to comply with all applicable State and Federal laws required by the Act and the General Pretreatment Regulations (40 CFR Part 403). The objectives of this Article are:

- a) To prevent the introduction of pollutants into the wastewater system which will interfere with the operation of the system or contaminate the resulting sludge;
- b) To prevent the introduction of pollutants into the wastewater system which will pass through the system, inadequately treated, into surface waters, groundwaters, the atmosphere, or otherwise be incompatible with the system;
- c) To improve the opportunity to recycle and reclaim wastewaters and sludges from the system; and
- d) To protect and preserve the health and safety of the personnel of the Reclamation Authority and the general public.
- e) To enable the Reclamation Authority to comply with its NPDES permit conditions, sludge use and disposal requirements, and any other Federal or State laws to which the Reclamation Authority is subject.

To achieve these objectives, this Ordinance provides for regulation through issuance of permits to certain Industrial Users and enforcement of general requirements for other Users; authorizes inspection, monitoring and enforcement activities; provides for User reporting; and provides for

the setting of fees for the equitable distribution of the Reclamation Authority's cost for sewer service.

08-03 - Revenues

The revenues to be derived from the application of this Ordinance shall be used to defray the costs of providing regional sewerage service, including, but not limited to, administration, operation, inspection, monitoring, maintenance, financing, capital construction, replacement and recovery, and provisions for necessary reserves.

08-04 - General Restrictions and Prohibitions

08-04.1 - Authorization for New or Increased Pollutant Discharges or Changes in the Nature of Pollutant Discharges

No person shall commence, increase or substantially change any discharge of nondomestic wastewater to the POTW except as authorized by the Manager in accordance with the provisions of this Ordinance.

08-04.2 - General Discharge Prohibitions

No User shall introduce or cause to be introduced into the POTW any pollutant or wastewater which causes pass through or interference. These general prohibitions apply to all Users of the POTW whether or not they are subject to Categorical Standards or any other National, State, or local Pretreatment Standards.

08-04.3 - Specific Discharge Prohibitions

No User shall introduce or cause to be introduced into the POTW the following pollutants, substances, or wastewater:

1. Solids or Viscous Wastes

Any solid, semi-solid or viscous substances which may obstruct the flow of sewage, cause clogging of or adversely affect sewage pumping equipment, or sewage sludge pumping equipment, or the community sewer system, or interfere with the operation of the POTW, such as, but not limited to, grease, garbage with particles greater than one-half inch in any dimension, dead animals, animal guts or tissues, paunch manure, bones, hair, hides or fleshings, entrails, excessive quantities of whole blood, feathers, ashes, cinders, earth, sand, mud, gravel, rocks, plaster, concrete, spent lime, stone or marble dust, metal, metal filings or shavings, wood, wood shavings, grass clippings, straw, spent grains, spent hops, waste paper, paper containers or other paper products, rags, plastics, tar, asphalt, asphalt residues, residues from refining or processing of fuel or lubricating oil, glass, or glass grinding or polishing wastes.

2. Health and Safety Hazards

Any discharge which may, alone or in combination with other waste substances, result in the presence of toxic or poisonous solids, liquids, gases, vapors, or fumes in the POTW in such quantities that would create a hazard, public nuisance, or acute worker health and safety problems.

3. Stormwater and Unpolluted Water

Any stormwater, rainwater, ground water, street drainage, subsurface drainage, roof drainage, yard drainage, water from yard fountains, ponds, lawn sprays or any other type of surface water, or single pass, non-contact cooling or heating water. The Manager may approve, on a temporary basis, the discharge of such waters to the POTW when no reasonable alternative method of disposal is available, subject to the payment of all applicable User charges and fees by the Discharger. Water from swimming pools, wading pools and therapy pools may be admitted to the sewer system during off-peak hours, subject to written authorization by the Manager.

4. Explosive Mixtures

Any liquids, solids or gases which by reason of their nature or quantity are, or may be, sufficient either alone or by interaction with other substances to cause fire, explosion, or in any other way be, injurious to the POTW or to operation of the POTW, including but not limited to, wastestreams with a closed cup flashpoint of less than 140 degrees Fahrenheit or 60 degrees Centigrade, using the test methods specified in 40 CFR 261.21, or which result in conditions where two successive readings on an explosion hazard meter at the point of discharge into the system (or at any point in the system), are more than 5%, or any single reading is over 10%, of the Lower Explosive Limit (LEL) of the meter. Prohibited materials include, but are not limited to, gasoline, kerosene, naphtha, benzene, toluene, xylenes, ethers, alcohols, ketones, aldehydes, peroxides, chlorates, perchlorates, bromates, carbides, hydrides, and sulfides; as discharged in such quantities as to potentially result in any of the hazards noted above. Closed cup flashpoint values may be found in the National Institute of Occupational Safety and Health (NIOSH) *Pocket Guide to Chemical Hazards*.

5. Corrosive Materials

Any wastewater having pH less than 5.0 or greater than 11.0, or wastewater having any other corrosive property capable of causing damage or hazard to structures, equipment and/or personnel of the POTW.

6. Excessive Pollutants Concentrations

Any pollutants, including oxygen-demanding pollutants (BOD, etc.), released in a discharge at a flow rate and/or pollutant concentration which, either singly or by interaction with other pollutants, will cause interference with the POTW.

7. Pollutants Causing Toxic Gases, Vapors, or Fumes

Pollutants which result in the presence of toxic gases, vapors, or fumes within the POTW in a quantity that may cause acute worker health and safety problems.

8. Hazardous Wastes

Any wastewater containing hazardous substances or toxic pollutants in sufficient quantity, either singly or by interaction with other pollutants, to injure or interfere with any wastewater treatment process, including sludge disposal, constitute a hazard to humans or animals, create a toxic or hazardous effect in the receiving waters of the

POTW. Any toxic waste as defined in Title 22, California Code of Regulations, Section 66261.24.

9. Noxious Materials

Any noxious or malodorous liquids, gases, or solids which either singly or by interaction with other wastes are sufficient to create a public nuisance or hazard to life or are sufficient to prevent access to the POTW for maintenance and repair.

10. Sludge Contaminants

Any substance which may cause the POTW's effluent, or any other product of the POTW such as residues, sludges, or scums, to be unsuitable for reclamation and reuse. In no case shall a substance discharged to the POTW cause the POTW to violate applicable sludge use or disposal regulations developed under Section 405 of the Act (33 USC 1345) or any criteria, guidelines, or regulations affecting sludge use or disposal developed pursuant to the Solid Waste Disposal Act (SWDA), the Clean Air Act (CAA), Toxic Substances Control Act (TSCA), the Resource Conservation and Recovery Act (RCRA), the Marine Protection, Research and Sanctuaries Act (MPRSA), or State Regulations.

11. <u>Discolored Materials in Excessive Quantities</u>

Any wastewater with objectionable color not removed in the treatment process such as, but not limited to, dye wastes and vegetable tanning solutions.

12. Septage

Any wastewater or sludge removed from a cesspool, septic tank, or chemical toilet, unless discharged to the POTW in accordance with all provisions and restrictions of a Wastewater Discharge Permit issued by the Reclamation Authority, including restrictions on time and place of discharge.

13. Trucked/Hauled Wastes

Any trucked or hauled pollutants or wastewater, except at such place and in such manner as prescribed by the Manager.

14. Pesticides or Fertilizers in Excessive Quantities

Any quantity of any of the following pesticides: DDT (both isomers), DDD, DDE, Aldrin, Chlordane, Dieldrin, Endosulfan (alpha, beta, and sulfate), Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, Lindane, and/or Toxaphene.

15. Petroleum Products in Excessive Quantities

Any non-biodegradable cutting oil, petroleum oil, refined petroleum products, or products of mineral oil origin in amounts which could cause interference or pass-through.

16. Soluble Oils

Any non-biodegradable cuttings oils, commonly called soluble oils, which form persistent water emulsions.

17. Animal/Vegetable Oils in Excessive Quantities

Any excessive quantities of dispersed biodegradable oils or fats such as lard, tallow, or vegetable oil or any other substances that may precipitate, solidify, or become viscous at temperatures between 40°F and 100°F.

18. High Temperature Wastes

Any wastewater having a temperature which will inhibit biological activity at wastewater treatment facilities resulting in interference, but in no case wastewater with a temperature

higher than 60°C (140°F) or which causes the temperature at the POTW treatment plant to exceed 40°C (104°F).

19. Radioactive Wastes

Any wastewater containing any radioactive wastes or isotopes of such half-life or concentration as may cause violation of applicable State or Federal regulations.

20. Pretreatment Wastes

Any pretreatment wastes. All pretreatment wastes shall be disposed of in accordance with all applicable Federal, State, County, and local laws and regulations.

21. Water Softener Brines

Discharges from the regenerative process of onsite water softening units is not permitted to be discharged into the sanitary sewer system.

22. <u>Dissolved Organic Halides (DOX)</u>

Any quantity of Dissolved Organic Halides (Purgeable Halocarbons).

23. PCBs and Dioxins

Any quantity of any of the following compounds: Arochlors 1221, 1228, 1232, 1242, 1254, 1260, and 1262. Any quantity of TCDD equivalents.

24. Ethoxylated Alkyl Phenol Surfactants

Any quantity of surfactants or detergents based on Ethoxylated Alkyl Phenols (Alkyl Phenol Ethoxylates, APE, EAP).

25. Excessive Discharge Flow

Wastewaters at a flow rate or containing such concentrations or quantities of pollutants that exceed for any time period longer than fifteen (15) minutes more than five (5) times the average twenty-four (24) hour concentration; quantities or flow during normal operation and that would cause a treatment process upset and subsequent loss of treatment efficiency. An excessive discharge from a Member Entity is defined as total collection system peak discharge into Authority Interceptors that exceeds the plant design ratio between average dry weather flow and peak wet weather flow.

Pollutants, substances, or wastewater prohibited by this section shall not be processed or stored in such a manner that they could be discharged to the POTW.

08-04.4 - Prohibition against Discharging Solid or Fluid Material to Watercourses

No person shall circumvent or obviate the intent or purpose of this Ordinance by discharge, or by causing to be discharged, into any storm drain, channel, natural water course or public street, any material or waste prohibited or restricted as to its discharge into a sewer system.

08-04.5 - Prohibition against Discharging Pollutants to the Ground

No person shall deposit or discharge, or cause to be deposited or discharged, into any sump which is not impermeable, or into any pit or well, or onto the ground, or into any storm drain or watercourse, any material which, by seeping underground or by being leached or by reacting with the soil, can pollute usable groundwaters, or any pretreatment wastes as defined herein.

08-04.6 - Point of Discharge Limitation

No person, excluding authorized Reclamation Authority or Member Entity personnel involved in maintenance functions of sanitary sewer facilities, shall discharge or cause to be discharged any wastewater or any other matter directly into a manhole or other opening leading to the POTW other than through an approved building sewer, unless written permission for the discharge has been provided by the Manager. If during the performance of maintenance duties, Reclamation Authority personnel are required to add water to the interceptor for any reason, said water flow shall be deducted from the Member Entity flow.

08-04.7 - Prohibition against Dilution

No person shall increase the use of process water or, in any way, attempt to dilute a discharge as a partial or complete substitute for adequate treatment to achieve compliance with Categorical Standards. The Manager may impose mass emission limits on Users who are using dilution to meet applicable Pretreatment Standards.

08-04.8 - Prohibition against Interference with Reclamation Authority Equipment or Facilities

No person shall enter, break, damage, destroy, uncover, deface, or tamper with any temporary or permanent structure, equipment or appurtenance which is part of the POTW or is required or authorized by the provisions of this Ordinance.

08-05 - Specific Pollutant Limitations

08-05.1 - Specific Local Discharge Limitations

The Manager is authorized to establish Specific Local Discharge Limitations pursuant to 40 CFR Part 403.5(c). No person shall, except as specifically allowed by the Manager on a temporary basis or as hereinafter provided, discharge or cause to be discharged to the POTW any wastewater unless it conforms to all applicable Specific Local Discharge Limitations as listed in Table I. These pollutant limits are established to protect against pass through and interference. The Specific Local Discharge Limitations apply at the point where the wastewater is discharged to the POTW.

08-05.2 - Specific Local Pollutant Mass Emission Rate Limits

The Manager may authorize the discharge of nondomestic wastewater to the POTW which contains pollutants in concentrations exceeding the Specific Local Pollutant Concentration Limits contained herein when said concentrations, in combination with the measured discharge flow rate, do not exceed Specific Local Mass Emission Rate Limits which are computed for the individual discharger on the basis of said Specific Local Pollutant Concentration Limits and the discharger's permitted discharge flow rate limit, and which are issued to the discharger as part of the discharger's Wastewater Discharge Permit.

08-05.3- Categorical Standards

Users must comply with promulgated National Categorical Pretreatment Standards, located in 40 CFR Chapter I, Subchapter N, Parts 405-471, which are hereby incorporated into this Ordinance.

08-05.4- Best Management Practices

The Manager may develop Best Management Practices, by ordinance or in nondomestic wastewater discharge permits to implement Specific Local Discharge Limitations or the General and Specific Discharge Prohibitions in Section 08-04.2.

08-06 - Special Restrictions and Requirements

08-06.1 - Special Restrictions, Vehicle Servicing Facilities

- a) Any facility maintained for the servicing, washing, cleaning, or repair of vehicles, roadway machinery, construction equipment, industrial transportation or power equipment, and which discharges nondomestic wastewater to the POTW, shall install and maintain a gravity separation interceptor in accordance with Section 08-08.5, or other sand and oil separator approved by the Manager. Wastewater from toilets shall not be allowed to pass through this interceptor, but all wastewater arising from the servicing and repair of vehicles shall pass through this interceptor before discharge to the POTW. If the vehicle servicing facility does not include facilities for the washing of more than
 - If the vehicle servicing facility does not include facilities for the washing of more than one vehicle at a time, the interceptor shall have a fluid detention capacity of not less than 100 gallons.
 - If the vehicle servicing facility has facilities for washing or cleaning more than one vehicle at a time, the interceptor shall be as large as necessary so that a seven day accumulation of sand and oil together will not fill more than twenty-five percent of the fluid capacity. The interceptor shall be designed so as to retain any oil and grease which will float and any sand which will settle.
- b) Any interceptor legally and properly installed at a vehicle servicing facility before January 1, 1995, shall be acceptable as an alternative to the interceptor specified above, provided such interceptor is effective in removing sand and oil and is so designed and installed that it can be inspected and properly maintained.
- c) The Plumbing Official shall not approve the plumbing of a vehicle servicing facility if it does not have a gravity separation interceptor meeting the requirements of this Section.

08-06.2 - Special Restrictions, Food Processing Facilities

a) All food processing facilities, except restaurants, which discharge food processing wastes to the POTW, shall direct all wastewater from floor drains and sinks in the food processing area, waste container wash racks, and dishwashers through a two-compartment gravity separation interceptor in accordance with Section 08-08.5. All domestic wastewaters from restrooms, showers, mop sinks, and drinking fountains shall be kept separate until the previously specified wastes have passed through the interceptor.

- The interceptor shall have a minimum fluid capacity of 100 gallons, or as required by Appendix "H" of the Uniform Plumbing Code (latest), whichever is greater.
- b) Any interceptor or grease trap legally and properly installed at a food processing facility before January 1, 1995, shall be acceptable as an alternative to the interceptor specified above, provided such interceptor or grease trap is effective in removing grease and is so designed and installed that it can be inspected and properly maintained.
- c) The Plumbing Official shall not approve the plumbing of a food processing facility if it does not have a gravity separation interceptor meeting the requirements of this Section, unless a conditional waiver has been granted by the Manager. Restaurants are exempted from this provision, see provision (e) below.
- d) Conditional waivers modifying or waiving the gravity separation interceptor requirements may be granted by the Manager in accordance with Section 09-06, for those food processing facilities determined not to have adverse effects on the POTW. Conditional waivers may be revoked for the following reasons:
 - 1. Changes in types of food processed.
 - 2. Falsification of information submitted to the Reclamation Authority.
 - 3. Changes in operating hours.
 - 4. Changes in equipment used.
- e) Member Entities shall prevent the discharge of excessive quantities of grease and oil to their tributary sewerage systems by requiring all restaurants to properly install and maintain appropriately designed and effective grease traps.

08-06.3 - Special Restrictions, Anaerobically Digestible Material (ADM)

Permitted Users may dispose of anaerobically digestible material at the wastewater treatment plant directly into the anaerobic digester. These Users will be permitted under a Nondomestic Wastewater Discharge Permit and subject to the applicable permit requirements.

08-06.4 - Special Restrictions, Sludge from Member Entities

The Reclamation Authority receives wet sludge at the wastewater treatment plant from Member Entities that operate wastewater treatment facilities. Member Entities must periodically conduct sampling of the wet sludge that is conveyed to the wastewater treatment plant as directed by the Manager. The Manager may implement controls to regulate wet sludge quantity and quality as necessary to prevent interference or pass through at the wastewater treatment plant. If necessary, the Manager may require a Member Entity to obtain a Nondomestic Wastewater Discharge Permit to discharge wet sludge to the wastewater treatment plant.

08-07 - Nondomestic Wastewater Discharge Permits

08-07.1 - Permit Requirement

All Significant Industrial Users and haulers of wastewater proposing to connect to or discharge to the POTW and all other Industrial Users so required by the General Manager, shall obtain a Nondomestic Wastewater Discharge Permit before connecting to or discharging to the POTW, or at any other time as required by the Manager. All Significant Industrial Users connected to or

discharging into a collection sewer on the effective date such system is connected to the regional system shall apply for a Nondomestic Wastewater Discharge Permit within ninety (90) days of such date. The Industrial User shall maintain a copy of the current Permit readily accessible on the site of wastewater discharge at all times.

Any violation of the terms and conditions of a Nondomestic Wastewater Discharge Permit shall be deemed a violation of this ordinance and subjects the User to the sanctions set out in ARTICLE 13: ENFORCEMENT of this ordinance. Obtaining a Nondomestic Wastewater Discharge Permit does not relieve the User of its obligation to comply with all Federal and State Pretreatment Standards or with any other requirements of Federal, State, or local law.

08-07.2 - Permit Classification

Nondomestic wastewater discharge permits shall be classified as follows:

Permit Class	Industrial User Description
I	Categorical Industrial Users (CIU's)
II	Non-Categorical Significant Industrial Users (NCSIU's)
III	Non-Significant Industrial Users (NSIU's)
IV	Temporary Industrial Users (TIU's)
V	Dischargers of Trucked or Hauled Wastewater to the POTW

08-07.3- Permit Application

All Industrial Users proposing to discharge nondomestic wastewater to the POTW shall complete and submit a Wastewater Discharge Permit Application to the Manager. Any existing User shall apply for a wastewater discharge permit within thirty (30) days after notification by the Manager. Application for reissuance of existing permits shall be submitted by the Industrial User in accordance with Section 08-07.8. The Permit application may require submittal of the following information:

- a) Identifying information:
 - 1. Name and address of the facility, including the name of the operator and owner;
 - 2. Contact information, description of activities, facilities, and plant production processes on the premises;
- b) A list of any environmental control permits held by or for the User's facility, and a copy of the San Bernardino County "Business Plan" which addresses the location, type, and quantity of hazardous materials handled by the User;
- c) Description of operations:
 - 1. NAISC number and SIC number according to 2012 U.S. NAISC Manual and the Standard Industrial Classification Manual, respectively, as amended;
 - 2. A brief description of the nature, average rate of production (including each product produced by type, amount, processes, and rate of production);

- 3. An 8-1/2" X 11" process flow schematic diagram that includes identification of the point(s) of discharge to the POTW;
- 4. Types of wastes generated, and a list of all raw materials and chemicals used or stored at the facility which are, or could accidentally or intentionally be discharged to the POTW;
- 5. Number and type of employees and hours of plant operation, and proposed or actual hours of operation;
- 6. Type and amount of rate materials processed (average and maximum per day)
- 7. Site plans, floor plans, mechanical and plumbing plans, including details showing all sewers, sewer connections, treatment facilities and appurtenances by the size, location and elevation. If required by the Manager, said plans shall be certified by a Civil Engineer registered in the State of California;
- d) Time and duration of discharge(s);
- e) The location for monitoring all wastes covered by the permit;
- f) Flow measurement. Information showing the measured average daily, peak daily, and 15minute peak wastewater flow rates (in gallons per day), including daily, monthly and seasonal variations if any, to the POTW from regulated process streams and other streams as necessary;
- g) Measurement of pollutants
 - 1. The Categorical Standards applicable to each regulated process and any new categorically regulated processes for existing sources;
 - 2. The results of sampling and analysis identifying the nature and concentration, and/or mass, where required by the Categorical Standard or by the Manager, of regulated pollutants in the discharge from each regulated process;
 - 3. Instantaneous, daily maximum, and long-term average concentrations, or mass, where required, shall be reported;
 - 4. Wastewater constituents and characteristics, as determined by a State certified analytical laboratory using Analytical Methods as defined herein and sampling procedures in accordance with 40 CFR 136 and 40 CFR 403.12(b)(5), including but not limited to, those referred to in Section 08-05 of this Ordinance;
- h) A time schedule for compliance with any provisions of the Ordinance or Categorical Standard for which immediate compliance is not possible;
- i) Any other information as may be deemed by the Manager to be necessary to evaluate the permit application.

08-07.4- Permit Application Evaluation

- a) The Manager will evaluate the data furnished by the User and may require additional information, such as critical parameter reporting. After evaluation of the data furnished, the Manager may issue a wastewater discharge permit subject to the terms and conditions provided herein.
- b) If the Manager determines that the proposed discharge will not be acceptable he shall disapprove the application and shall notify the applicant in writing, specifying the reason(s) for denial and the applicable appeals process. The applicant shall then be

prohibited from discharging nondomestic wastewater, but may immediately submit a revised permit application for the evaluation of the Manager.

08-07.5 - Permit Contents

Nondomestic wastewater discharge permits shall be expressly subject to all provisions of this Ordinance and all other applicable regulations (including Federal, State, and local) charges and fees established by Reclamation Authority resolution or ordinance.

Class I and Class II permits shall contain at least the following:

- a) Statement of permit issuance and effective date and permit duration.
- b) Statement of permit non-transferability.
- c) Statement of prohibited discharges.
- d) Statement of applicable civil and criminal penalties for violation of Pretreatment Standards and requirements and any applicable compliance schedule.
- e) Limitations on the average and/or maximum wastewater constituents and characteristics in the discharge.
- f) BMP requirements based on applicable Pretreatment Standards.
- g) Requirements to control slug discharge, if determined by the Manager to be necessary.
- h) Specifications for monitoring programs, which may include: pollutants to be monitored (or BMPs); sampling location(s); frequency of sampling; sample type(s); number, types, and standards for tests; and reporting schedule; and may include total toxic organic (TTO) monitoring.
- i) Compliance Time Schedule(s) where required.

All classes of permits shall contain at least items (a)-(d), above; and may contain items (e)-(i) above, if applicable.

Permits may also contain the following:

- a) The unit charge or schedule of user charges and fees for the wastewater discharged to the POTW.
- b) Schedule of penalty fees for noncompliance.
- c) Limitations on average and/or maximum flow rates.
- d) Requirements for proper installation, operation, and maintenance of pretreatment technology, pollution control, or construction of appropriate containment devices designed to reduce, eliminate, or prevent the introduction of pollutants to the POTW.
- e) Requirements for installation and maintenance of inspection and sampling facilities, including flow measuring devices.
- f) Requirements for installation and maintenance of spill containment systems.
- g) Requirements for submission of technical or discharge reports.
- h) Requirements for maintaining and retaining plant records relating to the wastewater discharge as specified by the Manager.
- i) Requirements for submittal of a solvent management plan.

- j) A statement that compliance with the nondomestic wastewater discharge permit does not relieve the User of responsibility for compliance with all applicable Federal and State Pretreatment Standards, including those which become effective during the term of the permit.
- k) Other conditions as deemed appropriate by the Manager to ensure compliance with this Ordinance and Federal and State laws, rules, and regulations.

08-07.6- Permit Modifications

The terms and conditions of the permit may be subject to modification by the Manager during the term of a permit if limitations or requirements, as referenced in Section 08-07.6 are modified or other just cause exists. The User shall be informed of any proposed changes in his permit at least fifteen (15) days prior to the effective date of change. Any changes or new conditions in a permit shall include a reasonable time schedule for compliance. The Manager may modify the permit, including, but not limited to the following reasons:

- a) Promulgation of Categorical Standards. Within three months of the promulgation of a Categorical Standard, permits for Users subject to such Standards shall be revised to require compliance within the time frame prescribed by such Standard. Where an affected User has not previously submitted an application for a permit as required by Section 08-07.3, the User shall apply within 180 days after the promulgation of the applicable Categorical Standard. In addition, Users with existing permits shall submit to the Manager within 180 days after the promulgation of an applicable Categorical Standard, a time schedule for compliance with the Categorical Standard.
- b) Changes in Operation. Industrial Users shall receive written approval from the Manager prior to initiating any changes in the User's facility's operation which may result in a change in quantity or quality of nondomestic wastewater contributed to the POTW. For the purposes of this Section "changes" shall include the following: A positive or negative change of 25% in the quantity of wastes discharged, additional waste-generating processes, additional or different waste-generating equipment, and an increase in production capacity.
- c) A change in the POTW that requires either a temporary or permanent reduction or elimination of the authorized discharge.
- d) Information indicating that the permitted discharge poses a threat to the POTW, Reclamation Authority personnel, the general public, or receiving water.
- e) Violation of any terms or conditions of the permit.
- f) Misrepresentation or failure to fully disclose all relevant facts in the permit application or in any required reporting.
- g) To correct any typographical or other errors in the permit.

08-07.7 - Permit Transfer

Nondomestic Wastewater Discharge Permits are issued to specific Users for specific operations. A Nondomestic Wastewater Discharge Permit shall not be transferable, either from one location to another, or from one person to another. Statutory mergers or name change shall not constitute

a transfer or a change in ownership. Following a change in ownership, and upon application for a new Nondomestic Wastewater Discharge Permit, an interim permit may be issued by the Manager.

08-07.8 - Permit Duration

Nondomestic Wastewater Discharge Permits shall be issued for a time period specified by the Manager, not to exceed three (3) years. The User shall apply for permit reissuance a minimum of ninety (90) days prior to the expiration of the User's existing permit. If the User submits a completed wastewater discharge permit application and through no fault of the User, a new wastewater discharge permit is not issued prior to the expiration of the existing wastewater discharge permit, the existing wastewater discharge permit shall remain in effect until the Reclamation Authority reissues, or denies, as the case may be, a new wastewater discharge permit. In no case shall a wastewater discharge permit have a duration of more than five (5) years. The terms and conditions of each permit may be subject to modification by the Reclamation Authority during the term of the permit in accordance with Section 08-07.6.

08-08 - Pretreatment Facility Requirements

08-08.1- Pretreatment of Nondomestic Wastewaters

- a) All Users shall provide necessary wastewater treatment as required to comply with this Ordinance and shall achieve compliance with all applicable, promulgated Categorical Standards (Subpart of 40 CFR Chapter I, Subchapter N, as it exists and as it may be amended) within the time limitations specified therein. If unable to immediately meet applicable Pretreatment Standards and Requirements, Users shall develop a compliance schedule for the installation of technology required to meet such requirements. Any facilities required to pretreat wastewater to a level acceptable to the Manager, including gravity separation interceptors, shall be provided, operated, and maintained at the User's expense.
- b) Detailed plans showing the pretreatment facilities and operating procedures shall be submitted to the Manager for review, and shall be acceptable to the Manager BEFORE construction of the facility. The Manager's review of such plans and operating procedures will not relieve the User from the responsibility of modifying the facility as necessary to produce an effluent which complies with all provisions of this Ordinance.

08-08.2 - Monitoring Facilities

The Reclamation Authority may require, at the User's expense, installation and operation of monitoring facilities to allow inspection of discharges to the POTW and collection of wastewater samples. The monitoring facilities shall include a suitably designed control structure and such other sampling, monitoring, and flow metering equipment as are deemed necessary by the Manager. The control structure shall be water tight, structurally sound, and durable. The monitoring facilities, including sampling, monitoring, and flow measuring equipment, shall be maintained and calibrated at all times in a safe and proper operating condition at the expense of the User.

Monitoring facilities shall normally be situated on the User's premises, but the Reclamation Authority and Member Entity may, when such a location would be impractical or cause undue hardship on the User, allow the facilities to be constructed in public right-of-way.

If the control structure is inside the User's fence, there shall be accommodations to allow access for Reclamation Authority or Member Entity personnel, such as a gate secured with a lock, with key provided to the Member Entity and the Reclamation Authority.

There shall be ample room and a 120 V power outlet in or near monitoring facility to allow installation of portable sampling and monitoring equipment by the Member Entity or the Reclamation Authority.

Whether constructed on public or private property, the sampling and monitoring facilities shall be constructed in accordance with the Reclamation Authority's requirements and all applicable local construction standards and specifications. Construction Drawings for proposed monitoring facilities shall be approved by the Manager and the Member Entity prior to construction. Construction shall be completed within 90 days following written approval by the Manager and Member Entity, unless the Manager grants a time extension.

08-08.3 - Flow Measuring Equipment

The Manager may require any User to install and operate a continuous monitoring flow meter capable of measuring the User's discharge to the Reclamation Authority's sewerage system as part of its Monitoring Facilities. The flow measurement device shall conform to standards established by the Manager.

08-08.4 - Separation of Domestic and Nondomestic Wastewaters

Every person who discharges nondomestic wastewater to the POTW shall keep the domestic wastewaters separate from all nondomestic wastewaters until the nondomestic wastewaters have passed through any required pretreatment facilities and the control structure.

08-08.5- Gravity Separation Interceptor

Each User so required by the Manager or Member Entity shall install and maintain a gravity separation interceptor to provide wastewater treatment for floatable and settleable pollutants. Domestic wastewater shall not be allowed to pass through this interceptor. This interceptor shall have an operational fluid capacity of not less than 100 gallons and shall be designed so as to retain any material which will float and any material which will settle. The interceptor shall be watertight, structurally sound, and durable. Interceptors shall have no less than two compartments. Interceptors of 750 gallons capacity or larger, except those designed for food processing facilities, shall have no less than three compartments.

a) Interceptor Requirements:

1. All interceptor chambers shall be immediately accessible at all times for the purpose of inspection and cleaning. At no time shall any material, debris, obstacles or obstructions be placed in such a manner so as to prevent immediate access to the interceptor.

- 2. All interceptors of 300 gallons capacity or larger shall be equipped with a sampling chamber located at the downstream end of the interceptor. The sampling chamber shall have a minimum 18 inch square clear opening for the temporary installation of portable automatic sampling equipment.
- 3. Any interceptor legally and properly installed before January 1, 1995 shall be acceptable as an alternative to the interceptor specified herein, provided such interceptor is effective in removing floatable and settleable material and is so designed and installed that it can be inspected and properly maintained.
- 4. If the Manager or Member Entity finds that an interceptor is incapable of adequately retaining the floatable and settleable material in the wastewater flow or is structurally incomplete, he shall declare that such interceptor does not meet the requirements of this Section and shall require the User to install, at the User's expense, an acceptable interceptor.

b) Interceptor Approval:

If a gravity separation interceptor is required, the Plumbing Official shall only approve plumbing plans which include an interceptor which meets the requirements of this Section

c) Interceptor Maintenance:

The User who owns, operates, or maintains a gravity separation interceptor shall maintain it properly. It shall be cleaned as often as is necessary to ensure that sediment and floating materials do not accumulate to impair the efficiency of the interceptor. The use of chemicals to dissolve grease is specifically prohibited. When an interceptor is cleaned, the accumulated sediment and floating material shall be removed and legally disposed of otherwise than to the sewer. An interceptor is not considered to be properly maintained if for any reason it is not in good working condition or if the operational fluid capacity has been reduced by more than 25% by the accumulation of floating and settled solids, oils and grease. The owner of any facility required to install an interceptor, the lessee and sub-lessee, if there be such, and any proprietor, operator or superintendent of such facility are individually and severally liable for any failure of proper maintenance of such interceptor. If the interceptor is not properly maintained under the conditions of use, the Manager or Member Entity may require that the interceptor be resized and replaced.

08-08.6 - Spill Containment Systems

Users so required by the Manager or Member Entity shall install spill containment system(s) which conform to requirements established by the Manager and Member Entity. Users shall not operate a spill containment system that allows incompatible liquids to mix thereby creating hazardous or toxic substances in the event of failure of one or more containers. Spill containment systems shall consist of a system of dikes, walls, barriers, berms, secondary vessels, or other devices designed to contain spillage of the liquid contents of containers. Spill containment systems shall be constructed of impermeable and non-reactive materials with respect to the liquids being contained. Spill containment systems shall conform to all State and County regulations and policies as to percent containment, container type, and size.

08-09 - Record Keeping and Reporting Requirements

08-09.1 - User Record Keeping

All Users shall keep records of waste hauling, reclamations, monitoring, pH and flow measuring device calibrations reports, sample analysis data, flow and pH meter chart recordings, records of pretreatment equipment maintenance, interceptor and clarifier maintenance and cleaning, and correspondence with the Reclamation Authority on the site of wastewater discharge. Sample analysis records shall include the date, exact place, method, and time of sampling, and the name of the person(s) collecting the samples; the dates analyses were performed; who performed the analyses; the analytical techniques or methods used; the results of such analyses; and chain-of-custody forms. All these records are subject to inspection and shall be copied as needed. All records must be kept on the site of generation for a minimum period of three years. The records retention period may be extended beyond three years at the request of the Manager in the event criminal or civil action is taken or an extensive company history is required.

08-09.2 - Reporting Requirements

All Users are required to submit the following types of reports:

- a) Reports of Potential Problems: If, for any reason, pollutants are discharged at a flow rate or concentration which might cause interference with the POTW or Pass-Through, including any slug loadings, or which might result in a violation of NPDES Permit requirements or requirements of this Ordinance, or a hazard to Reclamation Authority and/or Member Entity personnel and/or the Public, the User shall verbally notify the Manager and POTW staff immediately. The notification shall include the location of the discharge, type of waste, concentration and volume, if known, and corrective actions taken by the User. The verbal notification shall be followed by a written report submitted to the Manager within five days. The User shall also repeat the sampling and analysis and submit the results of the repeat analysis to the Reclamation Authority within 30 days after becoming aware of the violation.
- b) Notification of Changed Discharge: All Users shall promptly notify the POTW in advance of any substantial change in the volume or character of pollutants in their discharge. The Manager may require the User submit information as may be deemed necessary to evaluate the changed condition(s), including submission of a Nondomestic Wastewater Discharge Permit Application.
- c) **Notification of Hazardous Waste Discharge:** Discharge of hazardous wastes is prohibited by Section 08-04. However, should any discharge of hazardous waste occur, the User shall observe the following notification procedures:
 - a. All Users shall notify the Reclamation Authority, the EPA Regional Waste Management Division Manager, and State hazardous waste authorities in writing of any discharge into the POTW of a substance, which, if otherwise disposed of, would be classified as hazardous waste pursuant to 40 CFR Part 261.

- b. Such notification must include the name of the hazardous waste as set forth in 40 CFR Part 261, the EPA hazardous waste number, and the type of discharge (continuous, batch, or other).
- c. The above required notifications must take place no later than 180 days after the discharge of the hazardous waste.

In the case of any notification made under these requirements, the Industrial User shall certify that it has a program in place to eliminate all hazardous waste discharges. A notice shall be permanently posted on the User's bulletin board or other prominent place advising employees who to call in the event of a discharge described in (a)-(c) above. Employers shall ensure that all employees, who could cause such a discharge to occur, are advised of the emergency notification procedures.

Industrial Users may be required to submit the following types of reports:

- d) Self-Monitoring Reports: Permittees may be required to submit periodic self-monitoring reports containing a description of the nature, concentration, and flow of pollutants required to be reported by the Reclamation Authority, and the time, date, and place of sampling and methods of analysis. Sampling for self-monitoring reports shall be performed during the period covered by the report. All required analyses shall be performed by a State Certified Laboratory using Analytical Methods as defined herein. Significant Industrial Users shall be required to submit self-monitoring reports at least once every six months. If any User subject to this section, monitors any regulated pollutant at the designated sampling location more frequently than required by the Reclamation Authority using Approved Analytical Methods, the results of this monitoring shall be included in the report.
- e) Sampling Specifications: All self-monitoring reports required under Section 08-09.2 (d) and reports required under Section 08-09.4 must be based upon data obtained through appropriate sampling and analysis, which data are representative of conditions occurring during the reporting period. Grab samples must be used for pH, cyanide, total phenols, oil and grease, sulfide, and volatile organic compounds. For all other pollutants, 24-hour composite samples must be obtained through flow-proportional composite sampling techniques, unless time-proportional composite sampling or grab sampling is authorized by the Reclamation Authority. Where time-proportional composite sampling or grab sampling is authorized by the Reclamation Authority, the samples must be representative of the discharge and the decision to allow the alternative sampling shall be documented in the Industrial User file for that facility or facilities. Using protocols (including appropriate preservation) specified in 40 CFR Part 136 and appropriate EPA guidance, multiple grab samples collected during a 24-hour period may be composited prior to the analysis as follows: For cyanide, total phenols, and sulfides the samples may be composited in the laboratory or in the field; for volatile organics and oil & grease the samples may be composited in the laboratory. Composite samples for other parameters unaffected by the compositing procedures as documented in approved EPA methodologies may be authorized by the Reclamation Authority, as appropriate. For sampling required in support of baseline monitoring and 90-day compliance reports

required in Sections 08-09.2 and 08-09.3, a minimum of four (4) grab samples must be used for pH, cyanide, total phenols, oil and grease, sulfide and volatile organic compounds for facilities for which historical sampling data do not exist; for facilities for which historical sampling data are available, the Reclamation Authority may authorize a lower minimum sample requirement. For self-monitoring reports and periodic compliance reports for Class I users, the Reclamation Authority shall require the number of grab samples necessary to assess and assure compliance by Industrial Users with Applicable Pretreatment Standards and Requirements.

- f) Periodic measurements of flow, suspended solids and BOD for surcharge determination and other appropriate waste characteristics shall be made by those Users specifically designated by the Manager.
- g) Any other reports required by California State Law, including such reports as are required by Chapter 6.95 of the California Health and Safety Code.

08-09.3- Categorical Industrial User Reporting Requirements

In addition to the reports specified in Section 08-09.2, Categorical Industrial Users must submit Initial Baseline Monitoring Reports (BMRs) and periodic compliance reports, and, if necessary, schedule compliance reports, and final compliance reports.

- a) Initial Baseline Monitoring Reports (BMRs): Baseline Monitoring Reports shall be submitted to facilitate evaluation of initial compliance status with respect to categorical standards, and any modifications or conditions necessary to achieve full compliance with categorical standards.
 - Baseline Monitoring Reports shall include all information listed in Section 08-07.3, and shall include a statement, reviewed by an authorized representative of the Industrial User, and certified as to accuracy by a qualified professional, indicating whether Pretreatment Standards are being met on a consistent basis, and, if not, whether additional operation and maintenance and/or additional pretreatment is required for the Industrial User to meet the Pretreatment Standards and requirements. New sources shall submit a Baseline Monitoring Report at least 90 days prior to commencement of discharge.
 - If immediate compliance with the Categorical Standard is not possible and additional pretreatment or operation and maintenance is necessary, the report must specify the shortest time necessary to achieve compliance. The completion date must not be later than that specified in the applicable Categorical Standards. New sources must achieve compliance with all applicable Pretreatment Standards within 90 days of commencing discharge.
- b) **Schedule Compliance Reports**: Schedule compliance reports shall be submitted, if necessary, to demonstrate compliance with conditions of a time schedule requiring full compliance with Categorical Standards by a specified date.
 - Schedule compliance reports shall contain dates for pretreatment equipment design completion, building permit submittal date, construction commencement date, construction updates, construction completion date, employee training completion date, and date of achieving final compliance. Samples shall be collected and analyzed to

- demonstrate compliance. The samples shall be taken in accordance with 40 CFR Part 136 and 40 CFR Part 403.12(b) (5). Schedule compliance reports shall be submitted at the completion of all major events necessary to achieve full compliance with Categorical Standards, but not less frequently than thirty (30) days. Schedule compliance reports must be submitted within fourteen (14) days of a milestone date. In no case shall any event in the compliance schedule exceed nine (9) months.
- c) Final Compliance Reports: Final compliance reports shall be submitted, if necessary, to demonstrate that full compliance with Categorical Standards has been achieved. Final compliance reports shall include all information contained in a Baseline Monitoring Report. Final compliance reports shall be submitted within ninety (90) days of achieving compliance with Categorical Standards. Final compliance reports from new sources must be submitted immediately after the facility commences discharge.
- d) Periodic compliance reports: Periodic compliance reports shall be submitted to demonstrate continued compliance with Categorical Standards. Periodic compliance reports shall include all monitoring data specified in the applicable Categorical Standard and any additional monitoring data obtained by the User. Sampling for periodic compliance reports shall be performed during the period covered by the report. Analyses shall be performed by a State certified laboratory using Approved Analytical Methods as defined herein. Sampling shall be performed in accordance with 40 CFR Part 136 and 40 CFR Part 403.12(b) (5). Periodic compliance reports shall be submitted every six (6) months in June and December of each year, unless required to be submitted more frequently by the Manager. Periodic compliance reports may be combined with self-monitoring reports pursuant to Section 08-09.2(d) herein.

08-09.4 - Industrial User Compliance Plans

- a) Solvent Management Plans: All Industrial Users subject to effective Categorical Standards which include a Total Toxic Organic (TTO) limitation shall be required to file a Solvent Management Plan. The Manager may also require other Users to submit Solvent Management Plans where, in his judgment, said plans are necessary to assure proper containment and disposal of solvents.
- b) Slug Discharge Control Plans: All Users so required by the Manager shall file a Slug Discharge Control Plan. The plan shall contain at least the following elements:
 - 1. Description of discharge practices, including nonroutine batch discharges;
 - 2. Description of stored chemicals;
 - 3. Procedures for prompt verbal notification of the Reclamation Authority of slug discharges, including any discharge that would violate a specific prohibition under Section 08-04.2 or 40 CFR Part 403.5(b), within twenty-four (24) hours of becoming aware of the discharge and procedures for follow-up written notification within five days (5) days;
 - 4. If necessary, procedures to prevent adverse impact from accidental spills or slug discharges, including inspection and maintenance of storage areas, handling and transfer of materials, loading and unloading operations, control of plant site runoff, worker training, building of containment structures or equipment, measures for containing toxic organic pollutants (including solvents), and/or measures and equipment for emergency response; and
 - 5. If necessary, follow-up practices to limit the damage suffered by the POTW or the environment.
- c) Specific Compliance Plans: All Users so required by the Manager shall file a Specific Compliance Plan. The Specific Compliance Plan shall indicate the cause of noncompliance, the corrective actions which will be taken to prevent recurrence of said noncompliance, and, if required by the Manager, a proposed Compliance Time Schedule indicating the dates those corrective actions will be completed.

08-09.5- Bypass Reporting

- a) For the purpose of this Section,
 - 1. Bypass means the intentional diversion of wastewater from any portion of the User's treatment facility.
 - 2. Severe property damage means substantial physical damage to property, damage to the treatment facilities which cause them to become inoperable, or substantial and permanent loss of natural resources which can reasonably be expected to occur in the absence of a bypass. Severe property damage does not mean economic loss caused by delays in production.
- b) Bypass is prohibited, and the Manager may take enforcement action against a User for bypass, unless
 - 1. Bypass was unavoidable to prevent loss of life, personal injury, or severe property damage;

- 2. There were no feasible alternatives to the bypass, such as the use of auxiliary treatment facilities, retention of untreated wastes, or maintenance during normal periods of equipment downtime. This condition is not satisfied if adequate back-up equipment should have been installed in the exercise of reasonable engineering judgment to prevent a bypass which occurred during normal periods of equipment downtime or preventative maintenance.
- 3. The User is required to submit notices are required in Section 08-09.5(d).
- c) The Manager may approve an anticipated bypass, after considering its adverse effects, if the Manager determines that it will meet the three conditions listed in paragraph (b) above.
- d) Bypass Notifications
 - 1. If a User knows in advance of the need for a bypass, it shall submit prior notice to the Manager, at least ten (10) days before the date of the bypass, if possible.
 - 2. A User shall submit oral notice to the Manager of an unanticipated bypass that exceeds applicable Pretreatment Standards within twenty-four (24) hours from the time it becomes aware of the bypass. A written submission shall also be provided within five (5) days of the time the User becomes aware of the bypass. The written submission shall contain a description of the bypass and its cause; the duration of the bypass, including exact dates and times, and if the bypass has not been corrected, the anticipated time it is expected to continue; and steps taken or planned to reduce, eliminate, or prevent reoccurrence of the bypass. The Manager may waive the written report on a case-by-case basis if the oral report has been received within twenty-four (24) hours.

08-09.6 - Signatory and Certification Requirement

All permit applications, reports, and plans submitted to the Reclamation Authority by Industrial Users pursuant to Sections 08-07.3, 08-07.6, 08-09.2, 08-09.3, 08-09.4, and 08-09.5 shall be signed and dated by an authorized representative of the Industrial User. The signature shall accompany the following certification statement:

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations".

Analytical reports submitted directly to the Reclamation Authority by a certified analytical laboratory at the request of the Industrial User for samples of wastewater collected at User facilities may be signed, dated, and certified by the laboratory manager in lieu of an authorized representative of the User; however, such reports shall be accompanied by a statement, signed, dated, and certified by an authorized representative of the User, as above, which verifies that the

sample identified in the analytical report was collected on the date and time indicated at the location indicated, and using the method indicated on the analytical report. Said signed, dated, and certified statement may be included as part of the chain-of-custody form for the sample.

08-09.7 - Member Entity Reporting Requirements

Each Member Entity shall promptly inform all applicants for business licenses within its jurisdiction of the requirements of Sections 08-04.1, 08-07.1, and 08-07.3 herein.

Each Member Entity shall submit a monthly report to the Manager, which contains the following information from each business license application received during the previous month: applicant's name, business name, mailing address, telephone number, type of business, and whether a nondomestic wastewater discharge is proposed. The monthly report shall also summarize all pretreatment program activities conducted by the Member Entity in accordance with the provisions of this Ordinance.

ARTICLE 09: ADMINISTRATIVE PROCEDURES

09-01 - Administration

Except as otherwise provided, the Manager shall administer, implement and enforce the provisions of this Ordinance. Any powers granted or imposed on the Manager may be delegated by him to other persons or authorized agents acting in the beneficial interest of or in the employ of the Reclamation Authority.

09-02 - Inspection and Sampling

The Manager may enter upon the Nondomestic User's premises during reasonable hours for the purpose of inspecting sewer systems and other facilities to ensure compliance with these Rules and Regulations, including the provision that self-regenerating water softeners shall not be connected to the sanitary sewer system contributing to the POTW, and the provisions that stormwater systems are separated from sanitary sewers.

The Manager shall inspect the facilities of each Significant Industrial User a minimum of once each year, and shall sample the discharge of each Significant Industrial User a minimum of once each year.

Persons or occupants of premises where nondomestic wastewater is created or discharged, or where the Manager has reason to believe that nondomestic wastewater may be created or discharged, shall allow the Manager ready access at all reasonable times to all parts of the premises for the purposes of inspection, sampling, examination and copying of records, taking photographs, and performance of any of his duties.

Any temporary or permanent obstruction to safe and easy access to the facility to be inspected and/or sampled shall be promptly removed by the User at the written or verbal request of the Manager and shall not be replaced. The expense of clearing such access shall be born by the User.

The Manager shall have the right to set up on the Industrial User's property such devices as are necessary to conduct sampling inspection, compliance monitoring, and/or metering operations. Where a User has security measures in force, which would require proper identification and clearance before entry into the User's premises, the User shall make necessary arrangements with its staff so that upon presentation of suitable identification, the Manager will be permitted to enter, without delay, for the purpose of performing inspection and sampling. Unreasonable delays in allowing the Manager access to the User's premises shall be a violation of this ordinance.

If the Manager has been refused access to a building, structure, or property, or any part thereof, and is able to demonstrate probable cause to believe that there may be a violation of this ordinance, or that there is a need to inspect and/or sample as part of a routine inspection and sampling program designed to verify compliance with this ordinance or any permit or order issued hereunder, or to protect the overall public health, safety, and welfare of the community,

the Manager may seek issuance of a search warrant from the Municipal or Superior Court of San Bernardino County through the Reclamation Authority Attorney

09-03 - Public Access to Information

Information and discharge data provided to the Reclamation Authority by a User shall be available without restriction to the EPA, the State Water Board, and the Regional Board. Such information shall also be available to the public without restriction, except where there is a claim of confidentiality by the User. All other information which is submitted by the User to the Reclamation Authority shall be available to the public, at least to the extent provided by 40 CFR Part 2.302. With the exception of Regulatory Agencies, any person requesting this information from the Reclamation Authority shall be required, prior to receipt of the information, to pay the reasonable costs of said data gathering reproduction and transmission incurred by the Reclamation Authority.

09-04 - Confidentiality

Any information submitted to the Reclamation Authority pertaining to the pretreatment program may be claimed by the User to be confidential, except for effluent data which will be available to the public without restriction. Any confidentiality claim must be asserted at the time of submission of the information to the Reclamation Authority. The claim may be asserted by stamping the words "Confidential business information" on each page containing such information or by other means; however, if no claim is asserted at time of submission, the Reclamation Authority may make the information available to the public without further notice. If such a claim is asserted, the information will be treated in accordance with the procedure in 40 CFR Part 2 (Public Information).

09-05 - Extension of Time Limits

Any time provided in any written notice or any provision of this Ordinance may be extended only by a written directive of the Manager.

09-06 - Conditional Waivers and Special Agreements

If any discharge or connection to the POTW fails to conform to any of the standards or requirements set forth or referenced in Sections 08-04.5, 08-05.1, 08-05.2, 08-06.1, 08-06.2, or 08-08.1, 08-08.2, 08-08.3, 08-08.4, or 08-08.5 herein, but the Manager finds that: a) the discharge will not cause harm to the POTW; b) the discharge will not unreasonably or inequitably burden the operation of the POTW; c) when considered together with discharges by other Users, the discharge will not materially affect the ability of the POTW to meet its requirements; and d) the requirement or requirements to be waived or modified are not part of a Categorical Standard or Prohibitive Discharge Standard; the Manager may grant approval for discharge to the POTW with a special agreement, waiver or modification of the requirement or requirements which could not be met; subject to any payments or User charges as may be applicable.

In the letter of approval, the Manager shall include a statement regarding the requirement that is waived or modified along with reasons as to why the waiver is issued. Any waiver granted pursuant to the section shall be subject to withdrawal at any time the Manager makes a subsequent finding that the POTW is unreasonably burdened or the ability of the POTW to meet its NPDES Permit discharge requirements or other permit or use requirements is materially affected.

09-07 - Appeal from Decisions

Administrative orders, waivers, permit conditions or disapproval of permit applications made by the Manager, pursuant to this Ordinance may be appealed to the Commission. The Commission may amend, modify, confirm, or reject any such decision provided the purpose and intent of this Ordinance is not violated. No appeal shall be made with respect to the specific Ordinance requirements pertaining to quality, content or method of disposal of wastewater that may be discharged, pursuant to Sections 08-04.2, 08-04.3, 08-04.4, and 08-05.3 herein, nor to any requirement of State or Federal Law.

ARTICLE 10: SERVICE AND USE CHARGES

10-01 - Service Charges

10-01.1 - Establishment of Rates

Rates to be charged and collected and terms, provisions, and conditions to be effective respecting such rates for regional sewer service supplied by the Reclamation Authority using the regional sewerage system to Member Entities within the Reclamation Authority Service Area shall be as fixed and established by the Commission from time to time and shall become an attachment of these Rules and Regulations (see Table II). The payment of service charges to the Reclamation Authority is the responsibility of each Member Entity, which in turn establishes the rates and service charges for Users within its local service area. This provision is in addition to and not by way of derogation of any other remedies or procedures available to the Reclamation Authority pursuant to any law or regulation or by any of the provisions of these Rules and Regulations.

10-01.2 - Change of Service Charge

The Commission reserves the right to change the schedule of regional sewer service charges and other charges and fees from time to time as necessary for the proper operation, maintenance, repair, replacement, and expansion of the regional system.

10-01.3 - Service Charge Billing

Regional sewer service charges to Member Entities will be rendered as part of the Reclamation Authority Service Bill at monthly intervals.

10-01.4 - Metering

For the purpose of computing charges, the Reclamation Authority will contract with an approved third party to provide accurate measurement of flow rate and cumulative totals at all connections to the Reclamation Authority's Interceptor Sewer. Such measurements will be made prior to entry of contributing flows into the interceptor and shall be used to determine a percentage allocation of the total flow for each connected entity. The percentage allocation will be applied to the total monthly influent flow, as measured at the WWTP influent mag meter, to determine the monthly flow contributed by each connected entity. Invoice billings will be sent to each connected Entity on a monthly basis. If, for any reason, the influent mag meter is out of service or flow measurements cannot be taken, the Reclamation Authority will estimate contributions based on the best available information including previous flows and existing conditions.

10-02 - Charges for Use

The purpose of a charge for use is to insure that each recipient of sewage service from the Reclamation Authority pays its reasonably proportionate share of all the costs of providing that sewerage service. Charges for use are used for recovering the cost of conveying, treating and disposing of sewage in the regional sewerage system and are exclusive of any fees levied by Local Sewering Agencies. The charge for use shall be based on the total maintenance, operation, capital expenditures and reserve requirements for providing regional wastewater collection, treatment and disposal and the related administration of the regional sewerage system.

ARTICLE 11: CONNECTION AND PRETREATMENT PROGRAM FEES

11-01 - Connection Fees

11.01.1 - Introduction

The regional sewerage system will provide adequate capacity for sewer service within the regional service area for a limited period of time. The Reclamation Authority must take into consideration future capacity requirements within the regional service area to ensure that the infrastructure necessary to provide reliable service to the Member Entities and their Users is constructed in advance. Failure to adequately plan for future capacity requirements can result in service interruption and the inability of the regional community to accommodate growth. In order to provide for future capacity requirements, Capital must be accumulated before it is required (pay-as-you-go) by levying connection fees. Connection fees have traditionally been the pay-as-you-go method for financing the expansion of a sewerage system. This follows the logic that, upon connection, a new discharger pays for its capacity just as the existing dischargers had paid to develop the original capacity in the sewerage system. The connection fees are accumulated in a fund for use when the sewerage system requires expansion.

11-01.2 - Connection Fees

- a) Connection fees will not be applied to properties developed prior to July 1, 1982, which are connected to existing local collection systems.
- b) Properties developed prior to July 1, 1982, unconnected to existing local collection systems will not be charged regional (Reclamation Authority) connection fees for the first five years after the completion of the interceptor to the contracting community. Thereafter, applicable Reclamation Authority connection fees will apply to such properties.
- c) Properties developed after June 30, 1982 will pay a connection fee applicable at the time of connection. Likewise, any additions or improvements to properties developed prior to July 1, 1982, which are connected and generate additional sewage, will pay a connection fee at the time applicable permits are issued.
- d) "Properties developed" as defined in Paragraph 5 of VVWRA Policy Resolution No. 81-10 shall be deemed to include all properties designated to be sewered within the regional service area for which a building permit for residential, commercial, or industrial structures has been issued and all applicable fees therefor have been paid on or prior to June 30, 1982.
- e) Connection fees shall be determined and assessed in accordance with VVWRA Connection Fee Ordinance No. 002, as amended, or successor.

11-01.3 - Duty of Enforcement

The Reclamation Authority sets the connection fees for Users within the regional service area and Member Entities set the connection fees for Users which are associated with the expansion of the tributary sewerage systems. The responsibility of calculating and enforcing connection fees is shared between the Reclamation Authority and the Member Entities, provided, however, that each Member Entity has the primary responsibility of enforcing the collection of regional and local connection fees in conjunction with its local authority to regulate land use and development within its boundaries. The provisions of this Section shall be applicable to any building, structure, or property contributing to the Reclamation Authority's regional sewerage system, whether the same is owned, operated, or controlled by a private party or by a public or quasi-public agency, corporation or association, other than the Reclamation Authority. The Member Entity shall, through the "Will Serve" process enforce payment of these connection fees. The Member Entity may, in addition thereto, add connection fees for their own purposes. Further, administrative and lateral charges may also be applicable.

Unless specified otherwise, all fees, charges and penalties imposed pursuant to this Ordinance are due and payable upon receipt of notice.

11-02- Pretreatment Program Fees

It is the purpose of this Section to provide for the recovery of costs from Industrial Users of the POTW for the implementation of the pretreatment program. The Reclamation Authority may adopt charges and fees, by resolution, which may include:

- a) Fees for the processing of applications.
- b) Fees for reimbursement of costs of developing and operating the Reclamation Authority pretreatment program.
- c) Fees for monitoring, inspections, surveillance procedures and laboratory costs.
- d) Fees for reviewing plans and construction inspections.
- e) Fees for reviewing accidental discharge procedures.
- f) Fees for filing appeals.
- g) Noncompliance fees.
- h) Extra strength charges; surcharge fees. These fees shall be assessed based on the pounds discharged of a constituent above stated permit conditions or allowable limits. AT NO TIME shall any user affected by Categorical Standards be permitted to discharge wastewater to the POTW in violation of Categorical Standards.
- i) Administrative fees for compensation for damages in accordance with Section 13-01.
- j) Other fees deemed necessary by the Reclamation Authority to implement the provisions of this Ordinance.

The Reclamation Authority may incorporate the equivalent amount of any of the above fees into its sewer charges.

11-03 - Payment of Fees

Except as otherwise provided, all fees charged pursuant to the provisions of this Regulation are due and payable upon receipt of notice thereof.

The connection fee for a parcel shall be payable and collected at the time of final inspection or the date the certificate of occupancy is issued for improvements to the subject parcel, whichever occurs first.

All fees shall become delinquent thirty (30) days after mailing notice thereof to the mailing address of the discharger subject to such charges. The Reclamation Authority may impose a late fee on any charge that becomes delinquent as determined by the collection policy adopted by the Reclamation Authority from time to time. Such late fee shall accumulate on the unpaid balance of the delinquent charge until payment is received by the Reclamation Authority. The Reclamation Authority may further recover costs associated with the recovery of delinquent charges.

ARTICLE 12: EXECUTIVE PROVISIONS

12-01 - Right of Revision

The Reclamation Authority may from time to time, in its discretion and by resolution or Ordinance, amend the Rules and Regulations which govern the discharge of wastewater so as to keep the Reclamation Authority in compliance with evolving State and Federal Law.

12-02 - Right of Waiver

In the event of any declared local, State, or Federal emergency, the provisions of this Ordinance may be waived by resolution of the Board of Commissioners.

12-03 - Severability

If any provision, paragraph, word, section or article of this Ordinance is invalidated by any court of competent jurisdiction, the remaining provisions, paragraphs, words, sections and articles shall not be affected and shall continue in full force and effect.

12-04 - Conflict

If any discrepancy between this Ordinance and the Rules and Regulations of a Member Entity exists, the more restrictive ordinance shall govern.

All other Reclamation Authority ordinances and parts of other Reclamation Authority ordinances inconsistent or conflicting with any part of this Ordinance are hereby repealed to the extent of such inconsistency or conflict.

ARTICLE 13: ENFORCEMENT

13-01 - Compensation for Damages

Any person who, by discharge of wastewaters or by any other means, damages monitoring equipment, detrimentally affects wastewater treatment processes, significantly increases POTW operation costs, requires non-routine inspection and/or sampling, causes blockages of, damage to, interference with or pass-through from the POTW, or causes any other damages including the imposition of fines or penalties on the Reclamation Authority by Federal, State or local regulatory agencies, shall be liable to the Reclamation Authority for all damages and additional costs, including said fines or penalties, occasioned thereby. An administrative fee of twenty-five (25) percent of the Reclamation Authority's costs may be added to these charges and shall be payable within thirty (30) days of invoicing by the Reclamation Authority.

13-02 - Revocation of Permit

Any User who violates the following conditions of this Ordinance, or applicable State and Federal regulations, is subject to having his permit revoked:

- a) Failure of the User to factually report the wastewater constituents and characteristics of his discharge;
- b) Failure of the User to report significant changes in operations or wastewater constituents and characteristics;
- c) Failure of the User to provide reasonable access to the User's premises for the purpose of inspection or monitoring;
- d) Tampering with monitoring requirement;
- e) Failure to complete a wastewater survey or the Nondomestic Wastewater Discharge Permit Application;
- f) Failure of the User to pay fees, fines, and charges for use established pursuant to these Rules and Regulations; or
- g) Violation of conditions of the permit, ordinance, and/or compliance schedules.

13-03 - Notification of Violation

Whenever the Manager finds that any User has violated or is violating any applicable Pretreatment Standard or requirement contained in this Ordinance or the Nondomestic Wastewater Discharge Permit, the Manager may serve upon such person a written notice stating the nature of the violation and stating the penalties for continued noncompliance. If required in the notice, such User shall submit to the Manager, within a prescribed period specified in the notice, a Specific Compliance Plan pursuant to Section 08-09.4(c). Submission of such a plan in no way relieves the User of liability for any violations occurring before or after receipt of the Notice of Violation. Nothing in this Section shall limit the authority of the Manager to take any action, including emergency actions or any other enforcement action, without first issuing a Notice of Violation.

13-04 - Compliance Time Schedule

The Manager may adopt a proposed Compliance Time Schedule submitted by the User, or may adopt a revised Compliance Time Schedule if, in the judgment of the Manager, the proposed Compliance Time Schedule is unreasonable. The Manager will notify the User of the Adopted Compliance Time Schedule in a timely manner. The Manager shall not adopt a Compliance Time Schedule which extends beyond applicable federal deadlines. Nothing in this Section shall limit the authority of the Manager to take any action, including emergency actions or other enforcement action, without first adopting a Compliance Time Schedule

13-05 - Administrative Orders

The Manager may require compliance with any prohibition, limitation, or requirement of this Ordinance or the provisions of a Nondomestic Wastewater Discharge Permit by issuing administrative orders that are enforceable in a court of law or by directly seeking court action. Nothing in the following Sections shall limit the authority of the Manager to take any action, including emergency actions or any other enforcement action, without first issuing administrative orders. Administrative orders may include:

- a) Stop Work Orders: The Manager may direct the Local Sewering Agency to serve a written stop work order on any person(s) engaged in doing or causing to be done new construction, tenant improvements, alterations, or additions, if violations of this Ordinance are found at the site of the new construction, tenant improvements, alterations, or additions.
 - Any person served a Stop Work Order shall stop such work forthwith until written authorization to continue is received from the Manager and the Member Entity.
- b) Compliance Orders: When the Manager finds a discharge of wastewater has violated or threatens to violate any prohibition or limitation of this Ordinance or the provisions of a Nondomestic Wastewater Discharge Permit, the Manager may issue a Compliance Order and direct those persons not complying with such prohibitions, limitations, requirements, or provisions to:
 - 1. Comply immediately; or
 - 2. Comply in accordance with a specific compliance time schedule.
 - A Compliance Order may include modifications in the frequency and extent of monitoring sampling and analysis, and submission of self-monitoring reports. A Compliance Order may also establish a noncompliance monitoring program, or include modifications to an existing noncompliance monitoring program.
- c) Cease and Desist Orders: When the Manager finds that any User has violated or threatens to violate any provision of this Ordinance or its Nondomestic Wastewater Discharge Permit, the Manager may issue a Cease and Desist Order directing the User to:
 - 1. Comply immediately; or
 - 2. Comply in accordance with a time schedule specified in the Cease and Desist Order.

- A Cease and Desist Order may include modifications in the frequency of monitoring, testing, and submission of self-monitoring reports. A Cease and Desist Order may also establish a noncompliance monitoring program.
- d) Cease Discharge Orders: When the Manager finds that any User has violated or threatens to violate any provision of this Ordinance or its Nondomestic Wastewater Discharge Permit, the Manager may revoke or suspend the User's Wastewater Discharge Permit and terminate sewer service to that User upon issuance of a Cease Discharge Order. The User shall be liable for all costs for termination of sewer service incurred by the User and the Reclamation Authority.
 - This provision is in addition to other statutes, rules, or regulations authorizing termination of service for delinquency in payment, or for any other reason. Sewer service shall be reinstituted by the Manager after the User has complied with all provisions in the Administrative Order. The User shall be liable for all costs for reinstituting sewer service.
- e) Immediate Termination of Service: The Manager may immediately suspend wastewater treatment service and any Nondomestic Wastewater Discharge Permit when such suspension is necessary, in the opinion of the Manager, to stop an actual or threatened discharge which presents or may present an imminent or substantial endangerment to the health or welfare of persons, the environment, or causes interference to the POTW. Other conditions that may subject the User to termination of service include:
 - 1. Failure to accurately report the wastewater constituents and characteristics of its discharge;
 - 2. Failure to report significant changes in operations or wastewater volume, constituents, and characteristics prior to discharge; or
 - 3. Refusal of reasonable access to the User's premises for the purpose of inspection, monitoring, or sampling

Any User notified that wastewater treatment service and any Nondomestic Wastewater Discharge Permit has been suspended, shall immediately stop and eliminate the applicable contributions to the POTW. In the event of failure to comply voluntarily with the suspension order, the Manager shall take steps as deemed necessary including directing the Member Entity to immediately sever the sewer connection. The User shall be liable for all costs incurred by the Reclamation Authority in terminating sewer service. Sewer service shall be reinstituted by the Manager after the actual or threatened discharge has been eliminated. A detailed written statement, submitted by the User, describing the causes of the harmful contribution and the measures taken to prevent any future occurrence shall be submitted to the Manager within fifteen (15) days of the date of sewer service termination.

f) Notices of Discharge Prohibition: The Manager may serve a written Notice of Discharge Prohibition on any person(s) engaged in any activity or activities which, while not resulting in a discharge of nondomestic wastewater to the POTW at the time, may, in

the Manager's judgment, result in a discharge of nondomestic wastewater at some time in the future. A Notice of Discharge Prohibition shall include at least the following:

- 1. A list or citation of general discharge restrictions and prohibitions;
- 2. A list of any Categorical Standards that would be applicable upon commencement of nondomestic wastewater discharge;
- 3. A requirement to apply for and obtain a nondomestic wastewater discharge permit prior to commencing discharge of nondomestic wastewater to the POTW;
- 4. A requirement for notification of slug or accidental discharges; and
- 5. A statement of applicable civil and criminal penalties for violation of Pretreatment Standards and requirements.

A Notice of Discharge Prohibition may also contain one or more of the following:

- 1. A requirement to prepare and submit a Slug Discharge Control Plan;
- 2. A requirement to install and maintain one or more spill containment systems;
- 3. A requirement for maintaining and retaining plant records relating to wastes removal from the facility; and
- 4. A requirement to submit an annual written statement to the Manager certifying that no nondomestic wastewater has been discharged to the POTW during the previous year other than discharges of which the Manager was properly notified, and that no nondomestic wastewater will be discharged during the forthcoming year without proper notification and/or obtaining a Nondomestic Wastewater Discharge Permit.

13-06- Noncompliance Monitoring Program

- a) If sampling by Reclamation Authority or User indicates that the User is discharging constituents in violation of the mass emission or concentration limits established by Reclamation Authority resolution or contained in User's Nondomestic Wastewater Discharge Permit, then the User must notify the Manager within twenty-four (24) hours of becoming aware of the violation. The User shall collect a follow-up sample (as directed by Manager). The User shall submit the completed sample analysis to the Reclamation Authority within thirty (30) days of notification by the Reclamation Authority.
- b) If the follow-up sample indicates noncompliance with permit requirements, the User may be required by the Reclamation Authority to immediately initiate a noncompliance monitoring program requiring additional sampling and reporting by the User in accordance with a schedule issued by the Manager. During the program, the User may be subject to noncompliance fees established by Reclamation Authority resolution. Fees may be required for each sample analysis indicating violation or violations of limits specified in User's permit or established by Reclamation Authority resolution. User may also be subject to a fee for each sample analysis not submitted by the User to the Reclamation Authority in accordance with the schedule specified in the program.
- c) The noncompliance monitoring program may be terminated by the Reclamation Authority upon the User's demonstration of a return to compliance. To demonstrate a

- return to compliance, the User must either terminate discharge or provide analyses showing consistent compliance over a period of not less than 30 days or as specified in the Program.
- d) The payment of noncompliance fees by Users shall not bar the Reclamation Authority from undertaking any other enforcement procedures specified herein.

13-07 - Administrative Hearing

Any User may request, or the Manager may order, an Administrative Hearing, at which a User who causes or allows or who has caused or allowed an unauthorized discharge to enter the POTW shall show cause why the proposed enforcement action should not be taken. An Administrative Hearing Officer who is a Reclamation Authority Officer not directly involved in the enforcement of this Ordinance, shall preside over the Administrative Hearing, at which each party, including the User and the Manager, shall have the right to present evidence. A notice shall be served on the User specifying the time and place of the hearing regarding the violation, the reasons why the action is to be taken, the proposed enforcement action, and directing the User to show cause before the Administrative Hearing Officer why the proposed enforcement action should not be taken. The notice of the hearing shall be served personally or by registered or certified mail (return receipt requested) at least ten (10) days before the hearing. Service may be made on any agent or officer of the User.

13-08 - Annual Public Notice of Significant Noncompliance

In March of each year, the Reclamation Authority shall publish in the newspaper with the largest daily circulation in the Victor Valley Wastewater Reclamation Authority service area a list of all Industrial Users which have been in Significant Noncompliance with applicable Pretreatment Standards or Requirements during the previous calendar year.

13-09 - Legal Action

If any User violates the provisions of this Ordinance, Federal or State Pretreatment requirements, or any order of the Reclamation Authority, the Reclamation Authority Attorney may commence an action for appropriate legal, equitable, and/or injunctive relief in the Municipal or Superior Court of San Bernardino County.

In addition to the penalties provided herein, the Manager may recover reasonable attorney fees, court costs, court reporters' fees, and other expenses of litigation by appropriate suit at law against the person found to have violated any of the provisions of this Ordinance or the orders, rules, regulations, and permits issued thereunder.

13-10 - Injunctive Relief

When the Manager finds that a User has violated, or continues to violate, any provision of this Ordinance, its Nondomestic Wastewater Discharge Permit, or order issued hereunder, or any other Pretreatment Standard, the Manager may petition the Municipal or Superior Court of San

Bernardino County through the Reclamation Authority Attorney for the issuance of a temporary or permanent injunction, as appropriate, which restrains or compels the specific performance of the Nondomestic Wastewater Discharge Permit or other requirements imposed by this Ordinance on activities of the User. The Manager may also seek such other action as is appropriate for legal and/or equitable relief, including a requirement for the User to conduct environmental remediation. A petition for injunctive relief shall not be a bar against, or a prerequisite for, taking any other action against a User.

13-11 - Civil Penalties

Any User who is found to have violated any prohibition, limitation or requirement of this Ordinance or of his Nondomestic Wastewater Discharge Permit or an administrative order shall be subject to civil penalty of not less than one thousand dollars (\$1,000) nor more than twenty-five thousand dollars (\$25,000) for each offense per day. Each violation shall be considered a separate and distinct offense, and each day on which a violation shall occur or continue shall be deemed a separate and distinct offense. In addition to the penalties provided herein, the Reclamation Authority may recover reasonable attorneys' fees, court costs, court reporters' fees and other expenses of litigation by appropriate suit at law against the person found to have violated this Ordinance or the orders, rules, regulations, and permits issued hereunder.

Civil Penalties may be imposed, assessed and recovered by action commenced in the Superior Court through petition by the Manager pursuant to Section 54740 of the California Government Code, or by Administrative Hearing in accordance with Section 13-07. Assessment of Civil Penalties through the Administrative Hearing Process shall be in accordance with Section 54740.5 of the California Government Code.

13-12 - Criminal Penalties

Any person who willfully violates any provision of this Ordinance or permit condition; who knowingly violates any stop work order, cease and desist order, prohibition or effluent limitation; who knowingly makes any false statements, representation, or certification in any application, record, report, plan, or other document filed or required to be maintained pursuant to this Ordinance or a Nondomestic Wastewater Discharge Permit; or who falsifies, tampers with, or knowingly causes inaccuracy in any monitoring device or method required or authorized under this Ordinance, shall, upon conviction, be guilty of a misdemeanor which is punishable by a fine not to exceed one thousand dollars (\$1,000.00) or by imprisonment for a period of not more than six (6) months or by both such fine and imprisonment. Each such person shall be deemed guilty of a separate offense for every day during any portion of which any violation of any provisions of this Ordinance is committed, continued, or permitted by such person, and shall be punishable for that violation as provided by this Section.

13-13 – Remedies Nonexclusive

The remedies provided for in this ordinance are not exclusive. The Manager may take any, all, or any combination of these actions against a noncompliant User. Enforcement of pretreatment violations will generally be in accordance with the Enforcement Response Plan. However, the

Manager may take other action against the User when the circumstances warrant. Further, the Manager is empowered to take more than one enforcement action against any noncompliant User.

13-14 - Payment of Penalties

Except as otherwise provided, all penalties made pursuant to the provisions of this Ordinance are due and payable upon receipt of notice thereof. All such penalties shall be delinquent thirty (30) days after mailing notice thereof to the mailing address of the User subject to such penalties. A penalty that becomes delinquent may have added to it a delinquency charge equal to the maximum interest permitted by law.

13-15 - Collection

Upon motion of the Board of Commissioners of the Reclamation Authority, any charge and all penalties and delinquency charges thereon shall be collected by lawsuit in the name of the Reclamation Authority. Any such action for collection may include an application for an injunction to prevent repeated and recurring violations of this Ordinance.

13-16 - Enforcement Response Plan

The Manager shall prepare, implement, and, if necessary, periodically update an Enforcement Response Plan in conformance with EPA guidelines contained in 40 CFR Part 403.8(f) (5).

END OF TEXT OF ORDINANCE

Approval and Adoption

THIS ORDINANCE NO. 001 IS APPROVED AND ADOPTED ON: May 20, 2015

Jeffrey Rigney,

Chair VVWRA Board of Commissioners

APPROVED AS TO FORM:

ATTEST:

Piero C. Dallarda of Best Best & Krieger

LLP VVWRA General Counsel

James Kennedy,

Secretary VVWRA Board of Commissioners

Certification

I, Kristi Casteel, Secretary to the Board of Commissioners ("Commission") of the Victor Valley Wastewater Reclamation Authority, certify that the foregoing Ordinance was introduced at a regular meeting of the Board of Commissioners on the [DATE], and was adopted by the Commission at a regular meeting held on the [DATE], by the following vote of the
Commissioners:
AYES:
NOES:
ABSTAINED:
ABSENT:
IN WITNESS WHEREOF, I have hereunto set my hand and affixed the official

seal of the Victor Valley Wastewater Reclamation Authority on this [DATE]. 5/20//5

Secretary to the Board of Commissioners

Form of Certificate of Adequacy of Sewerage System

It is hereby understood by all persons signing this certificate that the Member Entity will not consider allowing use of its facilities by this land development without having received the representations contained herein.

I certify that the following statements are true:

- 1. I hold a currently valid certificate of registration as a Civil Engineer issued pursuant to Section 6700 et. seq. of the Business and Professions Code, State of California. I am further qualified by experience to design sewage systems.
- 2. The sewerage system has been designed in accordance with good engineering practice and meets all of the requirements of Victor Valley Wastewater Reclamation Authority and the Member Entity having jurisdiction.
- 3. All design criteria and the materials and methods of construction specified for use in this sewerage system meet or exceed standards adopted and approved by the Victor Valley Wastewater Reclamation Authority and the Member Entity.

Signature	Date
4. The Member Entity hereby agrees that a available to accept sewerage contributing year(s) from the execution date of this certain	·
Member Entity Signature	Date

Table I: Specific Local Pollutant Concentration Limits

Daily Maximum Concentration for Permitted Industrial Dischargers:

рН	5 to 11
Pollutant	Concentration Limit (mg/l)
Arsenic	1.5
Barium	10.0
Biochemical Oxygen Demand (BOD)	50,000
Boron	1.04
Cadmium	0.2
Chromium, Total	2.0
Copper	2.2
Cyanide	.0.12
Fluoride	1,000
Iron	200
Lead	1.7
MBAS (Surfactants)	100
Mercury	0.1
Methyl Tert Butyl Ethylene (MTBE)	0.0005
Nickel	2.0
Nitrogen, Ammonia	500
Selenium	1.0
Silver	0.4
Tetrachloroethene (TCE or PCE)	0.53
Toluene	1.53
Total Dissolved Solids (TDS)	1,000
Total Petroleum Hydrocarbons (TPH)	500
Zinc	2.3

Adopted July 25th 2001

Table II: Fee Schedule

Victor Valley Wastewater Reclamation Authority Fee Schedule

Effective July 1st 2014

Connection Fees: \$4000 per EDU*

User Charges: Unit Cost (\$/MG)

FY 13-14	FY 14-15	FY 15-16	FY 16-17	FY 17-18
\$2,528	\$2,756	\$3,004	\$3,274	\$3,503

High Strength Surcharges:

Refer to the attached worksheet for an example of the calculation used to determine the surcharge rate.

FY 13-14: \$2,528

BOD	\$/LB Applied to Concentrations above 200 mg/	/L
-----	---	----

TSS \$/LB Applied to Concentrations above 250 mg/L

NH3 \$/LB Applied to Concentrations above 250 mg/L

FY 14-15: \$2,756

BOD \$/LB Applied to Concentrations above 200 mg/L

TSS \$/LB Applied to Concentrations above 250 mg/L

NH3 \$/LB Applied to Concentrations above 250 mg/L

FY 15-16: \$3,004

BOD \$/LB Applied to Concentrations above 200 mg/L

TSS \$/LB Applied to Concentrations above 250 mg/L

NH3 \$/LB Applied to Concentrations above 250 mg/L

FY 16-17: \$3,274

BOD \$/LB Applied to Concentrations above 200 mg/L

TSS \$/LB Applied to Concentrations above 250 mg/L

NH3 \$/LB Applied to Concentrations above 250 mg/L

FY 17-18: \$3,503

BOD \$/LB Applied to Concentrations above 200 mg/L

TSS \$/LB Applied to Concentrations above 250 mg/L

NH3 \$/LB Applied to Concentrations above 250 mg/L

Septage Receiving Fee: \$.0936 per gallon

^{*}EDU=Equipment Dwelling Unit (245 gallons/day or 20 fixture units)

Victor Valley Wastewater Reclamation Authority

High Strength Surcharge

Example Worksheet

FOR EXAMPLE ONLY User Charges from Member Agencies				\$ 10,112,000					
Unit User Charge per MG				\$2,528.00					
Estimated Treatment Flow (MG)				4,000					
Estimated Treatment Flow (1710)				4,000					
	Influent mg/l	Influent lbs/day	Effluent mg/l	Effluent lbs/day	Removal lbs/day	Removal lbs/year	Percent of Cost	Removal Cost/lb	Unit Cost
FOR EXAMPLE ONLY					-				
BOD	400.00	36,559	4.00	366	36,193	13,210,560	35.0%	\$3,539,200	\$0.2679
TSS	300.00	27,419	2.21	202	27,217	9,934,274	25.0%	\$2,528,000	\$0.2545
NH3	30.00	2,742	0.10	9	2,733	997,464	30.0%	\$3,033,600	\$3.0413
Annual Flow - MG per Day									
4,380 MG / 365 days		10.96					10.0%	\$1,011,200	
							100.0%	\$10,112,000	
			BOD	TSS	NH3				
			\$/lb	\$/lb	\$/lb				
FOR EXAMPLE ONLY									
Surcharge Rates:			\$0.2679	\$0.2545	\$3.0413				
Applied to Concentrations Above:			200 mg/l	250 mg/l	20 mg/l				
					_				
FORMULAS lbs/day = flow (mgd) x concentration (mg/l) x weight of water (8.34 lbs/gal)									
BOD									
Influent	(flow mod)	v (influent	mg/l) v 8 34	lbs/gal = lbs/day					
Effluent				lbs/gal = lbs/day					
Linden	(How Ingu)	x (citiuciii	ing i) x 6,54	ios gai – ios day					
TSS									
Influent	(flow mad)	v (influent	mir/1) v 8 34	lbs/gal = lbs/day					
Effluent				lbs/gal = lbs/day					
Emident	(now ingu)	x (ciridein	ing i) x o.54	103 gai - 103/ day					
NH3									
Influent	(flow mad)	v (influent	mg/l) x 8 34	lbs/gal = lbs/day					
Effluent				lbs/gal = lbs/day					
	(11011 11164)	(011140111		too gat too day					
REMOVAL									
Per day:	Influent lb/c	lav - Efflue	ent lh/day = R	emoval lbs/day					
Per year:		-	= Removal lb						
a year.	reditio (at 10	aaj n 505	Tronno van re	yeu.					
REMOVAL COST									
Per lb:	Total user o	ost x 35%	= Removal co	nst/lh					
Per unit:			noval lb/year	03010					
			ur io yeur						
Note:									
1.BOD, Biochemical Oxygen Demand, use the a	nnual averag	e from the	nrior year An	mual Discharge M	fonitoring R	enort			
	ur urelag	- monnation	prior Jean Au	and Disciming It	wentering I	eport.			

Table III: Unit Operations and Maintenance Cost Determination

SEE ATTACHED



Unit Operations and Maintenance Cost Determination
Black & Veatch Financial Plan Update Project # 180373.0100
VVWRA Board Adopted 20 February 2014 Table III:

green.	VVWRA Board Adopted 20 February 2014 FISCAL YEAR ENDING JUNE 30,							
LINE		DESCRIPTI	ON	FY 2014	FY 2015		The state of the s	minose.
NO.				(\$000s)	(\$000s)	FY 2016 (\$000s)	FY 2017 (\$000s)	FY 2018 (\$000s)
Reven	ues							
	Rate Rever	nues						
1	Revenue fi	rom Existing	Rates	11,133	11,226	11,410	11,595	11,779
	Year	Months Effective	Rate Adjustment					
2	FY 2014	12	0.00%	0	0	0	0	0
3	FY 2015	12	9.00%		1,010	1,027	1,044	1,060
4	FY 2016	12	9.00%			1,119	1,138	1,156
5	FY 2017	12	9.00%				1,240	1,260
6	FY 2018	12	7.00%					1,068
7	Revenues	due to Adjus	tments	0	1,010	2,146	3,422	4,544
8	Subtotal R	ate Revenue:	S	11,133	12,236	13,556	15,017	16,323
	Other Oper	uting Revenu	ies					
9		gth/Septage ent and Othe		297	297	297	297	297
10	Grants (Tit	tle 22/Prop 8	34/SWRCB)	3,750	0	0	0	0
11	Interest Ea	ırnings		1	6	24	65	147
12	Subtotal O	ther Operatio	ng Revenues	4,048	303	321	362	444
13	Total Rev	enues		\$15,181	\$12,539	\$13,877	\$15,379	\$16,767
Reveni	ue Requirer	nents						
	Operating .	& Maintenan	ce					
14	O&M Expe	nse		12,484	10,764	11,088	11,421	11,764
15	Subtotal O	&M Expense		12,484	10,764	11,088	11,421	11,764
	Debt Service							
16	Existing SR	IF Loans		782	782	782	782	782
17	Propused S	RF Loans		0	0	41	978	2,036
18	Subtotal D	ebt Service		782	782	823	1,750	2.818
	Transfers							
19	For Capital	Improveme	nt Projects	1,723	850	200	75	0
20	Subtotal To	otal Transfer	5	1,723	850	200	75	U

Table III: Unit Operations and Maintenance Cost Determination
Black & Veatch Financial Plan Update Project # 180373.0100
VVWRA Board Adopted 20 February 2014

LINE	DECCRIPTION		FISCAL YEAR ENDING JUNE 30,				
NO.	DESCRIPTION	FY 2014 (\$000s)	FY 2015 (\$000s)	FY 2016 (\$000s)	FY 2017 (\$000s)	FY 2018 (\$000s)	
21	Total Revenue Requirements	\$14,989	\$12,396	\$12,111	\$13,256	\$14,582	
22	Net Annual Cash Balance	192	143	1,766	2,123		
23	Beginning Fund Balance	2,047	2,239	2,382		2,185	
24	Net Cumulative Fund Balance	2,239	2,382		4,148	6,271	
Fund R	leserve Targets	,	#100 <u>E</u>	4,148	6,271	8,456	
25	Operating Reserve = 10% of O&M	1,248	1,076	1,109	1,142	1,176	
26	SRF Reserve = 1-yr P&I Payment	782	782	823	1,760	2.818	
Debt Se	ervice Coverage Ratios				1,700	2,010	
27	Debt Service Coverage (Existing)	1.27	0.83	1.31	1.06		
28	Debt Service Coverage (All Debt)	1.27	0.83	1.28	1.86 1,27	2.35	

		6

2014 Statement of Findings

WHEREAS, Ordinance No. 001 of the Victor Valley Wastewater Authority ("VVWRA") was adopted by the Board of Commissioners ("Commission") of VVWRA on October 8, 1980, (also known as Ordinance No. 80-19), and has been amended from time to time, including the adoption of the amendments set forth in Ordinance No. 001B, 001C, 001D and 001E (collectively, "Ordinance No. 001")

WHEREAS, Ordinance No. 001 as currently adopted establishes the rules and regulations for the implementation, financing, operation and maintenance, and enforcement of the regional sewerage system which is used by VVWRA to provide sewerage service within its boundaries and further establishes and imposes a schedule of user fees for services provided by the collection and treatment system owned, maintained and operated by VVWRA;

WHEREAS, the Commission believes that it is necessary and desirable to update the rules and regulations in Ordinance No. 001 to better describe the terms of sewerage service and clarify the administrative processes of VVWRA for the benefit of the member entities and the users within the boundaries of VVWRA;

WHEREAS, the Commission has reviewed the findings contained in the original Ordinance No. 80-19 with respect to the adoption of the rules and regulations contained in Ordinance No. 001 and believes that such findings continue to provide a valid basis for this Ordinance;

WHEREAS, Article 10, Section 10-01.2 of Ordinance No. 001 provide in pertinent part that the Commission reserves the right to change the schedule of regional sewer service charges and other charges and fees from time to time as necessary for the proper operation, maintenance, repair, replacement, and expansion of the regional system and to ensure compliance with regulatory requirements;

WHEREAS, the funds collected pursuant to Ordinance No. 001 as amended are used to pay for the cost of operating and maintaining the collection and treatment systems owned, maintained and operated by VVWRA and to ensure compliance with regulatory requirements;

WHEREAS, since the last increase in sewer user charges, provided for in Table II of Ordinance No. 001 and Resolutions 1995-14, 2004-9 and 2010-13, the cost of operating and maintaining VVWRA's sewer-system has increased;

WHEREAS, absent a sewer user charge increase, VVWRA will incur a deficit due to the costs of operating and maintaining the sewer system exceeding the amount of revenue which VVWRA presently receives in sewer user charges under the existing rate;

WHEREAS, the Commission believes that it is necessary and desirable to operate the sewer system on a basis which does not require substantial subsidization from other sources of VVWRA revenues;

WHEREAS, the Board finds that this Ordinance would authorize a rate increase for purposes of meeting ongoing operational expenses, maintenance obligations, purchasing supplies, and implementing infrastructure projects for which environmental review has already been completed (specifically including the Subregional Wastewater Reclamation Plant Projects reviewed pursuant to an Environmental Impact Report under State Clearinghouse No. 2010051087 and the Nanticoke Gravity Sewer Interceptor Project reviewed pursuant to an Environmental Impact Report under State Clearinghouse No. 2010061016; therefore the Board finds that the rate increase is statutorily exempt from further environmental review under State CEQA Guidelines § 15273;

WHEREAS, a study was conducted on behalf of VVWRA by Black and Veatch in February, 2014, and was received, filed and approved by the Commission on February 20, 2014 (the "Study");

WHEREAS, the Study, a copy of which is attached to this Ordinance and incorporated herein by this reference, determined different levels of charges VVWRA could impose up to \$3,503.00 per one million gallons;

WHEREAS, in light of regulatory requirements as well as costs of operations and maintenance, VVWRA will incur a deficit due to the costs of operating and maintaining the sewer system exceeding the amount of revenue which VVWRA presently receives in sewer user charges under the existing rate;

WHEREAS, (1) after discussing these matters with staff for its member entities, (2) considering studies conducted on behalf of the Commission by consultants; (3) making presentations to staff and the public in open session about the needs to increase the charges mentioned above; and, (4) conducting the necessary notice and public hearing process in the matter, the Commission believes that an increase of the sewer user charges set forth in Sections 2 and 4 below is necessary in light of the findings above;

NOW THEREFORE, the Board of Commissioners of the Victor Valley Wastewater Reclamation Authority hereby ordains as follows:

Section 1. Findings. The Board of Commissioners asserts and adopts the findings set forth above;

Section 2. <u>Increase In Sewer User Charges.</u> The current User Fee Schedule is hereby increased, in terms of volume alone and in terms of monthly charges as follows:

Expressed in terms of millions of gallons, the User Fee Schedule will be increased from \$2,528.00 (two thousand, five hundred and twenty-eight dollars) per one million gallons to

\$2,756.00 (two thousand, seven hundred and fifty six dollars) per one million gallons effective July 1, 2014.

Expressed in terms of millions of gallons, the User Fee Schedule will be increased from \$2,756.00 (two thousand, seven hundred and fifty six dollars) per one million gallons to \$3,004.00 (three thousand, and four dollars) per one million gallons effective July 1, 2015.

Expressed in terms of millions of gallons, the User Fee Schedule will be increased from \$3,004.00 (three thousand, and four dollars) per one million gallons to \$3,274.00 (three thousand, two hundred and seventy four dollars) per one million gallons effective July 1, 2016.

Expressed in terms of millions of gallons, the User Fee Schedule will be increased from \$3,274.00 (three thousand, two hundred and seventy four dollars) per one million gallons to \$3,503.00 (three thousand, five hundred and three dollars) per one million gallons effective July 1, 2017.

- **Section 3.** Repeal Of Existing Ordinance No. 001. Ordinance No. 001, as most recently amended by Ordinance 001E, is hereby repealed in its entirety. Upon this Ordinance taking effect as set forth in Section 5 below, the existing Ordinance No. 001 shall have no further force or effect.
- **Section 4.** Adoption of This Ordinance. This new Ordinance No. 001 is hereby adopted in its entirety along with the tables and attachments thereto.
- Section 5. <u>Effective Date.</u> This Ordinance shall take effect and be in full force thirty (30) days after its adoption. Prior to the expiration of the fifteen (15) days from its adoption, the Ordinance or a summary of it shall be published in The Daily Press, a newspaper of general circulation within the boundaries of the Victor Valley Wastewater Reclamation Authority, or a newspaper of substantially equivalent circulation.


Black and Veatch Study

SEE ATTACHED

		ń	ħ.

FINAL 2014 FINANCIAL PLAN UPDATE

B&V PROJECT NO. 180373.0100



PREPARED FOR

Victor Valley Wastewater Reclamation Authority

FEBRUARY 12, 2014



	*		

Table of Contents

1	Introd	uction	1
1.1	Backgr	ound	1
	1.1.1	Composition and Governance	1
	1.1.2	Facilities and Services	
	1.1.3	Responding to Demand for Services	3
	1.1.4	Financial Plan Update - Capacity Fee Study	4
1.2	Disclai	mer	4
2	Waste	water Financial Plan	5
2.1	Reveni	ueS and Revenue Requirements	5
2.2		ner Projections	
2.3	Reveni	ue Under Existing Rates	6
2.4	Other l	Revenue	7
2.5	Operat	ing and Maintenance Expenses	7
2.6	Debt S	ervice Requirements	7
2.7	Capital	Improvement Program	8
	2.7.1	Subregional Treatment Plants	10
	2.7.2	Other CIP Projects	11
2.8	Project	ted Capital Results	
	2.8.1	Subregional Financing	14
2.9	Project	ted Operating Results	16
3	Propos	sed Rate Adjustments	23

1 Introduction

This report was prepared for Victor Valley Wastewater Reclamation Authority (VVWRA) to document the update of VVWRA's multi-year financial plan. The specific goals of the study were to:

- Review and evaluate existing conditions affecting wastewater rates;
- Update the financial plan covering a five-year study period from fiscal years (FY) 2014 to 2018 covering ongoing operations, debt service, and planned capital improvements, including the subregional treatment plants; and
- Develop suitable rates that produce revenues adequate to meet financial needs of VVWRA.

1.1 BACKGROUND

Located in San Bernardino County, Victor Valley Wastewater Reclamation Authority operates as a Joint Power Authority in which it serves as a regional wastewater provider to over 280,000 residential, commercial, industrial, and institutional connections. As a regional wastewater treatment provider, VVWRA serves the City of Hesperia, City of Victorville, Town of Apple Valley and the County of San Bernardino Service Areas No. 42 (Oro Grande) and No. 64 (Spring Valley Lake). VVWRA maintains wastewater transmission and treatment facilities within the service area and supplies recycled water to customers. VVWRA's major treatment facility consists of an 18 million gallons per day (MGD) regional treatment plant located in the City of Victorville.

1.1.1 Composition and Governance

VVWRA is a joint power authority whose members are the City of Victorville, the City of Hesperia, the Town on Apple Valley and the County of San Bernardino Services Areas No. 42 and No. 64. VVWRA has been operating in the Victor Valley since its inception in 1976. The governing board for the agency, i.e., the Commission or Board, is composed of 4 (four) board members: one representative from each municipality and a representative for the County of San Bernardino Services Areas Nos. 42 and 64.

VVWRA's Board has created different committees to address and review VVWRA's planning, operational and financial needs. VVWRA's Engineering Committee is composed of two Commissioners and members of the engineering and public works departments of the member entities. The Engineering Committee meets regularly to review VVWRA's operational issues and future needs. The Financing Committee is composed of two Commissioners and some of the financial officers of the member entities. The VVWRA Board forms other committees from time to time to address issues that are more specific.

1.1.2 Facilities and Services

VVWRA collects wastewater from the member agencies primarily from the member entities' trunk sewers and conveys the wastewater to VVWRA's regional plant for treatment and disposal through VVWRA's interceptor lines.

1.1.2.1 The Regional Plant

The State of California has hydraulically rated and permitted the Regional Plant to treat 18 MGD of flow. Built in 1982, the plant has undergone several upgrades in terms of capacity and water treatment levels. RBF Consulting provided engineering services for the previous expansion to 14.5 MGD and the latest 18 MGD Expansion Project (completed in mid-2008). The latest

expansion included four new primary clarifiers, four additional aeration basins, a second blower building, four new secondary clarifiers, two new anaerobic digesters, seven additional sludge drying beds, four additional percolation ponds, generator upgrades to meet air quality regulations, a new septage receiving station, and miscellaneous improvements. These facilities were necessary to meet both increased volume and always changing strict water treatment and water quality requirements imposed and regulated primarily by the Environmental Protection Agency and the Water Quality Control Board, Lahontan Region. Regulatory constraints by these agencies in terms of water quality treatment, such as nitrogen removal, have reduced the actual treatment capacity to approximately 13.8 million gallons per day. Currently, VVWRA treats approximately 12.4 MGD using Biological Nutrient Removal, (BNR) processes. VVWRA's Regional Plant also discharges clean recycled water into the Mojave River as part of a Memorandum of Understanding with the California Department of Fish and Wildlife.

1.1.2.2 Regional Interceptor Sewer System Expansion

VVWRA interceptors/sewer pipelines serve an area of 600 square miles. VVWRA constructs and maintains over 41 miles of interceptor lines that collects sewage from the member entities sewer trunk lines. The size of the VVWRA interceptor lines varies between 8 and 42 inches. In late December 2010, due to the significant and unprecedented storm event that overwhelmed the Victor Valley, VVWRA interceptors suffered substantial damage. Record flows in the Mojave River caused sand and debris to infiltrate the system in the Upper Narrows area causing a blockage. As a result, a release of a mixture of river water and wastewater occurred below the surface of the Mojave River.

In the nine days following the discovery of the damaged pipe, VVWRA built an emergency bypass to circumvent the damaged section of pipeline. It took roughly 5,000 feet of pipe and the construction of a pipe bridge to complete the project. The VVWRA Board of Commissioners recently approved a plan to repair the damaged pipeline by removing it from the river and tunneling through the Upper Narrows. Although the Federal Emergency Management Agency (FEMA) and the California Office of Emergency Services (CalOES) will reimburse VVWRA for the majority of the project costs because the emergency declaration, VVWRA is still required to pay for a portion of the project. VVWRA faced penalties of over \$420 million for the spill, but eventually negotiated the penalties down to approximately \$94,000 due to the unforeseen nature of the storm and VVWRA's quick response.

In August 2005, RBF Consulting completed a hydraulic model and GIS map of the regional interceptor sewer system that identified areas that required additional capacity. In late 2005, design work began on Phases I and II to expand the capacity of the regional interceptor system, including two new pump stations and a directional drilled pipeline crossing under the Mojave River. An engineering review indicated that a series of improvements to the interceptor sewer system were necessary in order to convey increasing flows to the Regional Treatment Plant. In fact, spills due to limited capacity in interceptors such as the Santa Fe Avenue interceptor line resulted in VVWRA paying over \$606,000 in penalties to the regulatory agencies and supplemental environmental plans. California Regulations and the Water Code require VVWRA to begin the planning and development stages once its treatment and collection systems reach 80 percent capacity. As set forth in more detail herein, in 2008 and 2013, VVWRA conducted several reviews of its interceptor system, including upgraded flow metering and capacity reviews. The engineering firms of Tetra Tech, Carollo Engineers, Inc., and RBF Consulting assisted VVWRA's Engineering Committee with these studies and reviews.

1.1.2.3 Subregional Reclamation Facilities

Since at least 1992, VVWRA has continued work on a study to develop subregional reclamation facilities, which would provide wastewater treatment for the growing community, as well as high quality reclaimed water for non-potable uses such as landscape irrigation. The initial plan consists of two (1) MGD facilities; one located in the City of Hesperia and the second in the Town of Apple Valley. Carollo and HDR Engineering is performing the design work with assistance from Tom Dodson Associates (TDA) for environmental work. TDA prepared a programmatic Environmental Impact Report (CEQA) for the subregional reclamation facilities, and released the document for public comment in February 2011.

As studies commissioned by the Engineering Committee show and as explained in more detail herein, the subregional facilities will not only accommodate capacity needs in surrounding areas, but also alleviate VVWRA's interceptor capacity issues and offset the need for construction of new facilities at the Regional Plant in order not only to accommodate capacity, but also regulatory requirements that would have necessitated the construction of additional facilities to meet current user needs and water quality requirements.

1.1.3 Responding to Demand for Services

To meet demand for services, VVWRA's organizational structure consists of several departments. The VVWRA operations department staff is responsible for treating the wastewater received by the Regional Plant. Operations staff currently consists of approximately 11 Operators that range from Grade I to Grade V, and are responsible for wastewater treatment plant operation, pump station operation and maintenance, laboratory services and NPDES (National Pollutant Discharge and Elimination Systems) Permit and Wastewater Discharge permits compliance and reporting. The Reclamation Plant operates 24 hours a day, 7 days a week, and has operators on call. Operators have control of the plant utilizing the latest technology, which provides the capability to remote into the SCADA system. All operators are California State Water Resources Control Board certified.

VVWRA uses AllMax Antero software to coordinate maintenance activities at the Victor Valley Wastewater treatment facility. This program schedules equipment preventive maintenance. It also allows the plant operators to input repair work orders for malfunctioning equipment. A crew consisting of four Maintenance Mechanics and three Electrical/Instrumentation Technicians perform most of the maintenance at Victor Valley Wastewater. They are capable of repairing and servicing a variety of equipment. The Maintenance Planner supports the execution of maintenance department. The planner schedules and coordinates the Work Orders for overhauls and special projects; creates and processes all purchase orders and maintains plant inventory.

VVWRA also has a Finance and Human Resources Department that is responsible for the coordination of all Finance matters within the organization which includes but is not limited to: budget preparation and administration, preparation of various financial reports, general accounting, administration of the Agency debt, and providing financial advice to the General Manager and Agency Board of Commissioners. Accounts Payable is responsible for processing and paying vendor invoices in a timely manner. Payments for goods and services are processed and paid per payment terms. The Agency produces checks and ACH transfers on a weekly basis.

The Accounts Receivable and General Billing Division is responsible for billing and collection issues.

VVWRA financing and operations and maintenance departments have received numerous industry awards for excellence from the California Water Environmental Federation.

1.1.4 Financial Plan Update – Capacity Fee Study

VVWRA operates as a self-supporting entity. As such, the wastewater rates are developed to provide sufficient levels of revenue to meet all operation and maintenance expenses, debt service requirements, routine capital improvements to be funded from current revenues, and other revenue requirements. VVWRA has never issued bonds to satisfy its financial commitments. In light of the current user needs and future needs, VVWRA engaged the engineering firm of Black & Veatch, Corporation (Black & Veatch) to conduct both a financial plan study and a capacity fee study with the goal of determining what the appropriate user rates and capacity fees would be necessary to permit VVWRA to continue with its mission.

1.2 DISCLAIMER

In conducting our study, Black & Veatch reviewed the books, records, capital improvement programs, and customer sales and financial projections of the wastewater enterprise, as we deemed necessary to express our opinion of the operating results and projections. While we consider such books, records, documents, and projections to be reliable, Black & Veatch has not verified the accuracy of these documents.

The projections set forth in this report below are intended as "forward-looking statements". In formulating these projections, Black & Veatch has made certain assumptions with respect to conditions, events, and circumstances that may occur in the future. The methodology utilized in performing the analyses follows generally accepted practices for such projections. Such assumptions and methodologies are reasonable and appropriate for the purpose for which they are used. While we believe, the assumptions are reasonable and the projection methodology valid, actual results may differ materially from those projected, as influenced by the conditions, events, and circumstances that actually occur. Such factors may include the wastewater enterprise's ability to execute the capital improvement program as scheduled and within budget, wastewater legislative, regulatory or legal decisions (including environmental laws and regulations) affecting VVWRA's ability to manage the system and meet requirements.

2 Wastewater Financial Plan

2.1 REVENUES AND REVENUE REQUIREMENTS

VVWRA provides regional wastewater transmission and treatment services to its residential, commercial, industrial, and institutional customers throughout the service area. Since VVWRA is a regional provider, its primary customers are the City of Hesperia, City of Victorville, Town of Apple Valley, and County of san Bernardino Service Areas No. 42 and No. 64. These local agencies in turn provide collection services to its residents. To meet the costs associated with providing these wastewater services, VVWRA derives revenue from user charges as well as other miscellaneous revenue. The level of future revenue generated in the study is projected through a combination of an analysis of historical and future system growth in terms of number of equivalent dwelling units.

With user charges, other miscellaneous revenue, and reserves, VVWRA meets the cash requirements of operation and maintenance (O&M); debt service and reserve payments on bond indebtedness; and recurring annual capital expenditures for replacements, system betterments, and extensions not debt financed. O&M expenses are day-to-day expenditures necessary to operate and maintain the system in good working order. Routine annual capital expenditures, which include equipment replacements, consist of recurring annual replacements, minor extensions, and betterments which are normally revenue financed. Other capital costs include principal and interest payments, bond covenant-required payments, and the costs of major capital improvements paid directly from annual operating and capital revenues.

2.2 CUSTOMER PROJECTIONS

VVWRA does not distinguish between the different types of customer classes for two reasons:

1) it does not have direct contact with the retail customers, and 2) it treats the four local agencies as equivalent customers. Similar to other regional providers, the VVWRA's wastewater infrastructure is designed to transmit and treat flows from the four agencies as a unitary system rather than a set of individual systems.

To project future growth within the service area, a review of historical growth patterns and regional growth estimates were examined. In 2008, RBF Consulting conducted a growth analysis for VVWRA's service area. The projections contained in this study did not take into account the impact of the Great Recession and thus overestimated growth. Based on actual growth seen over the last three years, VVWRA believes that the number of equivalent dwelling units (EDUs) will increase by roughly 500 EDUs in FY 2014 and FY 2015¹. Thereafter, as the economy recovers, VVWRA believes that the area will experience a slow ramp-up in development, producing an additional 1,000 EDUs

₹. 5

¹ VVWRA and the Engineering Committee considered three growth scenarios: No Growth, Moderate Growth, and Substantial Growth. Concurrence was reached by the Engineering Committee to use the Moderate Growth scenario for development of the financial plan and capacity fees. The Moderate Growth estimate is based on the number of building permits received over the last 3 years.

per year. These projected growth rates are less than the 1,500 EDUs per year experienced in the mid-2000's, when the economy was booming. The associated contributed flow attributed to an EDU is roughly 200 gallons per day (gpd) based on engineering estimates. Currently, VVWRA receives an estimated 12.3 million gallons per day (MGD) of average dry weather flow, which is in line with the projected flow. Table 2-1 summarizes the projected EDUs and contributed flow for a five-year period.

Table 2-1 Number of EDUs and Contributed Flow

LINE	DESCRIPTION	FISCAL YEAR ENDING JUNE 30,					
NO.	DESCRIPTION	FY 2014	FY 2015	FY 2016	FY 2017	FY 2018	
1	Equivalent Dwelling Units	60,329	60,829	61,829	62,829	63,829	
2	Increase in EDUs/Year	457	500	1,000	1,000	1,000	
3	Total Contributed Flow (MDG)	12.1	12.2	12.4	12.6	12.8	

2.3 REVENUE UNDER EXISTING RATES

The primary source of revenue for VVWRA is derived from user charges. The user charge shown in Table 2-2 is applied to the each of the four agencies contributed flow in million gallons (MG). As mentioned previously, VVWRA treats the system as a unitary system and therefore all agencies pay the same rate regardless of their contributed flow and/or location within the service area.

Table 2-2 Existing Wastewater Charge (FY 2014)

DESCRIPTION	USER CHARGE (\$/MG)
All Agencies	\$2,528

Table 2-3 represents a summary of projected wastewater revenue under the existing charge. As shown, VVWRA anticipates a slow increase in revenue generated over the study period in concurrence with the increase in EDUs and associated contributed flow. The projected wastewater revenue increases from \$11,133,000 in FY 2014 to \$11,779,000 in FY 2018. This represents an overall increase of roughly 5.7 percent for the five-year study period.

Table 2-3 Revenue under Existing Wastewater Charge in Thousands of Dollars

LINE	AND SERVICE SERVICE	FISCAL YEAR ENDING JUNE 30,				
NO.	DESCRIPTION	FY 2014 (\$000s)	FY 2015 (\$000s)	FY 2016 (\$000s)	FY 2017 (\$000s)	FY 2018 (\$000s)
1	All Agencies	11,133	11,226	11,410	11,595	11,779
2	Total Revenue	\$11,133	\$11,226	\$11,410	\$11,595	\$11,779

2.4 OTHER REVENUE

In addition to revenue from user charges, VVWRA obtains revenue from other operating sources. Other revenue sources include high strength waste surcharges, septage receiving facility charges, reclaimed water sales, pretreatment fees, other miscellaneous revenue, and interest earned from the investment of available funds. In total, these revenues represent less than 3.0 percent of total wastewater revenues. It is anticipated that these revenues will remain relatively constant for the duration of the five year study period.

2.5 OPERATING AND MAINTENANCE EXPENSES

Table 2-4 summarizes VVWRA's projected O&M expenses for the five-year study period. VVWRA's O&M are categorized into five categories: 1) Personnel, 2) Maintenance, 3) Operations, 4) Administration, and 5) Construction. Personnel cost are related to salaries and benefits and therefore incorporated into the other categories in the projections. At the end of the fiscal year, VVWRA separates these costs from the other categories. These categories were projected to escalate at a rate of 3 percent per year to match historical inflationary factors. Over the past 30 years, the Consumer Price Index (CPI) has averaged about 3 percent. While the last few years have seen a small decline in the CPI, the slow economic recovery may affect inflation in future years. Consequently, Black & Veatch has opted to use the 30-year average for future escalation.

Table 2-4 Operation and	Maintenance Expen	ses in Thousands of Dollars
Control of the Contro		The second secon

LINE NO.	DESCRIPTION	FISCAL YEAR ENDING JUNE 30,				
		FY 2014 (\$000s)	FY 2015 (\$000s)	FY 2016 (\$000s)	FY 2017 (\$000s)	FY 2018 (\$000s)
1	Maintenance	3,910	2,000	2,060	2,122	2,186
2	Operations	5,034	5,185	5,341	5,501	5,666
3	Administration	3,002	3,092	3,185	3,281	3,379
4	Construction	473	487	502	517	533
5	Total O&M Expenses	\$12,419	\$10,764	\$11,088	\$11,421	\$11,764

Black & Veatch notes that the budgeted O&M expenses for FY 2014 are higher than past years due to a number of maintenance activities that occur on a five-year cycle. Projected O&M expenses for FY 2015 through FY 2018 reflect typical expenditure levels, excluding the extraordinary expenses.

Administrative expenses for FY 2014 are budgeted to increase \$500,000 due to costs associated with Management Information Consulting (\$130,000 for Information Technology Audit Compliance; Data Security; SCADA Fiber Network Breakout; and a Plant Totalizer Project) and \$323,000 for a supplemental environmental project.

2.6 DEBT SERVICE REQUIREMENTS

Table 2-5 represents VVWRA's existing debt service obligations. This table shows the total payment requirements on the existing debt over the five-year study period. It is a common practice

for utilities to utilize debt to finance large capital improvement projects. By financing the cost of the projects, VVWRA is able to fund large projects immediately and spread the payment over a specified timeframe, thereby helping to offset the impact on ratepayers. It is important to note that the repayment is from both the operating and capital funds. The split has been determined based on VVWRA's analysis of the capital projects financed through loans.

Table 2-5 Existing Long	Term Debt Service Pa	Payments in Thousand	s of Dollars
-------------------------	----------------------	----------------------	--------------

LINE		FISCAL YEAR ENDING JUNE 30,					
NO.	DESCRIPTION	FY 2014 (\$000s)	FY 2015 (\$000s)	FY 2016 (\$000s)	FY 2017 (\$000s)	FY 2018 (\$000s)	
1	2010 SRF Project No. C-06-4573-110	265	265	265	265	265	
2	2010 SRF Project No. C-06-4658-110	258	258	258	258	258	
3	2012 SRF Project No. C-06-4574-110	580	580	580	580	580	
4	2013 SRF Project No. C-06-5376-110	969	1,028	1,028	1,028	1,028	
5	Total Long Term Debt	\$2,072	\$2,131	\$2,131	\$2,131	\$2,131	

2.7 CAPITAL IMPROVEMENT PROGRAM

Tables 2-6 and 2-7 summarize VVWRA's Capital Improvement Program (CIP) for FY 2014 through FY 2018. VVWRA's CIP incorporates projects outlined in the Sewer Master Plan and updated costs based on engineering estimates provided by VVWRA staff and their engineering consultants. As part of the normal budgeting process, the Engineering Committee, Finance Committee, and the Board of Directors have reviewed and discussed the projects that make up the CIP. In developing the proposed CIP, VVWRA evaluated two options: 1) assume no area growth, and 2) construct two water reclamation scalping plants (subregionals). Detailed costs for the interceptor improvements and the subregionals may be found in two memos developed for VVWRA: November 21, 2013 Tetra Tech letter to VVWRA and a December 16, 2013 RBF Consulting memo to VVWRA.

Option 1 corresponds to the situation in which the VVWRA Board elects to proceed with interceptor improvements to address the system's limitations rather than building subregional plants. The no growth option would allow the current system to max out capacity based on performance-based nitrogen limits but would not provide additional treatment capacity. Even with this option, VVWRA would still exceed the planning requirements outlined in the State Water Code. **Option 2** corresponds to the situation of building the subregionals and curtailing a large portion of the interceptor projects. The subregional projects are further described in section 2.7.1. Since the no growth option would limit the future growth in the service area, VVWRA has elected to pursue the subregional option (Option 2).

Table 2-6 shows all currently anticipated projects by year while Table 2-7 shows the total costs by project. VVWRA is projecting a \$73.3 million capital improvement program over the study period, which includes both replacement and expansion projects. The majority of the capital need identified is associated with two new subregional water reclamation scalping plants. VVWRA's design engineers estimate the total cost for the subregional water reclamation scalping plants to be

\$50 million. This figure excludes \$6.1 million expended in prior years for planning and design activities. The capital program reflects projects that VVWRA expects to design and/or construct for each year of the five-year study period.

Table 2-6 Capital Improvement Projects by Category in Thousands of Dollars

LINE		FISCAL YEAR ENDING JUNE 30,					
NO.	DESCRIPTION	FY 2014 (\$000s)	FY 2015 (\$000s)	FY 2016 (\$000s)	FY 2017 (\$000s)	FY 2018 (\$000s)	
1	Wastewater Treatment Projects	25,042	27,858	1,800	0	0	
2	Interceptor Projects	1,188	6,900	3,750	4,000	0	
3	Energy Efficiency Projects	600	667	667	666	0	
4	IT Projects	100	0	0	75	0	
5	Total CIP	\$26,930	\$35,425	\$6,217	\$4,742	\$0	

Table 2-7 Capital Improvement Projects in Thousands of Dollars

		TOTAL COSTS			TOTAL COSTS	
DESCRIPTION	ALLOCATION TO GROWTH	FY 2014 - FY 2018 (\$000S)	DESCRIPTION	ALLOCATION TO GROWTH	FY 2014 – FY 2018 (\$000S)	
Wastewater Treatment Pro	ojects					
Laboratory Building Replacement Project	0%	2,100	WAS Line to Decant Tank	0%	50	
Digesters 4 and 5 Supernatant Line	0%	75	Equipment Storage Facility	0%	100	
Drying Beds Repair and Drainage Improvements	0%	850	Hesperia Subregional Water Reclamation Plant	39%	24,970	
Westside Plant Phase III-B Regulatory Upgrades Project	0%	1,000	TOAV Subregional Water Reclamation Plant	39%	24,970	
Westside Plant Spill Containment System	0%	250	Apple Valley GC Pump Station Replacement	39%	250	
UV Containment Structure	25%	85				
Interceptor Projects						
Upper Narrows Interceptor Replacement Project	0%	1,040	Yates Road Sampling Station	0%	68	
Nanticoke PS Bypass	25%	5,700	Apple Valley Odor	0%	650	

		TOTAL COSTS	The Later		TOTAL COSTS FY 2014 – FY 2018 (\$000S)	
DESCRIPTION	ALLOCATION TO GROWTH	FY 2014 – FY 2018 (\$000S)	DESCRIPTION	ALLOCATION TO GROWTH		
Sewer			Control			
Ossum Wash	0%	420	Apple Valley Interceptor Realignment Desert Knolls Wash	0%	300	
Oro Grande Crossing of Mojave River	0%	600	North Hesperia Relief Interceptor	0%	4,500	
Apple Valley Interceptor Realignment Tao Road	0%	60	Spring Valley Lake Relief Interceptor	0%	2,500	
Energy Efficiency Projects						
FOG Treatment Project	0%	100	Aeration Energy Efficiency Project	0%	2,500	
IT Projects						
Computerized Maintenance Management System	0%	100	VVWRA Facilities Database Project	0%	75	
Total CIP		\$73,313				

2.7.1 Subregional Treatment Plants

Design and construction of the subregional treatment plants will help VVWRA meet both hydraulic and organic capacity requirements. In 2008, VVWRA finished a 3-year expansion of the VVWRA treatment plant that expanded the plants' hydraulic capacity from 12.5 MGD to 18 MGD. At the same time, VVWRA was completing a Master Plan and negotiations with the Regional Water Quality Control Board (RWQCB) on new NPDES permit for nitrogen discharge levels. The Master Plan identified areas of weakness in the wastewater system, specifically with hydraulic capacity in its interceptors. Based on estimated growth in the system, the total flow within the interceptors would reach capacity before the treatment plant. In addition, the new NPDES permit provided a different barrier - an organic capacity at the treatment plant. What this means is that while the treatment plant expansion had provided VVWRA expanded hydraulic capacity, the regulatory requirements reduced the actual capacity.

In 2008, neither the interceptors nor the NPDES limits created an immediate problem, as the VVWRA was able to implement adjustments and upgrades that would allow total treatment of the flows. However, as wastewater flows began to increase, VVWRA realized that it needed to examine its hydraulic and organic capacity. Therefore, in 2011 VVWRA commissioned a study to examine the true organic capacity. Based on the study, it was determined that to meet the nitrate limits of 95 percent of the time; the actual plant capacity was 14.5 MGD. Unfortunately, the permit requires meeting the limit 99.1 percent of the time, further reducing the plant capacity to 13.8 MGD. As

suspected, the reduced plant capacity imposed another problem for VVWRA. Treatment plants are required to plan expansion when they reach 80 percent of existing capacity. With VVWRA already at 12.5 MGD average dry weather flow, it is beyond the target. Therefore, VVWRA sought alternatives to help expand the treatment facility.

Under another commissioned engineering study, VVWRA examined two alternatives: 1) expand the existing facility to 22.0 MGD or 2) build two subregional scalping plants with a total capacity of 2.0 MGD. Alternative 1 provides capacity needed to meet both the hydraulic and organic capacity but it would require immediate expansion of the interceptors leading to the VVWRA treatment plant. Alternative 2 builds two subregional scalping plants in the Town of Apple Valley and the City of Hesperia. The subregionals would provide 1.0 MGD each and would divert the flow going to the VVWRA treatment plant. The key benefits provided by the subregionals are redistribution of the organic (nitrogen) and hydraulic loadings so that the main treatment plant at Shay Road sees a reduced nitrogen loading and less hydraulic flow. The subregional facilities are not "full" treatment plants and provide only 0.6 MGD of additional capacity. VVWRA notes that once the subregionals become operational, they will be essentially at max capacity. As a result, the subregional facilities provide organic and hydraulic benefits to only the existing wastewater treatment plant flows.

Following extensive discussion and review by VVWRA staff and through the VVWRA Engineering Committee, a preferred option was selected – Option 2. Option 2 is the preferred option as it not only provided additional capacity, but also is less costly; eases the load on the interceptor; provides local services to the Town of Apple Valley and City of Hesperia; and does not add unnecessary hydraulic capacity to the system. In addition, the City of Victorville benefits from additional capacity at the VVWRA plant and in the interceptor system by being able to offload at the subregionals.

2.7.2 Other CIP Projects

While the subregional treatment plants do represent the majority of the costs in the proposed CIP, VVWRA is undertaking a number of other projects. The project descriptions below summarize other infrastructure investments VVWRA is making to maintain the system.

PROJECT NAME	DESCRIPTION
Laboratory Building Replacement Project	Replacement of obsolete laboratory and former administration building. Previously scheduled construction delayed due to cash flow issues associated with the Upper Narrows Emergency and completion of Phase IIIA.
Digesters 4 and 5 Supernatant Line	Digesters 4 and 5 currently require pumping to withdraw solids and it has to be timed with influent pumping and gas production/withdrawal. Replacement with a gravity system will reduce costs and improve operational reliability.
Drying Beds Repair and Drainage Improvements	Heavy rainstorm damage incurred in Summer 2012. Repairing significant damage to the biosolids drying beds.
Westside Plant Phase III-B Regulatory Upgrades	Adopted 2012 WDR permit requires biosolids equalization basins be lined with an impermeable material. The Permit includes a timeline for completion of the project.
Westside Plant Spill	Several instances have occurred which allowed partially treated wastewater to

PROJECT NAME	DESCRIPTION
Containment System	inadvertently enter the storm drain system. Not all of it could be returned to the headworks, thus reportable spills occurred. This project will create a valve and pipeline to redirect flows from the stormwater system to the backwash basin.
UV Containment System	Swallows are entering in to the UV disinfection system channels and roof. As a result, VVWRA is in risk of fecal coliform violation of its NPDES permit. This project would enclose the UV building.
WAS Line to Decant Tank	The WAS line to the decant tank would allow high ammonia waste to be nitrified and denitrified by creating an aerobic digester out of the decant tank.
Equipment Storage Facility	Existing equipment is currently stored in the open where wind, sun and rain damage it.
Apple Valley GC Pump Station Replacement	Construction of a pump station for the Town of Apple Valley Golf Course as compensation for the easement for the water reclamation plant and percolation ponds.
Upper Narrows Interceptor Replacement Project	Construction of a permanent pipeline to replace the temporary pipeline through the Upper Narrows.
Nanticoke PS Bypass Sewer	Construction of a gravity interceptor to replace the Nanticoke Pump Station.
Ossum Wash	The double barrel interceptor that crosses Ossum Wash requires lining to ensure its structural integrity.
Oro Grande Crossing of Mojave River	Replacement of lining of the interceptor in the Mojave River serving Oro Grande.
Apple Valley Interceptor Realignment Tao Road	Elimination of two 90 degree interceptor bonds at Tao Road with 45 degree bends.
Yates Road Sampling Station	The Town of Apple Valley is constructing the Nisqualli Bridge which requires that the road be widened. The existing metering site needs to be relocated to accommodate the enlarged roadway.
Apple Valley Odor Control	An odor study was performed by V&A Engineering in 2009. Before it could be acted upon, the Upper Narrows Emergency occurred. Due to FEMA requirements, it is necessary to delay all activities with this project until the Upper Narrows Interceptor Replacement Project is completed.
Apple Valley Interceptor Realignment Desert Knolls Wash	San Bernardino County Flood Control intends to reconstruct Desert Knolls Wash, which will require VVWRA to realign its manholes in that area. It is anticipated that this project will coincide with the odor control project since they occur in the same vicinity.
Digesters Biogas to Energy Project	Project with Anaergia to use biogas to produce power. Funds that would have been paid to SCE for electricity will instead be used to pay Anaergia. Anaergia will be paid \$734,000 annually.
FOG Treatment Project	Currently, all FOG is hauled to other locations outside of VVWRA's service area. VVWRA could accept this waste and use existing digestion capacity to generate tipping fees and biogas for power production.
Aeration Energy Efficiency	This project will improve the oxygen transfer efficiency of the facility and reduce

PROJECT NAME	DESCRIPTION
Project	energy consumption.
Omnivore Pilot Study	This project is designed to thicken digester waste and produce additional biogas.
Computerized Maintenance A computer software program to integrate maintenance, purchasing, financing activities.	
Easement Book	VVWRA does not have good records pertaining to its easements and their locations. This project would identify all existing easements and identify them on a map.
VVWRA Facilities Database Project	VVWRA's records, as built drawings, specifications, etc., are stored in multiple locations on paper. This project is intended to digitize those documents and create a format whereby they would be easily accessible.

2.8 PROJECTED CAPITAL RESULTS

The revenue requirements of VVWRA's capital fund consist of system debt service requirements and capital projects. Tables 2-8 reflect the capital financing plan for the subregionals projects identified in Table 2-6.

The subcategories of sources and uses identify capital fund activities. Lines 1 to 7 summarize the revenue sources. SRF loans and capacity fees associated with new connections are the primary source of income. Lines 8 to 12 are the expenses. The primary uses are for debt service and capital projects. Line 15 presents the net cumulative balance.

VVWRA has policy reserves that serve to provide a safety net for uncertain events that might affect the VVWRA's financial health. The reserves consist of a capital reserve, replacement and repair (R&R) reserve, and debt service reserve as show in lines 16 to 18. VVWRA policy targets capital reserve levels at \$5.5 million and R&R reserves at 1 percent of land improvements and interceptor asset value. The State Water Resources Control Board dictates the debt service reserve requirement to 1-year of debt service payment (principal and interest).

Over the past few years, VVWRA has used the capital fund balance to cover capital projects. With the receipt of grant funds, VVWRA will manage to maintain a positive cash flow and execute necessary capital projects.

Table 2-8 Capital Cash Flow in Thousands of Dollars

LINE		II descending	FISCAL YEAR ENDING JUNE 30,			
NO.	DESCRIPTION	FY 2014 (\$000S)	FY 2015 (\$000S)	FY 2016 (\$000S)	FY 2017 (\$000S)	FY 2018 (\$000S)
Source	es of Funds					
1	Transfer from Operating Fund	1,723	850	200	75	0
2	New SRF Loans	24,222	30,908	4,800	4,000	0
3	Capacity Fees	1,715	2,100	4,200	4,200	4,200
4	Grants	3,750	0	0	0	0

LINE		表 计设计	FISCAL Y	AR ENDING J	UNE 30,	100
NO.	DESCRIPTION	FY 2014 (\$000S)	FY 2015 (\$000S)	FY 2016 (\$000S)	FY 2017 (\$000S)	FY 2018 (\$000S)
5	Other Financing	0	0	0	0	0
6	Interest Income	22	24	23	26	29
7	Total Sources of Funds	\$31,432	\$33,882	\$9,223	\$8,301	\$4,229
Uses o	f Funds					
8	Capital Improvement Program	25,207	34,575	6,017	4,667	0
9	Capital Expenses	442	456	470	484	499
10	Debt Service Payments (Existing)	1,349	1,349	1,349	1,349	1,349
11	Debt Service Payments (Proposed)	0	0	0	532	996
12	Total Uses of Funds	\$26,998	\$36,380	\$7,836	\$7,032	\$2,844
13	Net Annual Cash Balance	4,434	(2,498)	1,387	1,269	1,385
14	Beginning Cash Balance	6,503	10,937	8,439	9,826	11,095
15	Net Cumulative Fund Balance	\$10,937	\$8,439	\$9,826	\$11,095	\$12,480
Fund R	Reserve Targets					
16	Capital Reserve - \$5.5M Target	5,500	5,500	5,500	5,500	5,500
17	R&R Reserve – 1% of Land Improvements and Interceptors	1,356	1,356	1,356	1,356	1,356
18	SRF Reserve – 1 year P&I Payment	1,349	1,349	1,349	1,881	2,345

2.8.1 Subregional Financing

In determining how to finance the subregional facilities, VVWRA worked closely with the Board of Directors and the Engineering Committee composed of representatives from the City of Victorville, City of Hesperia, Town of Apple Valley and San Bernardino County. The meetings discussed a wide range of topics such as engineering design parameters, design and construction costs, cost allocations between users, cash and debt financing, and alternative solutions. With respect to the situation concerning capacity limitations, the Engineering Committee discussed various options (Options 1 and 2); costs associated with each option; and allocation of costs/benefits between existing and new users (Option 2). Over the course of 18 months, the Engineering Committee has met 6 times and there have been 5 Board workshops on the capacity limits topic and specifically on how the subregionals would offset costs to existing users.

In establishing the cost nexus for the scenarios considered, VVWRA and the Engineering Committee divided the problem into two parts: collection system and wastewater treatment plant. The following table summarizes the studies conducted and agreements reached by the Engineering Committee regarding how construction of the subregionals offset costs to the existing users.

ISSUE	ACTIONS AND AGREEMENTS REACHED
COLLECTION SYSTEM CONSIDERATION	ONS
Define collection system capacity	 Agreement reached that for pipes less than 15" in diameter, hydraulic capacity of 0.5 d/D and 0.75 d/D for pipes greater than 15". This is the industry standard for public wastewater facilities. Engineering Committee agreed that to determine the areas or responsibility to existing users, these values should be further restricted to 0.75 and 0.90 d/D respectively to show areas of "over capacity." Memo prepared by Tetra Tech to summarize needs based on these definitions. RBF prepared a series of maps to document reaches that we over capacity. RBF prepared a second set of maps that illustrate which interceptors are no longer over capacity when 2 MDG of flow is diverted (due to construction of the subregionals).
Establish benefit to existing users WASTEWATER TREATMENT PLANT (Using the 0.75/0.9 d/D definition, Tetra Tech developed a cosestimate for repairing over-capacity pipe reaches using the minimum pipe size necessary to meet compliance. Agreement reached by Committee members that using pipe sizes larger than necessary to meet compliance implies capacity for growth. Following peer review by RBF on the costs provided by Tetra Tech, extensive discussion amongst Engineering Committee members, and a Board workshop (January 16, 2014), agreement was reached that construction of the subregionals provide \$12.8 million in benefit to existing users through defrayed interceptor improvements.
Establish benefit to existing users	 Existing wastewater treatment plant has a limitation of 10.3 mg/L total nitrogen and a 0.53 mg/L ammonia limit. Staff is having trouble meeting ammonia limit requirements with current system. If no subregionals are built, then additional aeration basins are required to meet ammonia limits. Engineering Committee agrees that adding secondary clarification adds additional capacity to the plant and exclude it from further consideration. Engineering Committee evaluates the option of additional aeration basins and eliminates any redundant systems, rationalizing that extra air bays can be used to meet existing needs and provide the needed buffer in the event of plant upsets. Extra air bays would then not be available for growth capacity.

• Engineering Committee to approve final costs and establish

ISSUE	ACTIONS AND AGREEMENTS REACHED
	benefits to existing users at the January 27, 2014 meeting, which has been set at \$13,197,079. Final Board approval on the cost allocation is set for February 20, 2014.

2.8.1.1 Grants

In anticipation of design and construction of the subregional facilities, VVWRA actively pursued grant fund available from various sources. To date, VVWRA has been able to secure \$7 million from Title 22, Proposition 84 and the SWRCB grants. Working with the Engineering Committee and Board of Directors, it was determined that grants should offset existing and new users CIP costs based on a 50/50 split. In addition, VVWRA has submitted the request for an additional \$5 million from Title 22 and Proposition 84. There is no certainty of receiving these grants; therefore the amount has been excluded from the financial plan. In Table 2-9, the benefits of the grants are demonstrated for both existing and new users.

Table 2-9 Revenue Adjustments

LINE	DESCRIPTION	TOTAL	EXISTING USERS	NEW USERS
NO.	DESCRIPTION	(\$000s)	(\$000s)	(\$000s)
1	Total Estimated Costs of Subregionals	50,000		
2	Estimated Split of Costs		61%	39%
3	Total Costs by User		30,500	19,500
4	Total Grants Received	7,000		
5	Estimated Split of Grants		50%	50%
6	Total Grants by User		3,750	3,750
7	Total Costs (less Grants)		\$29,750	\$12,750

2.9 PROJECTED OPERATING RESULTS

The revenue requirements associated with wastewater operations consist of system O&M expense, debt service requirements, and transfer (capital projects).

In the analysis, it was important to identify the financial impact to VVWRA should no revenue increases occur. Under the Status Quo scenario, VVWRA would not impose any revenue increases over the study period and undertake no CIP program. This would require a moratorium on new development at current levels. As shown in Figure 2-1, the Status Quo condition means that VVWRA will operate at an annual deficit position beginning in FY 2015, drawing down its operating reserves. Moreover, the Status Quo scenario would leave VVWRA in violation of its debt requirements with the State as well as in violation of the NPDES requirements and subject to penalties and/or cease-and-desist orders.

In order to avoid deficit positions, VVWRA examined the two alternatives for revenue increases that would meet the revenue requirements: **Alternative 1 - Immediate** and **Alternative 2 - Balanced**. The immediate alternative was to have annual revenues cover the annual expenses as

well as meet debt coverage in each fiscal year. The balanced alternative takes into account the rate variation and tries to smooth out the rate adjustments. This alternative has a deficit debt coverage ratio in FY 2015, but recovers to meet debt coverage thereafter. Table 2-10 summarizes the suggested revenue adjustments for both alternatives. Tables 2-11 and 2-12 summarize the cash flow projections for both alternatives.




Figure 2-1 Operating Cash Flow (Status Quo) in Thousands of Dollars

Table 2-10 Revenue Adjustments

FICCAL VEAR	EFFECTIVE	REVENUE ADJUSTMENTS		
FISCAL YEAR	MONTH*	Alternative 1	Alternative 2	
FY 2014	July	0.00%	0.00%	
FY 2015	July	16.00%	9.00%	
FY 2016	July	3.00%	9.00%	
FY 2017	July	8.00%	9.00%	
FY 2018	July	8.00%	7.00%	

^{*}July represent July 1 of the fiscal year.

Tables 2-11 and 2-12 reflect the operating cash flow based on the recommended adjustments for each alternative, which helps VVWRA stay at positive cash flow over the five-year study period.

To help with understanding VVWRA's operating fund, we have separated the cash streams into revenues and revenue requirements. Line 1 is the revenue under existing rates while lines 2 to 7 is the additional revenue generated from the required annual revenue increases indicated in Table 2-8. Lines 9 to 11 represent other revenues, which include high strength charges, pretreatment, grants, and interest earned from the investment of available funds. Line 13 shows the

total revenues generated from existing user charges, revenue from increases and other operating revenue.

Sections 2.5 through 2.8 discuss the revenue requirements for O&M, debt service, and transfers (capital projects). Lines 14 through 20 summarize these revenue requirements. Line 21 represents that total annual revenue requirement. Line 22 shows the net annual balance, while line 24 represents the sum of lines 22 and 23 resulting in the net cumulative fund balance.

Similar to the capital fund, VVWRA has policy operating reserves, which provide a safety net for uncertain events that might affect the VVWRA's financial health. The reserves consist of an operating reserve and debt service reserve, as show in lines 25 and 26. The operating reserve target is 10 percent of 0&M expenses. The lending financial institution dictates the debt service reserve requirement and it is equal to 1-year of principal and interest payments.

On top of the reserves, VVWRA is required to maintain a debt coverage ratio of 1.20. The State Water Resources Control Board sets the debt coverage and it only considers mandatory expenses, which therefore excludes transfers. Lines 27 and 28 show the resulting debt coverage ratios for existing debt as well as total debt (existing plus new debt).

Table 2-11 Operating Cash Flow (Alternative 1) in Thousands of Dollars

LINE				EN KLYPS	FISCAL Y	EAR ENDING J	UNE 30,	
LINE NO.		DESCRIPTIO	N	FY 2014 (\$000s)	FY 2015 (\$000s)	FY 2016 (\$000s)	FY 2017 (\$000s)	FY 2018 (\$000s)
Revenu	ues							
	Rate Revei	nues						
1	Revenue fr	rom Existing R	ates	11,133	11,226	11,410	11,595	11,779
	Year	Months Effective	Rate Adjustment					
2	FY 2014	12	0.00%	0	0	0	0	0
3	FY 2015	12	16.00%		1,796	1,826	1,855	1,885
4	FY 2016	12	3.00%			397	404	410
5	FY 2017	12	8.00%				1,108	1,126
6	FY 2018	12	8.00%					1,216
7	Revenues	due to Adjusti	ments	0	1,796	2,223	3,367	4,637
8	Subtotal R	ate Revenues		11,133	13,022	13,633	14,962	16,416
	Other Ope	rating Revenu	es					
9	High Stren		Pretreatment	297	297	297	297	297
10	Grants (Tit	le 22/Prop 84	/SWRCB)	3,750	0	0	0	0
11	Interest Ea	rnings		1	7	31	76	165

LINE		The shift is	FISCAL Y	EAR ENDING J	UNE 30,	15/8/58
NO.	DESCRIPTION	FY 2014 (\$000s)	FY 2015 (\$000s)	FY 2016 (\$000s)	FY 2017 (\$000s)	FY 2018 (\$000s)
12	Subtotal Other Operating Revenues	4,048	304	328	373	462
13	Total Revenues	\$15,181	\$13,326	\$13,961	\$15,335	\$16,878
Revenu	ue Requirements					
	Operating & Maintenance					
14	O&M Expense	12,484	10,764	11,088	11,421	11,764
15	Subtotal O&M Expense	12,484	10,764	11,088	11,421	11,764
	Debt Service					
16	Existing SRF Loans	782	782	782	782	782
17	Proposed SRF Loans	0	0	41	978	2,036
18	Subtotal Debt Service	782	782	823	1,760	2,818
	Transfers					
19	For Capital Improvement Projects	1,723	850	200	75	(
20	Subtotal Total Transfers	1,723	850	200	75	
21	Total Revenue Requirements	\$14,989	\$12,396	\$12,111	\$13,256	\$14,58
22	Net Annual Cash Balance	192	930	1,850	2,079	2,29
23	Beginning Fund Balance	2,047	2,239	3,169	5,019	7,098
24	Net Cumulative Fund Balance	2,239	3,169	5,019	7,098	9,394
Fund R	eserve Targets					
25	Operating Reserve = 10% of O&M	1,248	1,076	1,109	1,142	1,176
26	SRF Reserve = 1-yr P&I Payment	782	782	823	1,760	2,818
Debt S	ervice Coverage Ratios					
27	Debt Service Coverage (Existing)	1.27	1.20	1.35	1.84	2.40
28	Debt Service Coverage (All Debt)	1.27	1.20	1.32	1.26	1.23

Table 2-12 Operating Cash Flow (Alternative 2) in Thousands of Dollars

1,1010			PERM		FISCAL YI	EAR ENDING J	UNE 30,	
NO.		DESCRIPTIO	N	FY 2014 (\$000s)	FY 2015 (\$000s)	FY 2016 (\$000s)	FY 2017 (\$000s)	FY 2018 (\$000s)
Reven	ues							
	Rate Revei	nues						
1	Revenue fr	rom Existing R	ates	11,133	11,226	11,410	11,595	11,779
	Year	Months Effective	Rate Adjustment					
2	FY 2014	12	0.00%	0	0	0	0	0
3	FY 2015	12	9.00%		1,010	1,027	1,044	1,060
4	FY 2016	12	9.00%			1,119	1,138	1,156
5	FY 2017	12	9.00%				1,240	1,260
6	FY 2018	12	7.00%					1,068
7	Revenues	due to Adjust	ments	0	1,010	2,146	3,422	4,544
8	Subtotal R	ate Revenues		11,133	12,236	13,556	15,017	16,323
	Other Ope	rating Revenu	es					
9	High Stren and Other		Pretreatment	297	297	297	297	297
10	Grants (Tit	le 22/Prop 84	/SWRCB)	3,750	0	0	0	0
11	Interest Ea	rnings		1	6	24	65	147
12	Subtotal O	ther Operatin	g Revenues	4,048	303	321	362	444
13	Total Reve	enues		\$15,181	\$12,539	\$13,877	\$15,379	\$16,767
Reveni	ue Requirem	ents						
	Operating	& Maintenan	ce					
14	O&M Expe	ense		12,484	10,764	11,088	11,421	11,764
15	Subtotal O	&M Expense		12,484	10,764	11,088	11,421	11,764
	Debt Service							
16	Existing SR	F Loans		782	782	782	782	782
17	Proposed S	SRF Loans		0	0	41	978	2,036
18	Subtotal D	ebt Service		782	782	823	1,760	2,818
	Transfers							

LINE		A THE ACT	FISCAL Y	EAR ENDING J	UNE 30,	
NO.	DESCRIPTION	FY 2014 (\$000s)	FY 2015 (\$000s)	FY 2016 (\$000s)	FY 2017 (\$000s)	FY 2018 (\$000s)
19	For Capital Improvement Projects	1,723	850	200	75	0
20	Subtotal Total Transfers	1,723	850	200	75	0
21	Total Revenue Requirements	\$14,989	\$12,396	\$12,111	\$13,256	\$14,582
22	Net Annual Cash Balance	192	143	1,766	2,123	2,185
23	Beginning Fund Balance	2,047	2,239	2,382	4,148	6,271
24	Net Cumulative Fund Balance	2,239	2,382	4,148	6,271	8,456
Fund F	Reserve Targets					
25	Operating Reserve = 10% of O&M	1,248	1,076	1,109	1,142	1,176
26	SRF Reserve = 1-yr P&I Payment	782	782	823	1,760	2,818
Debt S	Service Coverage Ratios					
27	Debt Service Coverage (Existing)	1.27	0.83	1.31	1.86	2.35
28	Debt Service Coverage (All Debt)	1.27	0.83	1.28	1.27	1.20

The recommended revenue adjustments help VVWRA maintain a positive annual and cumulative balance while still being able to perform capital improvements and meet debt service coverage requirements. Figure 2-2 and Figure 2-3 present the major components of the operating fund with the proposed adjustments for each Alternative.





Figure 2-2 Operating Cash Flow (Alternative 1) in Thousands of Dollars





3 Proposed Rate Adjustments

The financial plan described in preceding sections of this report provides a basis for the design of user charges. Incorporating the revenue adjustments shown for the alternatives, Tables 3-1 and 3-2 show the proposed rates for each alternative. Since VVWRA does not differentiate between agencies, the proposed user charges are simply the product of the existing user charge multiplied directly by the revenue adjustment.

Table 3-1 Proposed Wastewater Charges for FY 2014 to FY 2018 (Alternative 1)

	T MARKET	FISCAL Y	EAR ENDING J	UNE 30,	THE S
DESCRIPTION	FY 2014 (\$/MG)	FY 2015 (\$/MG)	FY 2016 (\$/MG)	FY 2017 (\$/MG)	FY 2018 (\$/MG)
All Agencies	\$2,528	\$2,932	\$3,020	\$3,262	\$3,523
Estimated Monthly Rate/EDU	\$15.38	\$17.84	\$18.37	\$19.84	\$21.43

Table 3-2 Proposed Wastewater Charges for FY 2014 to FY 2018 (Alternative 2)

	Y ELMAN	FISCAL Y	EAR ENDING J	UNE 30,	
DESCRIPTION	FY 2014 (\$/MG)	FY 2015 (\$/MG)	FY 2016 (\$/MG)	FY 2017 (\$/MG)	FY 2018 (\$/MG)
All Agencies	\$2,528	\$2,756	\$3,004	\$3,274	\$3,503
Estimated Monthly Rate/EDU	\$15.38	\$16.76	\$18.27	\$19.92	\$21.31

		į.	